

Service Parts

8265S Copper washer; Used with: LF516



116029S O-ring; Used with Fleetguard 500 and 750 series bypass lube filter housings



132730SB Bulk package; (100) of 132730S

142784S Fuel filter head; Head used with FS1212, FF213, FF105C, FF105D, FF105, FF104, FS1000; Replaces 256348S



145664SB Bulk package; (500) of 3301385S



150037S Hold-down spring for 500 and 750 housing assemblies.

151884S Gasket; Used with: FF108, FF221, FF218



151940S Housing Assembly; Used with: FF108



153518S Bolt Seal; Used with: LF516



153717S Turbo head; Used with: LF632B



154272S Crankcase breather with steel stamped housing and cover with AF250 element; Uses service part(s) 3302527S, 3318125S Used with: AF250



154711S Fuel Filter Head; Used with: FF105



156779S Crankcase breather with steel stamped housing and cover, AF250 element, stopper fit, and chain on cover; Uses service part(s) 3318125S; Used with: AF250



156780S Same as 156779S without chain; Uses service part(s) 3318125S



156810S Crankcase breather; Uses service part(s) 3302527S, 3318125S



161917S Crankcase breather; Element for 156810S



161917SB Bulk package; (100) of 161917S



164159S Cover gasket; Used with: LF500, LF750A, LF750B, LF750C; Replaces 250992S



164159SB Bulk package; (100) of 164159S



173368S Gasket; Used with: LF516, LF613, LF509N; Replaces 257232S; Used with the following head and shell combinations:

ENGINE	HEAD	SHELL
V6-140	252917	189977
V8-185	252917	189977
N & NH	177058	184386
V6-200	173285	184386
V8-185	173285	184386
V6-200	177058	173313
V8-185	177058	173313
V6-200	294353	184386
V8-185	294353	184386
V6-200	204354	184386
V8-185	204354	184386
V6-200	252990	173313
V8-185	252990	173313
V12	162671	184386
V12	180729	184386
V12	183771	184386
V12	195745	184386
V12	196079	184386
V12	199797	184386
J	199917	184386
J & C	177058	184386

173368SB Bulk package; (100) of 173368S



193302S O-Ring; Used with: LF613; Replaces 256691S; Used the following Cummins head shell combinations:

HEAD	SHELL
166400	166422
167991	166422
168032	173178
175623	173178
175623	551680
175624	551680
181726	551681
551102	551681

Overall Height: 0.15 (4)
Largest OD: 5.66 (144)
Largest ID: 5.36 (136)
Cross Section: Round

202592S Gasket

204163S Water filter spin-on head; Replaces 256926S



E. PRODUCT GUIDE

212013S



Dual fuel filter head; Head used with FF104, FF105, FF213, FS1212

215617S



Dual water filter head; Uses 256535S mounting bracket

250024



Gasket

250024S



Cover gasket; Used with: AF250

250301S

Gasket

250383S

Gasket; Used with: FF107

250457S

Gasket

250806S



Service Gasket; One inch OD flat air filter bolt seal

250843S



Snap ring; Used with: FF108

250856S



Coupling assembly for use on LF500 and LF750 by-pass housing assemblies with the exception of 252281S; Used with: LF500, LF750A, LF750B, LF750C; Also used on 10 quart power steering reservoir.

251081S



Square washer for capscrew 1/2"; Used with: FF108

251091S

Shell assembly; Used with: FF108

251139S




O-Ring; Used with: HF6088

251152S



By-pass spring (relief valve located in bottom of shell); Used with: LF502, LF516

251311S



CATERPILLAR 6F9163; Gasket Used with: LF519


Overall Height: 0.12 (3)
Largest OD: 5.44 (138)
Largest ID: 5.2 (132)
Cross Section: Rectangular

251390S



Rubber cover gasket; Used with: FF108, FS1201

251390SB



Bulk package; (100) of 251390S.

251919



Coolant Immersion Heater 6' Replacement cord 120V; Used with: FH23002; Replaces 251919C

252011S



Spring for 2 & 4 quart power steering reservoirs; Used with: 255730S, 254385S

252193S



Fuel System Service Part; Housing used with FF178

252598S



Rubber cover gasket; Used with: FF178, 254385S

253152S



Bracket assembly for 254385S housing; Used with: 254385S

254064S



Crankcase Breather; Internal retaining screens for 156810S

254329S

Gasket

254387S



Dipstick for use on 4-quart power steering reservoir 254385S; Used with: 254385S

254503S

Gasket

254608S



Gasket; For 255180S and 257014S crankcase breathers

255180S



Crankcase breather for turbo applications; Uses service part(s) 255183S, 3302527S

255183S



Crankcase breather element; Used with: 255180S assembly

255721S




Dipstick for use on 2-quart power steering reservoir 255730S

255737S







Vented dipstick for 10-quart power steering reservoir 251431S

255815S




Gasket for 255180S, 156810S, and 257014S crankcase breathers

E. PRODUCT GUIDE

255816S  Crankcase breather washer	257542S  Valve assembly used in 256546S; Consists of 257541S and 3302010S	259225  Coolant Immersion Heater for Detroit Diesel 750W/120V
256172S  Housing used with FS1201 Fuel	257715S  Water filter head 204163S and bracket assembly	259225C  Coolant Immersion Heater for Detroit Diesel 750W/120V **CSA Approved
256421S  Spring for 256546S fuel/ water separator housing	258127S Housing cover; (1 pack of 258092)	259229C  Coolant Immersion Heater for Caterpillar 1000W/120V **CSA Approved
256424S  Shell assembly for fuel/ water separator housing assembly 256546S (black); Replaces 256423S, 3304896S	258814S Reinforced mounting bracket Used with: LF750A, LF750B, LF750C	259231C  Coolant Immersion Heater for Caterpillar 1500W/120V **CSA Approved
256535S  Mounting bracket for 204163S and 215617S water filter heads, 142784S, 3304315S and 212013S fuel filter heads.	259083S  Capscrew used on 4-quart power steering reservoir with metal cover; Used with: 255730S, 254385S	259246  Extension Cord 120V 15FT Replaces 257120
256535S  Mounting bracket for 204163S and 215617S water filter heads, 142784S, 3304315S and 212013S fuel filter heads.	259204  Coolant Immersion Heater for Cummins 1000W/120V	259247  Extension Cord 120V 25FT
256546S  Housing used with FS1201 Fuel/water separator housing assembly (black cover and shell) (FS1201 element); Replaces 3300430S, 3300431S	259205  Coolant Immersion Heater for Cummins 1000W/240V	259248  Extension Cord 120V 50FT
257014S  Crankcase breather with steel stamped housing and cover; two-stage filtration, Scott foam element (257419S); Uses service part(s) 3302527S Used with: AF251; Replaces 255806S	259211  Coolant Immersion Heater for Caterpillar, Detroit Diesel, and Fiat Allis 1000W/120V	259250  Waterproof Remote Plug 240V **CSA not required
257419S  Crankcase Breathers; Vapor element used with 255180S or 257014S; Replaces 3304880S	259211C  Coolant Immersion Heater for Caterpillar, Detroit Diesel, Fiat Allis 1000W/120V **CSA Approved	259296  Replacement heating element for 259268 coolant tank heater 750W/120V **CSA Approved
257541S  Vent valve for use on fuel/ water separator housing assembly	259214  Coolant Immersion Heater for Detroit Diesel 1000W/120V	259302  Replacement heating element for 259274 water-tight coolant tank heater 1500W/120V
	259216  Coolant Immersion Heater for Detroit Diesel 1500W/120V	259305  Coolant Tank Replacement Heating Element **CSA Approved
	259218  Coolant Immersion Heater for Detroit Diesel 1000W/120V	259307  Replacement heating element for 259279 water-tight coolant tank heater 2000W/120V
		259310  Replacement heating element for 259282 coolant tank heater 2000W/480V **CSA Approved

E. PRODUCT GUIDE

259311 	259371 	323344S 
259317 	259372 	330818S  Overall Height: 0.22 (5) Largest OD: 2.83 (72) Largest ID: 2.46 (63) Cross Section: Rectangular
259319 	259373 	333763S 
259334 	259375 	394694S 
259346 	259377 	3300518S 
259350 	259379C 	3300922S 
259352 	259384 	3301387S 
259354 	259386 	3301603S 
259367 	259387 	3301922S 
259369 	259390S 	3301949S 
259370 	317237S 	3301954S 
	317506S 	3302009S 

E. PRODUCT GUIDE

3302134S

Stat-o-seal washer; Used with:
LF509N



3302180S

Gasket for use on Cummins
crankcase breathers 257014S
and 255180S



3302367S

Fuel filter head; Head used with
FF202, FS1216, FS1006



3302527S

Wing nut for use with some
crankcase breathers; Used with:
154272S, 156810S, 257014S,
255180S; Replaces 250026S



3302657

Low Pressure Ether Cyl. 90 psi.
(Non-US); (For Canada use
259345 only)



3302696

84" Control Cable; **CSA not
required



3302698

Cylinder Clamp; **CSA not
required



3302699

Compression Sleeve; **CSA not
required



3302700

90 degree Valve Fitting; **CSA
not required



3303104

Coolant Immersion Heater for
Mack 1500W/120V



3303104C

Coolant Immersion Heater for
Mack 1500W/120V **CSA
Approved



3303311

Atomizer; Replaces 259351,
259353; **CSA not required



3303427S

O-Ring used with some Cummins
block heaters; Used with:
3309188



3303779

12-24V Electric Ether Starting Kit;
Uses service part(s) 3303899S;
Replaces 259342; **CSA not
required



3303780

Mechanical Starting Fluid Kit to
450 CID; Uses service part(s)
3303899S; **CSA not required



3303781

Mechanical Starting Fluid Kit
450 to 900; Uses service part(s)
3303899S; Replaces 3310868;
CID **CSA not required



3303782S

Low restriction spin-on head,
remote mount; Uses service
part(s) 3312054S; Used with:
LF670



3303897

Triplex Cord - 120V



3303897C

Triplex Cord; **CSA Approved




3303899S

Cork gasket for use with ether
cylinder; Used with: 3310588,
3830394, 3303779, 3830396,
3303780, 3303781, 3313273,
3830397, 3316413, 3830395



3303975S

Fuel System Service Part; Hex
Nut Fam 9,13



3304015

12CC Manual Valve

3304016

12CC Electric Valve; **CSA
Approved



3304017

TE Connector for Ether Valve;
C W Aids Union "T"; **CSA
Approved



3304018

Electric Starting Fluid System
Switch; **CSA Approved



3304173S

Adaptor head, remote mount;
Head used with LF777; Replaces
3308726S




3304274S

Inlet and outlet fitting for use with
Detroit Diesel; converts from
7/8"-14UNF to 3/8"NPT; Used
with: FF202



3304865

Ammeter; **CSA not required



3304868

Generator Brushes (DC Starter);
**CSA not required



3305315S

Wing screw for 2-quart and
4-quart power steering reservoir;
Used with: 255730S, 254385S



3305647

Coolant Immersion Heater for
Detroit Diesel 1500W/120V







3305647C

Coolant Immersion Heater for
Detroit Diesel 1500W/120V;
**CSA Approved



E. PRODUCT GUIDE

3305648  Coolant Immersion Heater for Detroit Diesel 1500W/240V	3307060  Economy Model Tank Heater; 2000W/120V; **CSA Approved	3309054S  Seal assembly in 2-quart and 4-quart power steering reservoirs; Used with: 255730S, 254385S
3305648C Coolant Immersion Heater for Detroit Diesel 1500W/240V	3307454S  Head + Bowl; Bulk tank fuel filter (gasohol); Housing used with FF246; Uses service part(s) 3307455S; Replaces 3305728S	3309188  Coolant Immersion Heater for Cummins L-10 and M-11; 1500W/120V; Uses service part(s) 3303427S, 3835426S
3305996S  Gasket; Used with: HF6054	3307455S  Replacement bowl; Used with: 3307454S	3309188C  Coolant Immersion Heater for Cummins L10; 1500W/120V; **CSA Approved
3305997S  Gasket; Used with: HF6054	3307647S  Spring used in 250825S and 250826S; replaced 150037S in these applications	3309189  Coolant Immersion Heater for Cummins L-10 and M-11; 1500W/240V
3306001S  Gasket; Used with: HF6054	3307670  Coolant Immersion Heater for Caterpillar and Detroit Diesel 1000W/120V	3309190  Coolant Immersion Heater for Mack; 1500W/120V
3306006  1000W/120V Block Heater for Detroit 8.2L, V-8, 501 CID and Cummins ISC, ISL engine; Replaces 259229	3307672  Coolant Immersion Heater for Caterpillar 1500W/120V	3309190C  Coolant Immersion heater for Mack; 1500W/120V; **CSA Approved
3306006C  Coolant Immersion Heater for Detroit 8.2L engine 1000W/120V; Navistar/ International 444E and T444E 1994 models and newer; **CSA Approved	3308112S  Gasket; Used with: FF191	3309196  Coolant Immersion Heater for Mack; 1500W/120V
3306007  Coolant Immersion Heater for Detroit 8.2L 1000W/240V; Replaces 259230	3308694S  CATERPILLAR 5P3092; Gasket; Used with: HF6083	3309197  Coolant Immersion Heater for Mack; 1500W/240V
3307046  Economy Model Tank Heater 1500W/120V	3308927S  Dipstick used in 3308935S power steering reservoir; Used with: 254385S	3309438C  Igniter Switch for 30,000 BTU; Propane Tank Heater
3307059  Economy Tank Heater 1000W/120V; **CSA Approved	3308928S  Dipstick used in 2-quart power steering reservoir; Used with: 255730S	3309490S  Replacement O-ring gasket for use with self-venting drain valve screws used on all Superfilter Plus fuel/water separator assemblies; Used with: FS1242B
	3308929S  Cover assembly used on 4-quart power steering reservoir; Used with: 254385S	3309738  Coolant Immersion Heater for Cummins; 1500W/120V; Replaces 259364, 259364C, 3302795

E. PRODUCT GUIDE

3309738C Coolant Immersion Heater for Cummins. 1500W/120V; **CSA Approved



3309739 Coolant Immersion Heater for Cummins; 1500W/240V; Replaces 259382



3310049S Gasket for use with some block heaters



3310063 Replacement Heater Element 1500W/120V; Replaces 259376



3310063C Replacement Immersion Heater Element; 1500W/120V; **CSA Approved



3310064 Replacement Heater Element 1500W/240V; Replaces 259378



3310400C Coolant Immersion Heater for Cummins V 1500W/120V

3310401C Coolant Immersion Heater for Cummins V 1500W/240V

3310404 Coolant Immersion Heater for Agricultural Applications 600W/120V



3310478C 10' Replacement Cord 120V; **CSA Approved; Replaces 3310478



3310553 Oil Pressure Switch; **CSA Approved



3310587S Cutter for spin-on filters; Replacement blades are not sold



3310588 12 Volt E-Z Mount Start Kit; Uses service part(s) 3303899S; **CSA not required



3310591 E-Z Mount Valve; **CSA not required



3310593 Atomizer; Replaces 3301593; **CSA not required

3310629S Mounting bracket for 4-quart power steering reservoir; Used with: 254385S



3310750 Temperature Control

3310751C Coolant Immersion Heater for IHC 1250W/120V; **CSA Approved



3310776S Gasket

3310777S Gasket

3310858 Coolant Immersion Heater for Cummins. 1500W/120V (With Cord); See 3310839 for heater only; Replaces 251902, 259206



3310858C Coolant Immersion Heater for Cummins; 1500W/120V; **CSA Approved; Replaces 208833, 208833C



3310859 Coolant Immersion Heater for Cummins; 1500W/240V; Replaces 259207



3311468S Strap wrench



3311505S Remote mount head; Head used with FF5018, FF5052, FS1221, FS1251, FS1235



3311815 Remote Plug-In W/Cord

3312054S Bracket; Used with: HH6975, 3303782S, 3314849S



3312091S Head to convert Detroit Diesel 12 and 16 cylinder engines; Used with: FF5036



3312097S Gasket for use with some hydraulic filters; Used with: HF6704; To upgrade, use 3830112S; (Rectangular cross section)



3312307S 2-quart power steering reservoir gasket; Used with: 255730S; Replaces 250389, 250389S



Overall Height: 0.07 (2)
Largest OD: 5.1 (130)
Largest ID: 4.37 (111)
Cross Section: Rectangular

3312308S 2-quart power steering reservoir cover; Used with: 255730S; Replaces 3308930S



3312715S Gasket

3312925 Replacement Element for 3312920; **CSA Approved

3312928 Replacement Element for 3312923; **CSA Approved

3312933 Replacement Element for 3312930

3312934 Replacement Element for 3312931

3312942 100-120 degree thermostat

3312943 120-140 degree thermostat

E. PRODUCT GUIDE

3313095S Used with: HF6505, HF6504 Gasket Overall Height: 0.27 (7) Largest OD: 2.83 (72) Largest ID: 2.46 (63) Cross Section: Rectangular	3314849S Remote mount head; Head used with HF6243, HF6318; Uses service part(s) 3312054S	3316567S 90 degree elbow for use with air cleaners
3313182  Coolant Immersion Heater for IHC 9L; 1000W/120V; 1993 and older	3316406  10', 120V Weather Proof Plug and Cord	3316568S  90 degree elbow for use with air cleaners
3313268  Coolant Immersion Heater for Perkins; 600W/120V; Replaces 258160; **CSA Approved	3316408 Coolant Immersion Heater for Case; 1500W/120V	3316569S  90 degree elbow for use with air cleaners
3313270  Coolant Immersion Heater for Agricultural Applications; 400W/120V	3316409  Coolant Immersion Heater for John Deere; 1000W/120V	3316570S  90 degree elbow for use with air cleaners
3313272  Coolant Immersion Heater for Consolidated Dsl. 750W/120V	3316410  Atomizer; **CSA not required	3316570S  90 degree elbow for use with air cleaners
3313272C  Coolant Immersion Heater for Consolidated Dsl. 400W/120V; **CSA Approved	3316413  12 Volt Electric Starting Kit 250-450 CID; Uses service part(s) 3303899S; **CSA not required	3316571S  90 degree elbow for use with air cleaners
3313273  12 Volt Ether Start Kit; Includes atomizers 3303311, 259350, 259346; Uses service part(s) 3303899S; **CSA not required	3316564S  90 degree elbow for use with air cleaners	3316571S  90 degree elbow for use with air cleaners
3313274  All Purpose Magnetic Heater; **CSA not required	3316565S  90 degree elbow for use with air cleaners	3316573S  90 degree elbow for use with air cleaners
3313276  Battery Warmer Blanket; **CSA Approved	3316566S  90 degree elbow for use with air cleaners	3316576S  90 degree elbow for use with air cleaners; Is included in 3941466
3314250S  Gasket for use with some Gresen heads. ("L" Shape); Used with: HF6059, HF6720, HF6060; Replaces 3308163S	3316577S  90 degree elbow for use with air cleaners	3316577S  90 degree elbow for use with air cleaners

E. PRODUCT GUIDE

3316578S

90 degree elbow for use with air cleaners



3316579S

45 degree elbow for use with air cleaners



3316580S

45 degree elbow for use with air cleaners



3316581S

45 degree elbow for use with air cleaners



3316583S

45 degree elbow for use with air cleaners



3316584S

45 degree elbow for use with air cleaners



3316585S

45 degree elbow for use with air cleaners



3316586S

45 degree elbow for use with air cleaners



3316587S

45 degree elbow for use with air cleaners



3316588S

145 degree elbow for use with air cleaners; Is included in 3941642



3316589S

90 degree reducing elbow for use with air cleaners; Replaces 89862K



3316590S

90 degree reducing elbow for use with air cleaners



3316591S

90 degree reducing elbow for use with air cleaners



3316592S

90 degree reducing elbow for use with air cleaners; Is included in 3941466



3316593S

90 degree reducing elbow for use with air cleaners



3316594S

45 degree reducing elbow for use with air cleaners; 6" to 5"



3316595S

45 degree reducing elbow for use with air cleaners



3316600S

Special elbow for use with air cleaners

3316601S

Special elbow for use with air cleaners

3316603S

Special elbow for use with air cleaners

3316604S

Special elbow for use with air cleaners

3316606S

Hump hose for use with air cleaners; Is included in 3950899



3316607S

Hump hose for use with air cleaners



3316608S

Hump hose for use with air cleaners



3316609S

Hump hose for use with air cleaners



3316610S

Hump hose for use with air cleaners



E. PRODUCT GUIDE

3316611S Hump hose for use with air cleaners



3316612S Hump hose for use with air cleaners



3316613S Hump hose for use with air cleaners



3316614S Hump hose for use with air cleaners



3316615S Hump hose for use with air cleaners



3316616S Hump hose reducer for use with air cleaners



3316617S Hump hose reducer for use with air cleaners



3316618S Hump hose reducer for use with air cleaners



3316619S Hump hose reducer for use with air cleaners



3316620S Hump hose reducer for use with air cleaners



3316621S Hump hose reducer for use with air cleaners



3316622S Hump hose reducer for use with air cleaners



3316623S Hump hose reducer for use with air cleaners



3316624S Hump hose reducer for use with air cleaners



3316625S Hump hose reducer for use with air cleaners



3316626S Hump hose reducer for use with air cleaners



3316627S Hump hose reducer for use with air cleaners



3316628S Hump hose reducer for use with air cleaners



3316629S Reducer insert sleeve for use with air cleaners



3316630S Reducer insert sleeve for use with air cleaners



3316631S Reducer insert sleeve for use with air cleaners



3316632S Reducer insert sleeve for use with air cleaners



3316633S Reducer insert sleeve for use with air cleaners; Is included in 3948505



3316635S Mounting band for use with air cleaners



3316636S Mounting band for use with air cleaners



E. PRODUCT GUIDE

3316640S  Mounting band for use with air cleaners	3316661S  "T" bar air inlet clamps for use with air cleaners	3318022S  Band wrench for 4.2" and 4.6" O.D. spin-ons
3316653S  "T" bar air inlet clamps for use with air cleaners	3316662S  "T" bar air inlet clamps for use with air cleaners; Is included in 3941642	3318125S  Gasket used in crankcase breather assemblies; Used with: 154272S, 156780S, 156779S, 156810S; Replaces 250023S
3316654S  "T" bar air inlet clamps for use with air cleaners; Is included in 3946045	3316663S  "T" bar air inlet clamps for use with air cleaners	3318168S  Probalyzer cap used with fluid analysis kits
3316656S  "T" bar air inlet clamps for use with air cleaners	3316664S  "T" bar air inlet clamps for use with air cleaners	3318169S  Mini gauge plug used with fluid analysis kits
3316657S  "T" bar air inlet clamps for use with air cleaners	3316665S  "T" bar air inlet clamps for use with air cleaners	3318304S  Gasket; Used with: HF6244
3316658S  "T" bar air inlet clamps for use with air cleaners	3316666S  "T" bar air inlet clamps for use with air cleaners	3320227S  Gasket; RENAULT V.I. 7400011998
3316659S  "T" bar air inlet clamps for use with air cleaners	3316705S  Housing cover gasket; Used with: FF125	3320513S  Removal tool
3316660S  "T" bar air inlet clamps for use with air cleaners	3317283  Coolant Immersion Heater for Cummins; 1500W/120V	3320515S  Removal tool
	3317283C  Bulk pack heater with cord; 1500W/120V; **CSA Approved	3320571S  Optional gasket; Used with: HF6059, HF6060 Overall Height: 0.12 (3) Largest ID: 1.83 (47) Cross Section: Rectangular
		3320958S Cable socket
		3320966S Cable socket
		3320967S Cable socket
		3321247S Includes head filter 204163S, 2 taps, 4 screws, 4 collars, 4 washers, 4 hoses, one mounting bracket and 2 elbows



E. PRODUCT GUIDE

3321577S	PTC Fuel Warmer; **CSA not required
3321578S	PTC Fuel Warmer; **CSA not required
3321579S	PTC Fuel Warmer; **CSA not required
3321580S	PTC Fuel Warmer; **CSA not required
3321592S	Fitting instructions for PTC Heater Kit
	
3321967S	Single cable
3321968S	Cable
3321969S	Single cable
3321970S	Twin cable
3321978S	Fitting instructions for PTC Heater Kit
3323007S	Gasket used with fuel filters; Used with: FF146 Overall Height: 0.12 (3) Largest ID: 2.89 (74) Cross Section: Rectangular
3323008S	Optional gasket. Enclosed with FF5228; Used with: FF147, FF5054  Overall Height: 0.12 (3) Largest ID: 3.72 (95) Cross Section: Rectangular
3323009S	Optional Gasket; Used with: FF147, FF146  Overall Height: 0.12 (3) Largest ID: 2.99 (76) Cross Section: Round
3323483S	Nylon tubing, used for cold weather aids; Packaged 150 meters of tubing per carton
3324564S	Optional gasket; Used with: FF147  Overall Height: 0.12 (3) Largest ID: 3.86 (98) Cross Section: Round
3328464S	Gasket
3328567S	Gasket; Used with: HF6449
3328568S	Gasket; Used with: HF6449
3329059S	Electric cable for heater; 2 conductors, no tape

3624915	Copper Gasket
3625120S	Used with: LF4072 Optional gasket; Only for RABA engine-Application IKARUS bus
382137	Fuel/Water Separator
3825403	Tank Heater; 1000W/240V 
3825406C	5' Replacement Cord; 120V; **CSA Approved 
3825408	3CC Mechanical Ether Kit (B Series); **CSA not required
3825411	Heater (C Series) 1000W/120V; Uses Cummins gasket 3910517; Replaces 3825411C 
3825414C	1/2" Oil Pan Heater; 150W/120V; **CSA Approved 
3825415C	1" Oil Pan Heater 150W/120V; **CSA Approved 
3825416	22MM Oil Pan Heater 150W/120V 
3825417C	1/2" Oil Pan Heater; 300W/120V; **CSA Approved 
3825418C	1" Oil Pan Heater 300W/120V; **CSA Approved 

3825419C	22MM Oil Pan Heater; 300W/120V; **CSA Approved 
3825421	22MM Oil Pan Heater; 300W/240V 
3825422	1/2" Oil Pan Heater; 450W/120V 
3825423	1/2" Oil Pan Heater; 300W/240V 
3825424	120V Y-Cord with Thermostat 
3825760	Coolant Immersion Heater for Cummins C Series 1000W/240V; Replaces 3841699 
3826037	12cc 12-24 volt Ether Start Kit for KV12 & KV16 engine w/side mounted aftercooler; **CSA Approved 
3826255	Coolant Immersion Heater for Cummins B Series; 750W/240V; Replaces 3841698 
3826337S	Mounting bracket for 2-quart power steering reservoir; Used with: 255730S; Replaces 252015S 

E. PRODUCT GUIDE

3826362S Small O-ring; Used with: LF3000 	3830400 6cc Valve for 24V E-Z Mount Start Kit; **CSA not required 3830401 12cc Valve; **CSA not required 	3832350S Viton Gasket Overall Height: 0.1 (3) Largest OD: 1.88 (48) Largest ID: 1.67 (43) Cross Section: Round 3832637S CUMMINS 3284085; Insert 
3826373 Thermal Switch w/45 degree 1/2" NPT, for electric start kits; Not sold in EMEA; **CSA not required 	3830497S 1.5" O.D. flat filter bolt seal; Replaces 256282S 	3832879S Gasket; Used with: FF127, HF6118, HF6270, HF6271, LF509N; Replaces 3830004S, 3832509S 
3827195S Remote mount head; (1-1/4 inch inlet/outlet); Head used with LF3000; Replaces 3318564S 	3831773S Large gasket used with LF3000; Retro Kit; Exact match of 3927870S; Replaces 3826363S 	3833069 Coolant Immersion Heater for Cummins BC IV (Rear port); 1500W/120V 
3830327 Replacement Heating Element for 3896711 	3831852S Drain Valve Connector Assembly; Used with: FS1232V, FS1253V, FS1253, FS1232 	3833198S Remote mount head for Superfilter Plus filters; Head has removable threaded insert; Head used with FF2203. 
3830329 2000W/240V Tank Heater; **CSA Approved 	3831871S Replacement bowl; Used with: FS1233, FS1246, FS1015, FS1242, FS19511, FS1241, FS1240, FS1234B, FS1234 	3833199S Fuel filter head for spin-on conversion of primary fuel for Detroit Diesel applications; Used with: FF5207; Replaces 3300391S 
3830394 24 Volt E-Z Mount 24V Start Kit; Uses service part(s) 3303899S; **CSA not required 	3832163 Cummins Side Plate Brazed Element W/Cord 1500W/120V 	3833200S Fuel filter head for spin-on conversion of secondary fuel FF5206 for Detroit Diesel applications; Used with: FF5206; Replaces 3300392S 
3830395 24V Start Kit; Uses service part(s) 3303899S; **CSA not required 	3832164 120V Y-Cord w/Thermostat (55-75 degrees) 	3833593A Standard Replacement Ether (120 psi.); Purchase Quantity 1 To 96 Units; Replaces 259345 
3830396 24V Start Kit; Uses service part(s) 3303899S; **CSA not required 	3832165 240V Y-Cord w/Thermostat (55-75%) 	3833593B Standard Replacement Ether (120 psi); Purchase Quantity 97 Or More Units; **CSA Approved 
3830397 24V Start Kit **CSA not required; Includes atomizers 3303311, 259350, 259346; Uses service part(s) 3303899S 	3832216 Coolant Immersion Heater 	3833676S Mounting band for use with air cleaners 

E. PRODUCT GUIDE

3833677S Mounting band for use with air cleaners



3833678S Mounting band for use with air cleaners




3833679S Mounting band for use with air cleaners




3833680S Mounting band for use with air cleaners



3833684S Brass wing nut 7/16" w/14 for use with air cleaners



3833685S Lock nut for use on some air cleaners




3833686S Lock nut for use on some air cleaners



3833688S Lock nut for use on some air cleaners



3833689S Wing nut for use on some air cleaners



3833690S Lock nut for use on some air cleaners



3833691S Dust valve for "2-stage plus safety" and "2-stage" air cleaners



3833692S Air inlet stack cap for use with air cleaners



3833693S Air inlet stack cap for use with air cleaners



3833694S Air inlet stack cap for use with air cleaners; Replaces 3833695S



3833696S Air inlet stack cap for use with air cleaners



3833697S Air inlet stack cap for use with air cleaners



3833698S Air inlet stack cap for use with air cleaners



3833699S Air inlet stack cap for use with air cleaners



3833700S Air inlet stack cap for use with air cleaners



3834123S Remote mount head (1-5/16 inch inlet/outlet); Head used with LF3000; Replaces 3834124S




3834185S Replacement gasket for PTC fuel heater kits; Used with: 3837317S, 3847102S; To upgrade, use 3958485S; Replaces 3832053S



Overall Height: 0.17 (4)
Largest OD: 2.74 (70)
Largest ID: 2.46 (62)
Cross Section: Rectangular

3834217S Water in fuel indicator kit for Superfilter Plus product line; (For use on 12 volt DC systems only); Uses service part(s) 3834335S; Used with: FS1242B



3834335S Replacement WIF sensor for use with clear bowl used on the Superfilter Plus fuel filter/water separator assemblies; 24V DC CUMMINS 3613643; Used with: FS1242K, 3834217S



3834513 Coolant Immersion Heater for Cummins K-Series 1500W/120V




3834513C Coolant Immersion Heater for Cummins K-Series; 1500W/120V; **CSA not required; Replaces 254890, 254890C



3834514 Coolant Immersion Heater for Cummins K-Series; 1500W/240V



3834558S Oil Analysis Kit; Replaces 3317369S



3834694 Replacement Heating Element for 3317938 Tank Heater



3835118S Cummins 3943780 Threaded insert to use heater with Superfilter Plus line with 3833198S and 3905661S heads; Used with: 3837317S




3835425 Atomizer; **CSA not required



3835426S Hexagonal Nut Package; **CSA not required; Used with: 3309188



3835604A Starting Fluid; **CSA not required



3835841S Gasket (foam gasket with adhesive on one side); (5.416 ID/7.610 OD/.265 thick); Used with: AF253, AF1650; Replaces 3831594S



3835842S Gasket (foam gasket with adhesive on one side); (7.716 ID/10.155 OD/.252 thick); Used with: AF1650, AF253; Replaces 3831595S



E. PRODUCT GUIDE

3836029AS



Complete fuel heater installation kit (300 watt/12 volt); Used with: FS1242B, FS1242K; Gaskets Included: 3837316S & 3834185S; **CSA Approved; Replaces 3836029S

3836032S



Fuel heater element for 3836029S kit (300 watt); Includes 3834185 gasket

3836091S



Remote mount head (1-5/8 straight threads inlet/outlet); Head used with LF3000

3836095S



Remote mount multiport head for Cummins applied fuel filter (3/8 NPT inlet/ outlet)

3836165S

"L" shaped gasket for John Deere application RE41257; Used with: LF3317

3836258

Starter Fluid; Not available in Europe; Sold in the USA only


3836308S

Hump hose for use with air cleaners

3836931S


Mounting clamps for ECO-SE air cleaners

3836932S



Mounting clamps for ECO-SE air cleaners

3836933S



Mounting clamps for ECO-SE air cleaners

3836943S



Inlet adaptor for ECOII air cleaners

3836945S



Inlet adaptor for ECOII air cleaners

3836947S

Combination water separator and inlet adaptor for ECOII air cleaners

3836948S

Combination water separator and inlet adaptor for ECOII air cleaners

3836950S

Combination water separator and inlet adaptor for ECOII air cleaners

3836951S




Mounting clamp for ECOII air cleaners

3836952S



Mounting clamp for ECOII air cleaners

3836953S



Used with: AH19036 Mounting clamp for ECOII air cleaners

3836954S

Pressure tap sleeve with service indicator for ECOII air cleaners

3836955S

Pressure tap sleeve with service indicator for ECOII air cleaners

3836956S

Pressure tap sleeve with service indicator for ECOII air cleaners

3836957S

Pressure tap sleeve with service indicator for ECOII air cleaners

3837317S



Retrofit adaptor kit for use of Superfilter Plus heater with existing Cummins fuel filter head. (Includes gaskets, adaptor disk, threaded insert, industrial loctite); Uses service part(s) 3834185S, 3835118S

3838228S



CATERPILLAR 6D9157; Gasket; Used with: HF6202, HF6344; Gasket(s): 3838228

3838229S



CATERPILLAR 8F8882; Gasket; Used with: HF6097; Gasket(s): 3838229

3838290S



Band wrench; Used with: LF691A

3841697



Coolant Immersion Heater for Caterpillar 3176; 1500W/120V; **CSA Approved; Replaces 259231

3841701



Coolant Immersion Heater for Caterpillar 3116; 1000W/120V; **CSA Approved

3841702




Coolant Immersion Heater for Detroit 60 Series; 1500W/120V; **CSA Approved; Replaces 259379

3841703




Coolant Immersion Heater for Detroit 60 Series; 1500W/240V

3841704



Weatherproof Receptacle Bracket (Square); **CSA not required

3841706



Coolant Immersion Heater for Ford 6.6 & 7.8L; 1250W/240V

3841707



Coolant Immersion Heater for Ford 6.6 & 7.8L; 1250W/120V

E. PRODUCT GUIDE

3841708 Coolant Immersion Heater for Mack E7; 1500W/120V



3841710 Heatsticker (Flexible Hot Pad Heater); 150W/120V; **CSA not required



3841879S Fuel Strainer used With FS1251; Used with: 3889182S, 3889181S



3843722S Cord w/Thermostat used on 3847102S and 3894689S fuel system service parts; Used with: 3847102S, 3894689S



3845400S Service Kit, Fuel Strainer Screen (Includes 3841883 Lock Nut and 3842021 Gasket); Used with: 3847102S, 3889181S, 3889182S



3845969 12cc/24V valve starting Kit (12V version use 3826037); **CSA not required



3845970 12cc/24V valve starting kit (12V version use 259385); **CSA not required



3845971 24 volt valve starting kit (12V version use 259384); **CSA not required



3846568S Remote mount lube filter head for Cummins C series; (LF3000 element used)



3846751 Filter crusher for use on larger truck filters or multiple smaller filters

3846752 Filter crusher for extremely high volume applications

3847102S Cummins Fuel Strainer for Mid-range engines; Complete assembly; Uses service part(s) 3834185S, 3843722S, 3845400S, 3928013S.



3847372S Clamp Fastener Package; Used with: AF25005



3847940S CUMMINS 3932595; Cord, W/Thermostat



3848717S Head Assembly for Cummins Marine applications



3848869 Remote Mount Filter Minder Gauge (35" restriction)



3888619 12V EZ Mount Start Kit; **CSA not required



3888706 Contamination Monitor which includes printer, carrying case, batteries, trace heating element, lamp, printer paper and ribbon, DC adaptor and fuse



3888707 Industrial sensor with 5 - 26 GPM flow rate @ 6000 PSI



3888708 Industrial sensor rated at 21 - 100 GPM flow rate @ 6000 PSI



3888709 Single point sampler with carrying case and two hook- up hoses



3889181S FORD F4HZ9162B; Uses service part(s) 3841879S, 3845400S; Complete assembly



3889182S Fuel Strainer for Consolidated Diesel Co; Uses service part(s) 3841879S, 3845400S; Complete assembly



3889493S Threaded Insert



3889513S CUMMINS 3889513; Hydraulic Filter Head



3889610 CUMMINS 196520; Die Cut Media Disk Valve; Quantity 10,000



3889610S Die Cut Media Disk Valve; Quantity 500



3890011S Fuel Filter Head



3890105S CUMMINS 3681120; Gasket service pack; Used with: WF2125



3890242C Coolant Immersion Heater for Onan 500W/120V; **CSA Approved; Replaces 3318907



3890243C Coolant Immersion Heater for Onan 1000W/120V; **CSA Approved; Replaces 3318908




3890244C Coolant Immersion Heater for Onan 1000W/240V; **CSA Approved




3890245C Coolant Tank Heater for Onan 1500W/120V; **CSA Approved (Thermostat 100 to 120 degrees); Replaces 3318906



3890246C  Coolant Immersion Heater for Onan 1500W/240V; **CSA Approved	3890247C  Coolant Immersion Heater for Onan 1800W/120V; **CSA Approved	3890248C  Coolant Immersion Heater for Onan 2000W/240V; **CSA Approved	3891506S  Insert, reducer	3892256 Heat Transfer Fluid Additive	3892460 Oberger P100WM; Fuel System Service Part	3892646S  Remote mount head w/metric threads M14 X 1.5 -6H for Superfilter Plus Filters; Uses service part(s) 3933978S	3893692S  Head & O-ring; 6B & L10 Engines Cummins 3606711; Head used with NG5900	3893762C Fleetcool Concentrate Additive	3893866S O-ring Plug; (2) Cummins 3943645	3894499  Immersion Heater; 1250 Watt 120 Volt; Replaces 3310751, 3833070; **CSA Approved	3894901S  CUMMINS 3942357; Temperature Sensor for 12V heater used on Cummins ISB spin-on fuel filter	3894967S  CASE 401849A1 Valve and Sensor; Used with: FS19519, FS19519V	3894971S  Gasket; Used with: CH44105	3894972S  Service gasket of CH44105, CH44120	3894973S  Service gasket of CH44105, CH44115, CH44120 Overall Height: 0.21 (5) Largest OD: 6.02 (153) Largest ID: 5.6 (142) Cross Section: Round	3894975S  Service Kit for Centrifuge Includes (1) Rotor O-Ring, (1) Cone Stack Assembly, (1) Baffle Assembly, (1) CSA Turbine Can, (1) Can nut, (1) Jet Nut, and (1) FG Rotor shaft sub assembly; Used with: CH44105, CH44110, CH44115, CH44120	3894976S  Shell Assembly; Used with: CH44115, CH44105, CH44110	3894977S  Clamp; Used with: CH44120, CH44105	3895540S Hydraulic Filter Head; Replaces ST101106	3895546S Hydraulic Filter Head	3895593S Hydraulic Filter Head	3895630S  Head and Filter Assembly	3896018 Universal Concentrate Additive	3896692  Coolant Tank Heater; 1500W/120V; Replaces 259273, 259274; **CSA Approved	3896693  Coolant Tank Heater; 1500W/240V; Replaces 259275, 259276; **CSA Approved	3896694  Coolant Tank Heater 1500W/480V; Replaces 259277; **CSA Approved	3896695  Coolant Tank Heater; 2000W/120V; Replaces 259278, 259279; **CSA Approved	3896696  Coolant Tank Heater; 2000W/240V; Replaces 259280, 259281; **CSA Approved	3896697  Coolant Tank Heater; 2000W/480V; Replaces 259282; **CSA Approved	3896698  Coolant Tank Heater; 2250W/120V; Replaces 259283, 259284; **CSA Approved	3896699  Coolant Tank Heater; 2500W/240V; Replaces 259285, 259286; **CSA Approved	3896700  Coolant Tank Heater; 2500W/480V; Replaces 259287; **CSA Approved	3896701  Coolant Tank Heater; 4000W/240V; Replaces 259288, 3317938; **CSA Approved
---	---	---	--	--	--	--	---	---	---	---	---	--	--	--	--	---	--	--	---	--	--	--	--	--	---	--	---	---	---	---	---	---	--

E. PRODUCT GUIDE

3896702  Coolant Tank Heater; 4000W/480V; Replaces 259289; **CSA Approved	3897714  Replacement heating element for 3896697 coolant tank heater; 2000W/480V; **CSA Approved	3901993S Service gasket for Federal Express fuel filter 3901342; Used with: FF5392
3896706  Coolant Tank Heater; 4000W/480V; Replaces 3312923; **CSA Approved	3897715  Replacement heating element for 3896698 coolant tank heater; 2250W/120V; **CSA Approved	3902309  Fuel filter head; Uses service part(s) 3902309S
3896707  Hazardous Location Heater; 2500W/120V; Replaces 3312930	3897716  Replacement heating element for 3896699 coolant tank heater; 2500W/240V; **CSA Approved	3902309S  Uses service part(s) 3933978S; Used with: 3917480, 3902309; Fuel filter head M16 x 1.5 for FF5074 type; Replaces 3321305S
3896709  Coolant Tank Heater; 1500W/120V; Replaces 3312936; **CSA Approved	3897717  Replacement heating element for 3896700 coolant tank heater; 2500W/480V; **CSA Approved	3903853 Hydraulic Filter Head
3896710  Coolant Tank Heater; 2500W/120V; Replaces 3312937; **CSA Approved	3897719  Replacement heating element for 3896702 coolant tank heater; 4000W/480V	3903914 CUMMINS 3680963, TEMRO 3510028; Oil Pan Heater w/cord 450W/125V
3896711  Coolant Tank Heater; 2500W/240V; Uses service part(s) 3897726; Replaces 3312938; **CSA Approved	3897720  Replacement heating element for 3896703 coolant tank heater; 2000W/480V; **CSA Approved	3903916  CUMMINS 3688555, TEMRO 3510012; 1500W/120V Engine Block Heater w/cord; Cummins Signature 600 & ISX
3896722S  Threaded Adaptor	3897726  Used with: 3896711 Replacement heating element for 3896711 coolant tank heater; 2500W/240V; **CSA Approved	3904378S  Water Filter Head; Severe Duty
3897183S Gasket kit containing 1 carton gasket, 1 rubber gasket and washers; Used with: HF6449; In Europe, use with HF6449	3898526S  12V Thermostat ; Used with: FS1010, FH23001, FH23000, FH23300, FH23301; Replaces 3892526S	3904554S  Gasket Package; Used with: FS1010, FH23000, FH23300, FH23301
3897709  Replacement heating element for 3896692 coolant tank heater; 1500W/120V; **CSA Approved	3899371S  CUMMINS 3942627; Head Casting	3904837S  SY-KLONE 901K1; Kit to Install Self-cleaning Pre-cleaner on equipment with 3"/3.5"/3.75" Intake Size; Used with: AP8403, AP8409
3897710  Replacement heating element for 3896693 coolant tank heater; 1500W/240V; **CSA Approved	3899452S  100ft. of 1/4 diameter polyethylene tubing; Used with: CC2802	3904838S  SY-KLONE 901K2; Kit to install Self-cleaning Pre-cleaner on equipment with 4"/4.5"/4.75"/5" Intake Size; Used with: AP8403, AP8409
3897711  Replacement heating element for 3896694 coolant tank heater; 1500W/480V; **CSA Approved	3901457S  Fuel Filter Adapter To Convert FF167 C.A.V. Cartridge to use FS1235 spin-on; Replaces 3900940	3904839S  SY-KLONE 901K3; Kit to install Self-cleaning Pre-cleaner on equipment with 5.25"/5.5"/6" Intake Size; Used with: AP8403, AP8409
	3901867S CUMMINS 3943649; Heater	

E. PRODUCT GUIDE

3904840S



SY-KLONE 902K5; Kit to install Self-cleaning Pre-cleaner on equipment with 5"/5.25"/5.5" Intake Size; Used with: AP8404, AP8410

3904841S



SY-KLONE 902K6; Kit to Install Self-cleaning Pre-cleaner on equipment with 6.25"/6.5"/7" Intake Size; Used with: AP8404, AP8410

3904842S



SY-KLONE 903K9; Kit to Install Self-cleaning Pre-cleaner on equipment with 7"/9" Intake Size; Used with: AP8410, AP8404

3905073S



SY-KLONE 902K7; Kit to Install Self-cleaning Pre-cleaner on equipment with 9" Intake Size; Used with: AP8405, AP8406

3905074S



SY-KLONE 903K10; Kit to Install Self-cleaning Pre-cleaner on equipment with 10"/11" Intake Size; Used with: AP8405, AP8406

3905161S



Direct Mount Filter Minder; Restriction Gauge; Replaces 3304584S

3905573S



Replacement hinged plastic Cover; Used with: CC2805

3905830S



Mounting Band w/ 10" bolt pattern; Used with: AH1152

3907161

Oil Pan Heater; 1/2" Oil Pan Htr 150W/120V; 3825414C without heater cord

3907721

Remote Mount Head; Head used with LF3729

3907721S



CUMMINS 3944897; Hydraulic Filter Head; Used with: LF3970

3909058S

Mounting Band; Used with: AH19048, AH19049

3910200S



Replacement Bowl; Used with: AP2000

3910300S



Replacement Bowl; Used with: AP3000

3910312



Thermostat for use with coolant tank heaters; Includes 4 ft. cord 80 to 100 degrees Fahrenheit 27 to 38 degrees Celsius (Uses 3910316 Sensing Unit); Replaces 259290, 259291; **CSA Approved

3910313



Thermostat for use with Coolant tank heaters; Includes 4 ft. cord 100-120 degrees Fahrenheit 38 to 49 degrees Celsius (Uses 3910317 Sensing Unit); Replaces 259292; **CSA Approved

3910314



Thermostat for use with coolant tank heaters; Includes 4 ft. cord 120-140 degrees Fahrenheit 49 to 60 degrees Celsius; (Uses 3910318 Sensing Unit); Replaces 259293, 259294; **CSA Approved

3910315



Thermostat for use with coolant tank heaters; Includes 4 ft. cord 140-160 degrees Fahrenheit 60 to 71 degrees Celsius; (Uses 3910319 Sensing Unit); Replaces 259295, 259368; **CSA Approved;

3910316



Sensing unit for use with 3910312 Thermostat 80 to 100 degrees Fahrenheit 27 to 38 degrees Celsius; **CSA Approved

3910317



Sensing Unit for use with 3910313 Thermostat 100-120 degrees Fahrenheit 38 to 49 degrees Celsius; **CSA Approved

3910450S



Replacement Bowl; Used with: AP4500

3910500S



Replacement Bowl; Used with: AP5000

3911025S



Remote Mount Filter Minder Air Filter Restriction Gauge (25" Gauge); Replaces 3303943S

3911026S



Remote Mount Filter Minder Air Filter Restriction Gauge (35" Gauge)

3911277S

CUMMINS 3944685; Plate

3911940S



Sensor; Used with: FH23000, FH23001, FH23002, FH23003, FH23300, FH23301, FS1040, FS1007 WIF

3912384S



Gasket service pack; Contains 1 small o-ring for fill cap and 1 large o-ring for bowl; Used with: FF5369, FS1029, FS19536, FF5369W, FS1029W

3912703S

O-Ring; Used with: 3915556S, 3915420S

3912717S



Fuel Filter Head; Head used with FS19512, FS19511, FS19511B

3912970

NEW HOLLAND 86512435; Fuel Tank Filter

3913023S

Viton Gasket

Overall Height: 0.1 (3)
Largest OD: 1.13 (29)
Largest ID: 0.92 (23)
Cross Section: Round

E. PRODUCT GUIDE

3913035S Viton Gasket Overall Height: 0.1 (3) Largest OD: 2.13 (54) Largest ID: 1.92 (49) Cross Section: Round	3915423S  Fuel Filter head cap for use with the FS1010; (To bypass the fuel filter head on Cummins engines to replace FF105/FS1212/FS1000 or Caterpillar engines to replace FF211/FF5264); Uses service part(s) 3195264S; Used with: FH23300, FH23301	3917215  Gaskets package; Used with LF3607 and MK12059 Replaces 3326915
3913038S Viton Gasket	3915556S Fuel Filter head cap for use with the FS1010; (To bypass the primary fuel filter head on Detroit Diesel engines to replace FF5207/FS19513); Uses service part(s) 3912703S; Used with: FH23300, FH23301	3917480 Fuel heater kit; Uses service part(s) 3902309S
3913044 Gasket Overall Height: 0.14 (4) Largest OD: 1.26 (32) Largest ID: 0.98 (25) Cross Section: Round	3915993S  Retainer Handle; Used with: CH44120, CH44115, CH44105, CH44110	3918034S  Valve/Cutter Kit for Disposable Totes; Used with: CC2858, CC2859, CC2861, CC2833, CC2834, CC2823, CC2838, CC2876, CC2875, CC2860; Replaces 3918035S
3913045S Viton Gasket Overall Height: 0.14 (4) Largest OD: 1.26 (32) Largest ID: 0.98 (25) Cross Section: Round	3916004S  Gasket; Used with: CH44115, CH44110 Overall Height: 0.21 (5) Largest OD: 7.14 (181) Largest ID: 6.72 (171) Cross Section: Round	3918190S Fuel Filter Head; Head used with FF5298; Uses service part(s) 3933978S; Used with: 3918190
3913057S Viton Gasket Overall Height: 0.14 (4) Largest OD: 3.51 (89) Largest ID: 3.23 (82) Cross Section: Round	3916150S  Knob, Nut; Used with: CH44115, CH44120, CH44105, CH44110	3918193S  OptiAir 5" Weatherhood
3913068S Gasket 3914692 Head and filter assembly 	3916910S  Gasket; Used with: HF28961	3918194S  OptiAir 4" Weatherhood
3914693 Head and filter assembly 	3916911S Gasket; Used with: CH44120, CH44115, CH44105, CH44110	3918195S  NELSON Q614398; 1.75" Plastic Air Inlet Stack Cap
3914848S Fuel Filter Head; Head used with FS19511, FS19511B, FS19512 	3917100S CUMMINS 3391524; Crankcase Breather Assembly for Cummins Natural Gas Engines	3918196S  6.5" Steel Mounting Band; Used with: AH19087, AH19088, AH19090
3914853 Head and Filter Assembly; Used with: 3928013S 	3917101S  CUMMINS 3395123; Crankcase Breather Assembly for Cummins Natural Gas Engines	3918197S  Is included in AK177 8" Steel Mounting Band; Used with: AH19095, AH19096, AH19097, AH19098
3195264S Gasket; Used with: 3915423S	3917128S Label; Used with: CH44105	3918198S  5.5" Steel Mounting Band; Used with: AH19085, AH19083, AH19084, AH19086
3915420S Fuel Filter head cap for use with the FS1010; (To bypass the Secondary fuel filter head on Detroit Diesel engines to replace FF5206); Uses service part(s) 3912703S; Used with: FH23300, FH23301	3917129S Label; Used with: CH44120	
	3917160S  Side Drain	
	3917161S Bell Housing; Used with: CH44105 Assembly	
	3917163S Bottom Drain	

E. PRODUCT GUIDE

3918199S

4" Steel Mounting Band; Used with: AH19081, AH19082



3918200S

NELSON Q35420; Stack Cap; Used with: AH19108 2" Air Inlet



3918201S

NELSON Q35421; Air Inlet Stack Cap; Used with: AH19109, AH19061, AH19062 2.5"



3918202S

NELSON Q35422; Air Inlet Stack Cap; Used with: AH19064, AH19110, AH19063 3"



3918203S

NELSON Q35424; 3.7" Air Inlet Stack Cap; Used with: AH19065, AH19066



3918204S

NELSON Q35425; 4" Air Inlet Stack Cap



3918205S

NELSON Q35426; 5" Air Inlet Stack Cap; Used with: AH19067, AH19068, AH19069, AH19070



3918206S

NELSON Q35427; 6" Air Inlet Stack Cap; Used with: AH19071, AH19072



3918207S

NELSON Q11915; 6" Plastic-Stainless Air Inlet Stack Cap



3918208S

NELSON Q11916; 7" Plastic-Stainless Air Inlet Stack Cap



3918209S

NELSON Q35428; 7" Air Inlet Stack Cap



3918210S

NELSON 90548A; 5.5" Black Paint Air Inlet Stack Cap



3918212S

NELSON 90550A; 7" Black Paint Air Inlet Stack Cap



3918213S

NELSON 90551A; 8" Black Paint Air Inlet Stack Cap



3918214S

NELSON 90548C; 5.5" Chrome Air Inlet Stack Cap



3918215S

NELSON 90549C; 6" Chrome Air Inlet Stack Cap



3918216S

NELSON 90550C; 7" Chrome Air Inlet Stack Cap



3918218S

NELSON Q27219; 4.4" Mounting Band; Used with: AH19107



3918219S

NELSON Q27176; 5.25" Mild Steel Mounting Band; Used with: AH19108, AH19061, AH19062



3918220S

NELSON Q27177; 6.5" Mild Steel Mounting Band; Used with: AH19063, AH19109, AH19064



3918221S

NELSON Q27183; 7.3" Mild Steel Mounting Band; Used with: AH19077



3918222S

NELSON Q02869; 7.9" Mild Steel Mounting Band; Used with: AH19110, AH19065, AH19066



3918223S

NELSON Q27178, Q27370; 8" Mild Steel Mounting Band



3918224S

NELSON Q27184; 8.5" Mild Steel Mounting Band; Used with: AH19078




3918225S

NELSON Q27371; 9" Mild Steel Mounting Band




3918226S

NELSON Q27372; 10.2" Mild Steel Mounting Band; Used with: AH19079



3918227S

NELSON Q27185; 10.3" Mild Steel Mounting Band; Used with: AH19067, AH19068



3918228S

NELSON Q27355; 11" Mild Steel Mounting Band



E. PRODUCT GUIDE


3918229S NELSON Q27354; 11" Stainless Steel Mounting Band




3918230S NELSON Q27375; 11.8" Mild Steel Mounting Band; Used with: AH19080



3918231S NELSON Q27164; 12.1" Mild Steel Mounting Band; Used with: AH19069, AH19070




3918232S NELSON Q27283; 13" Mild Steel Mounting Band




3918233S NELSON Q27284; 13" Stainless Steel Mounting Band




3918234S NELSON Q27378; 14" Mild Steel Mounting Band; Used with: AH19071, AH19072




3918235S NELSON Q27228; 15" Mild Steel Mounting Band



3918236S NELSON Q27379; 16" Mild Steel Mounting Band; Used with: AH19073, AH19074, AH19036



3918237S NELSON Q27167; Used with: AH19075, AH19076; 18.1" Mild Steel Mounting Band



3918240S SY-KLONE 90RK00; Kit to Install Self-cleaning Pre-cleaner on equipment with 2"/2.5"/2.75" Intake Size; Used with: AP8408



3918242S SY-KLONE 66070; Used with: AH19074 Adapter; To use Pre-cleaner AP8410



3918243S SY-KLONE 80R70; Used with: AP8406 8" to 7" reducer for AP8406



3918244S SY-KLONE 68010; Used with: AH19076 Adapter; To use Pre-cleaner AP8405 / AP8406



3918245S SY-KLONE 60R50; Self-cleaning pre-cleaner installation kit/reducer to reduce from 6 inches to 5 inches



3918643 CUMMINS 3607923; Natural Gas



3918732S Elbow link for Air Filter restriction gauge



3918985S Dust Cover Gasket for Stanadyne Fuel Managers; Used with: FS19516, FS19517, FS19525, FS19526, FS19530, FS19531



Overall Height: 0.14 (4)
Largest OD: 3.7 (94)
Largest ID: 3.0 (76)
Cross Section: Irregular

3919025S CUMMINS 4920120; Rectangular Gasket for fuel heater for ISM options FF2267 and FF2270; replacement fuel heater kit number 393457300; Replaces 3324385S

Overall Height: 0.24 (6)
Largest OD: 2.76 (70)
Largest ID: 2.46 (63)
Cross Section: Rectangular

3919147S RACOR 21620; Replacement bowl; Used with: FS1281



3919181 Bilge Boy 7.5 gpm with 115 VAC / 1P / 60Hz

3919182 Bilge Boy 7.5 gpm with 220 VAC / 1P / 60Hz

3919184 Bilge Boy 2.5 gpm with 115 VAC / 1P / 60Hz

3919185 Bilge Boy 2.5 gpm with 220 VAC / 1P / 60Hz

3920134 Fuel Filter Head; Head used with FS19511, FS19511B, FS19512



3920138S Reducing Sleeve; Used with: AP2000

3920175S Reducing Adaptor; Used with: AP2000

3920523S SY-KLONE 64050; Used with: AH19068; Adapter for use with AH19068 Air Hsg.; To use Pre-cleaner AP8403 / AP8409



3920913 NELSON 88472N; 15.0 GPM Multiple Commercial Style KoalescerT Element



Overall Height: 26.06 (662)
End 1 OD: 4.5 (114)
End 2 OD: 4.34 (110)
End 1 ID: 3.47 (88)
End 2 ID: 3.3 (84)

3922053 Fuel Strainer



Overall Height: 3.7 (94)
Largest OD: 1.91 (48)
Outlet Connection: 7/8-14
Inlet Connection: 7/8-14

E. PRODUCT GUIDE

3923650S  Anti Drainback Valve; Used with: FH23000, FH23001, FH23002, FH23003, FH23300, FH23301	3927719S  Replacement Bowl; Used with: FS1291, FS19547	3929722S  Filter minder gauge
3923820 Fuel Filter Head	3927776S  ENGINEERING PRODUCTS CO. EW5650100410; Filter Minder fuel gauge with T fitting for #8 hose; Used with: 3925199S; Replaces 3901435S, 3926099S	3930200S  Reducer
3923925S  Nylon tubing, used for cold weather aids; 150 meters of tubing per carton; Replaces 3323483S	3927871S  Filter Wrench for 4.2" OD size elements	3930225S  Reducer
3924758S  CUMMINS 3607921; Natural gas element and gasket Service pack includes element 3924758 and gasket 3924757	3927995S Gasket Pack; Used with: LF670	3930250S Reducer
3925199S  Fuel Filter Restriction Gauge (Includes fitting for direct mount-1/8-27 NPT Threads); Uses service part(s) 3927776S; Replaces 3892576S, 3892577S	3928013S  Heater Kit; Used with: 3847102S, 3889183S, 3894689S, 3962763, 3930335S Uses service part(s) 3914853	3930335S  Head and Heater and Thermostat; Uses service part(s) 3928013S
3926129S Plunger	3928341  Coolant Heater; Cummins ISB & QSB (750 W/120V)	3930618S Fuel Filter Head; Head used with FF105, FS1212, FS1000; Gasket(s): 255622; Replaces 3304315S
3926660S  Gasket	3928544S  WIF Sensor; Used with: FS19584	3930708S  Daylight plate; Used with: CC2806
3926763S  Cummins/Komatsu B 3.3L engine; Perma-Cool 111; Used for applications where the engine requires the lube filter to be remote mounted; Adapts the oil filter landing on the engine block to an oil passage for use with a remote mount lube filter; Used with: LF3855	3929113 Kit containing a Blind plate 3929124 + a gasket 3328464 for LF 777 Head	3930885 Head and filter assembly; Element for FS19596
3926764  Cummins/Komatsu B 3.3L engine; 120V, 400W heater; 392676400; Package includes 5 Star #10443 for the frost plug and #11443 for the heater	3929251S  Gasket; Used with: HF6718, HF6733, HF6749, HH6951, HH6953, HH6954, HH6955, HH6956, HH6959, HH6960, HH6961, FS1285 Overall Height: 0.19 (5) Largest OD: 4.98 (126) Largest ID: 4.42 (112) Cross Section: Rectangular	3930939  T-connector for ether valve & cylinder
3927023S  24 Volt, 300 Watts Heater (Fuel Kit for fuel heater for ISM Options FF2267 and FF2270; replacement heater kit number 393457300); Replaces 3905598S		3931308S Gasket(s): 3320128, 3328464, 3931312, 3931313; Gaskets kit including 2 O-Ring gaskets 393131000 & 393131100, 1 gasket 393131300 and 1 washer 393131200; For SCANIA 4 series trucks; To be used with LF3730 3931659 Lube Filter 100,000 service interval filter used in LF9667 applications Overall Height: 10.39 (264) Largest OD: 4.24 (108) Thread Size: 1 1/8-16 UN-2B

E. PRODUCT GUIDE

3931661	Lube Filter 100,000 service interval filter used in LF9620 applications	3934300S	CUMMINS 4920119; Thread Adaptor Insert for fuel heater for ISM options FF2267 and FF2270; Replacement fuel heater kit 393457300; Replaces 3321610S	3935421S	Cover Assembly; Used with: AH19257
3931662	Lube Filter 100,000 service interval filter used in LF9000 applications				
3932494S	Cover Assembly; Used with: AH19262, AH19263	3934304S	Electrical cable for PTC heater kits : 3934299, 3934467, 3934572, 3934573; Used with: 3934299, 3934467, 3934572, 3934573; Is included in FH21101, FH21102, FH21045, FH21040, FH21098, FH21099, FH21047, FH21103	3935422S	Cover Assembly; Used with: AH19266
					
3932495S	Metal mounting bracket; Used with: AH19262, AH19263	3934450S	CASE NEW HOLLAND 2830455; Fuel Filter Head	3935607	CUMMINS 3959608; Head and Filter Assembly
					
3933037S	CHRYSLER 5093122AA; Fuel Water Separator Housing	3934467	PTC heater kit - 24 V - Replaces 3917480 & 3321732S; Uses service part(s) 3934304S	3935659	Tank Heater Heating Element
					
3933191	Fuel Filter Head	3934469S	CUMMINS 4920118; Aluminum Adapter for Cummins fuel heater kit for ISM options FF2267 and FF2270; Replacement fuel heater kit number 393457300; Replaces 3321608S	3935743S	ENGINEERING PRODUCTS CO. EY5650301410; Fuel Minder Gauge and fitting #10 hose; Has a diaphragm with cloth backing that allows the gauge to operate under higher vacuum; This diaphragm will allow this gauge to be used on all Cummins, Caterpillar, and Detroit Diesel engines; Replaces 3927777S
3933191S	Fuel Head for Fuel Island Filtration				
		3934572	PTC heater kit - 24 volts - Replacing the 3923883; Uses service part(s) 3934304S	3936328	Urea Tote
3933344S	Gasket			3936434	Head and filter assembly
Overall Height: 0.14 (4) Largest OD: 1.64 (42) Largest ID: 1.36 (35) Cross Section: Round		3934573	Fuel Heater kit - 24 V for ISM options FF2267 and FF2270; Uses service part(s) 3934304S; Replaces 3898339	Overall Height: 9.23 (234) Overall Length: 5.77 (147) Overall Width: 6.49 (165)	
3933350	Clamp			3936434S	FWS Housing
		3934841S	SCANIA 392654; Gasket; Used with: LF3895, LF16228	3936445S	Used on 13" plastic air cleaner Used with: AH19273, AH19274
3933711S	25" Minder Gauge 1/8 male to male fitting; Is included in 3946045, 3941642				
		3935185S	O-Ring; To upgrade, use 3958484S	3936509S	CUMMINS 3321617; Fuel Heater Kit includes wiring harness; Replaces 3321617S
3933746S	20" Minder Gauge 1/8 male to male fitting		Overall Height: 0.14 (4) Largest OD: 2.76 (70) Largest ID: 2.48 (63) Cross Section: Round		
		3935261S	Housing Assembly; Used with: CH41100	3937557S	Nelson 87904F; Power Steering Filter
3933978S	Plug M14x1.5 and washer; Used with: 3892646S, 3918190S, 3902309S, 3944660S	3935262S	Base and Shaft Assembly; Used with: CH41100, CH41101, CH41102		Overall Height: 2.73 (69) Overall OD: 3.38 (86) End 1 ID: 2.0 (51)
		3935293S	Housing Assembly; Used with: CH41100	3937616S	Fuel/water separator housing assembly; Housing used with FS19625
3934299	PTC heater kit 24 volt; Uses service part(s) 3934304S; Replaces 3321659S			Width: 7.34 (186)	

E. PRODUCT GUIDE

3937860 CUMMINS 3966139; Head used with FS19608 Head and filter assembly



3937862 CUMMINS 3966140; Head and Filter Assembly; (Uses FS19616 Element)



3938140S Mounting Bracket; Used with: CV50106



3938161S Thread Adapter Insert; Used with: FS20000



3938173S FS20000 Lubricity Enhancing Filter & Head assembly; Uses service part 3940777S



3938495S Mounting

3938835S WIF



3938954 Strainer

3939391S Breather

3939392S Dip Stick Port Boss Adaptor for all Cummins M11 & ISM11 engines

3939393S O-Ring Assembly

3939396S SY-KLONE 40R35; A flanged insert for the installation of Self-cleaning pre-cleaners



3939397S SY-KLONE 40R375; A flanged insert for the installation of Self-cleaning pre-cleaners



3939399S SY-KLONE 50R45; A flanged insert for the installation of Self-cleaning pre-cleaners



3939401S SY-KLONE 60R525; A flanged insert for the installation of Self-cleaning pre-cleaners



3939403S SY-KLONE 30R275; A flanged insert for the installation of Self-cleaning pre-cleaners



3939404S SY-KLONE 30R25; A flanged insert for the installation of Self-cleaning pre-cleaners



3939406S SY-KLONE 20R175; A flanged insert for the installation of Self-cleaning pre-cleaners



3939409S SY-KLONE 40012; Used with: AP85036, AP85038 Pipe Assembly - Steel 4" x 12"



3939410S SY-KLONE 50012; Used with: 3971121S A rubber adaptor for the installation of Self-cleaning pre-cleaners



3939411S SY-KLONE 60012; Used with: AP85041, AP85042, AP85046, AP85047, AP85104, AP85105; A rubber adaptor for the installation of Self-cleaning pre-cleaners

3939413S An expansion plug that permits the installation of Sy-Klone pre-cleaners



3939417S SY-KLONE 9003WMESHKIT; A screen that permits the installation of Self-cleaning pre-cleaners

3939418S SY-KLONE 9003SCKIT; A screen that permits the installation of Self-cleaning pre-cleaners



3939419S SY-KLONE 9002WMESHKIT; A screen that permits the installation of Self-cleaning pre-cleaners

3939421S SY-KLONE 9001WMESHKIT; A screen that permits the installation of Self-cleaning pre-cleaners

3939441S Breather

3939442S Breather Service Kit

3939443S Hose

3939461S Fitting

3940104S CATERPILLAR 4M0189; O-ring gasket; Used with: FF5323, FF5337



3940105S CATERPILLAR 6V3907; O-ring gasket; Used with: LF3485



3940108 FIVE STAR MFG. 36203; Diesel Fuel Warmer; Replaces 3305782



3940356S 10" Rain Cap; Is included in 3941642



3940357S 8" Rain Cap



3940750S Base and Shaft; Used with: CH41102, CH41112, CH41101

3940756S Housing Assembly; Used with: CH41102, CH41112, CH41101

E. PRODUCT GUIDE

3940831S  WIF Sensor	3940947S CUMMINS POWER GENERATION LTD 140335502; Tubing, Special	3942473 CUMMINS POWER GENERATION LTD 9512; Industrial Kit
3940920S CUMMINS POWER GENERATION LTD 140336002; Tubing, Special	3940949S CUMMINS POWER GENERATION LTD 140335402; Service Part, Base	3942821 Heater Kit
3940921S CUMMINS POWER GENERATION LTD 140337302; Bracket	3941120 Switch Assembly	3942834S Insert; Used with: FS19732, 3944287S 
3940922S CUMMINS POWER GENERATION LTD 140336102; Tubing, Special	3941157 Head used with AF26113; Cummins ISX & ISM Engines 	3942835S Insert
3940923S CUMMINS POWER GENERATION LTD 9639; Tubing, Special	3941461 CUMMINS POWER GENERATION LTD 5410604; Industrial Kit	3942964 CUMMINS POWER GENERATION LTD 5410600; Industrial Kit
3940924S 45 degree elbow	3941463 CUMMINS POWER GENERATION LTD 5410606; Industrial Kit	3943020 CUMMINS POWER GENERATION LTD 5410601; Industrial Kit
3940925S CUMMINS POWER GENERATION LTD 140336202; Tubing, Special	3941466 CUMMINS POWER GENERATION LTD 5410603 Includes 3316576S, 3316592S, 3944205S, 3944206S, AH19257, SP1237; Fits on QST30 Genset.	3943022 CUMMINS POWER GENERATION LTD 54161401 Industrial Kit
3940926S CUMMINS POWER GENERATION LTD AAH770068; Is included in 3941642 Mounting Band; Used with: AH19473 	3941470 CUMMINS POWER GENERATION LTD 9507; Industrial Kit	3943039 CUMMINS POWER GENERATION LTD 54161402; Industrial Kit
3940927S CUMMINS POWER GENERATION LTD NX2NSM11; Is included in 3941642 Clamp 	3941472 CUMMINS POWER GENERATION LTD 9631; Industrial Kit	3943071S Plunger Assembly; Used with: CH41101, CH41114, CH41112 
3940928S CUMMINS POWER GENERATION LTD 140340802; Tubing, Special	3941519S Fitting; Used with: CH41101, CH41114, CH41112 	3943160S For engine applications with dual breathers, both an Enviroguard System Kit and Dual Breather Kit are required for installation 
3940929S CUMMINS POWER GENERATION LTD 5031485; Elbow 	3941580 CUMMINS POWER GENERATION LTD 9569; Industrial Kit	3943871S Top Shaft; Used with: CH41113, CH41114, CH41111, CH41112 
3940930S CUMMINS POWER GENERATION LTD 140335802; Service Part, Bracket	3941642 CUMMINS POWER GENERATION LTD 9499; Industrial Kit; Includes 3316588S, 3316662S, 3933711S, 3940356S, 3940926S, 3940927S, 3944205S, AH19473	3943941S Tubing, Special
3940931S CUMMINS POWER GENERATION LTD 140335602; Tubing, Special	3941717 HYUNDAI 11N84320616 24V; heater kit 	3943942S Tubing, Special
3940946S CUMMINS POWER GENERATION LTD 1403370; Rain Cap	3941964 CUMMINS POWER GENERATION LTD 9506; Not available in US	3943943S Tubing, Special
	3942439 CUMMINS POWER GENERATION LTD 179299904; Industrial Kit	3943944S Tubing, Special
		3943945S Tubing, Special
		3943946S Tubing, Special
		3943947S Tubing, Special

E. PRODUCT GUIDE

3944204S  Clamp	3944445S  DAVCO 380042; Collar for Diesel Pro and Fuel Pro	3944666S DAVCO 333041; WIF Connector Module for Diesel Pro and Fuel Pro
3944205S  CUMMINS POWER GENERATION LTD 503187011; Clamp; Is included in 3948505, 3941466, 3941642	3944447S  DAVCO 101132; Check Valve Kit for Diesel Pro and Fuel Pro	3944694 TENNANT 55850; Fuel Filter Head; Replaces 91645A, 91783A
3944206S  CUMMINS POWER GENERATION LTD 503187014; Clamp; Is included in 3941466	3944448S  DAVCO 380134; Metal Collar Wrench for Diesel Pro and Fuel Pro	3944697  Head and Filter Assembly
3944223S  CUMMINS 4917446; Valve Piston Kit	3944449S  DAVCO 380072; O-rings for Diesel Pro and Fuel Pro	3944777  Head and Filter Assembly used on Cummins Tier 3 (QSB and QSL T3) Engine
3944287S  Head with Priming Pump; Uses service part(s) 3942834S, 3947136S; Head used with FS20022, FS19732	3944450S  DAVCO 102166; Fuel Heater Assembly for Diesel Pro and Fuel Pro	3944795S  Fuel Filter Head
3944441S  DAVCO 380056; Holddown Spring for Diesel Pro and Fuel Pro	3944451S  DAVCO 382002; Composite Collar Wrench for Diesel Pro and Fuel Pro	3944904S 45 Degree Elbow
3944442S  DAVCO 101994; O-ring Gasket for Diesel Pro and Fuel Pro	3944453S  DAVCO 102008; Check Valve for Diesel Pro and Fuel Pro	3945052S  Head Pack
3944443S  DAVCO 380040; Body Housing for Diesel Pro and Fuel Pro	3944455S  DAVCO 102408; Harness Kit for Diesel Pro and Fuel Pro	3945059S  Collar; Used with: FH23302, FH23303, FH23304, FH23200, FH23201, FH23202
	3944458S  DAVCO 232007; Wrench Collar for Diesel Pro and Fuel Pro; Replaces 3945149S	3945060S  Cover Assembly; Used with: FH23302, FH23303, FH23304
	3944459S  DAVCO 232008; O-rings for Diesel Pro and Fuel Pro	3945061S  O-ring set - vent cap to cover and cover to body; Used with: FH23302, FH23303, FH23304, FH23200, FH23201, FH23202
	3944520S Lube Housing, Full Flow; Housing used with CH41102	
	3944660S Head; Uses service part(s) 3933978S	

E. PRODUCT GUIDE

3945062S 	Check valve service kit; Used with: FH23302, FH23303, FH23304, FH23200, FH23201, FH23202	3945136S 	DAVCO 102168; Diesel Pro and Fuel Pro Unit Fuel Heater Assembly; Used with: 3952119S	3945160S 	DAVCO 101440; Heater Wire Harness for Davco Fuel Pro and Diesel Pro Units
3945063S 	Drain valve; Used with: FH23302, FH23303, FH23304, FH23200, FH23201, FH23202	3945137S 	DAVCO L4057; Diesel Pro and Fuel Pro Unit Decal Label	3945163S 	DAVCO 102097; Heater Wire Harness for Davco Fuel Pro and Diesel Pro Units
3945064S 	Thermostat Assembly	3945140S 	DAVCO 382029SVCB; Diesel Pro and Fuel Pro Unit Mounting Plate	3945164S 	DAVCO 101707; O-ring for Davco Fuel Pro and Diesel Pro Units
3945065S 	Thermostat Assembly	3945141S 	Diesel Pro and Fuel Pro Unit Stud	3945182S 	DAVCO 101480; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. 1"-14
3945120S 	DAVCO 102455; Diesel Pro and Fuel Pro Unit Heater Wire Harness; Used with: 3952119S	3945144S 	DAVCO 102271; Diesel Pro and Fuel Pro Unit Housing Bracket	3945183S 	DAVCO 101589; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. 1"-14 x4
3945121S 	DAVCO 102145; Diesel Pro and Fuel Pro Unit Fuel Heater Assembly	3945145S 	DAVCO 102376; Diesel Pro and Fuel Pro Unit Heater Wire Harness	3945184S 	DAVCO 102226; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. M16 x 1.5
3945123S 	DAVCO 102220; Diesel Pro and Fuel Pro Unit Heater Wire Harness; Used with: 3952119S	3945147S 	DAVCO 101312; Maintenance Kit for Davco Fuel Pro and Diesel Pro Units	3945185S 	DAVCO 101466; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. 3/4"-16
3945124S 	DAVCO 102412; Harness Kit Diesel Pro and Fuel Pro Unit	3945148S 	DAVCO 232010, 320620; Body Housing for Davco Fuel Pro and Diesel Pro Units	3945186S 	DAVCO 101492; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. 7/8"-14
3945125S 	Diesel Pro and Fuel Pro Unit Service package	3945153S 	DAVCO 101814; Fuel Heater Assembly for Davco Fuel Pro and Diesel Pro Units	3945187S 	DAVCO 101721; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. M18-1.5
3945126S 	DAVCO 101868; Diesel Pro and Fuel Pro Unit Heater Cord	3945154S 	DAVCO 101439; WIF Wire Harness for Davco Fuel Pro and Diesel Pro Units	3945188S 	DAVCO 101592; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. 13/16"-12
3945128S 	DAVCO 101966; Diesel Pro and Fuel Pro Unit Service Package	3945155S 	DAVCO 101815; WIF Wire Harness for Davco Fuel Pro and Diesel Pro Units	3945189S 	DAVCO 101570; Diverter Cap for Davco Fuel Pro and Diesel Pro Units. M16 x 1.5 with 2 Studs
3945129S 	DAVCO 102359; Diesel Pro and Fuel Pro Unit Heater Wire Harness	3945156S 	DAVCO 100457; Heater Wire Harness for Davco Fuel Pro and Diesel Pro Units		
3945131S 	DAVCO 380638; Diesel Pro and Fuel Pro Unit Body Housing	3945157S 	DAVCO 102445; WIF Wire Harness for Davco Fuel Pro and Diesel Pro Units		
3945133S 	DAVCO 102414; Diesel Pro and Fuel Pro Unit WIF Wire Harness	3945158S 	DAVCO 100278; Heater Wire Harness for Davco Fuel Pro and Diesel Pro Units		
		3945159S 	DAVCO 230068; Heater Kit for Davco Fuel Pro and Diesel Pro Units		

E. PRODUCT GUIDE

3945190S



DAVCO 102436; Diesel Pro and Fuel Pro Unit Heater Wire Harness

3945191S



DAVCO 102437; Diesel Pro and Fuel Pro Unit Heater Wire Harness

3945207S



DAVCO 560016; Replacement Glass Window for REN Product

3945208S



DAVCO 560021; Inlet Sediment Bowl Screen for REN product

3945209S



DAVCO 560028; Plexiglas Front Window Gasket (2 Required) - REN product

3945210S



DAVCO 560030; Inlet Sediment Bowl Gasket-REN product

3945211S



DAVCO 560340; REN product gasket

3945215S

REN gasket

3945217S



DAVCO 57013343; REN Regulator Gasket

3945220S



DAVCO 57023343; REN Meter Gasket Kit

3945222S



DAVCO 5710032601; Conversion Kit MRA to MRA-E with Cover (remote applications)

3945300S



Reducer

3945358S

CUMMINS POWER GENERATION LTD 140340703; Bracket

3945359S

CUMMINS POWER GENERATION LTD 140352703; Bracket

3945360S

CUMMINS POWER GENERATION LTD 140340801; Tubing, Special

3945367S

Tubing, Special

3945375S



Reducer

3945376

CUMMINS POWER GENERATION LTD 541100301; Not available in US

3945400S



Reducer

3945425S



DAVCO 102517; Installation Kit for Davco Fuel Pro and Diesel Pro Units LED Installation (WIF)

3945426S

DAVCO 102491; Installation Kit for Davco Fuel Pro and Diesel Pro Units

3945427S

DAVCO 102492; Installation Kit for Davco Fuel Pro and Diesel Pro Units

3945498

CUMMINS POWER GENERATION LTD 5410846 Industrial Kit

3945560S



DAVCO 560100; Hose Nipples (4 required)- REN Product

3945561S



DAVCO 57311606; Sight Gauge Install Kit (inserts & ferrules)- REN Product

3945562S



DAVCO 57013334; Safety Cut-off Kit- REN Product

3945563S



DAVCO 560026; Regulator to Mounting Plate Gasket- REN product

3945565S



DAVCO 57013370; 1-Piece Isoplast Front Window Kit- REN product

3945567S



DAVCO 560027; Valve Base Gasket- REN product

3945568S



DAVCO 560029; Glass Front Window Gasket (2 Required)- REN product

3945569S




DAVCO 560031; Screw- REN product

3945570S



DAVCO 560032; Screw- REN product

3945572S



DAVCO 560199; Fitting- REN Product

3945573S



DAVCO 560331; REN Product

E. PRODUCT GUIDE

3945581S  DAVCO 571303; Pressure Regulator Meter Kit- REN	3946058S  SY-KLONE 904K20; Self-cleaning pre-cleaner adaptor package	3946099S  SY-KLONE 40R323; Flanged insert
3945630S DAVCO 103033; Thermo Switch-REN	3946080S Expansion Plug	3946100S  SY-KLONE 40R30; Flanged insert
3945852S  DAVCO 560394; Counter Cover Gasket- REN Product	3946084S SY-KLONE DB18008; Dust seal	3946101S  SY-KLONE 40R275; Flanged insert
3946045 CUMMINS POWER GENERATION LTD 5411111; Includes 3316654S, 3933711S, 3948670S, 3949066S, AH19094 Industrial Kit	3946085S SY-KLONE DB12004; Dust seal	3946102S  SY-KLONE 40R25; Flanged insert
3946047 CUMMINS POWER GENERATION LTD 5411112; Industrial Kit	3946086S SY-KLONE DB11007; Dust seal	3946103S Flanged insert
3946049S SY-KLONE 901K4; Self-cleaning pre-cleaner adaptor package	3946087S  SY-KLONE DB11006; Dust seal	3946104S  Flanged insert
3946050S  SY-KLONE 901K16; Self-cleaning pre-cleaner adaptor package	3946088S  Flanged insert	3946105S  SY-KLONE 80012; Adaptor; Used with: AP85051, AP85053, AP85055, AP85163, AP85154, AP85057, AP85058, AP85062
3946051S  SY-KLONE 902K13; Self-cleaning pre-cleaner adaptor package	3946089S SY-KLONE 9003SC; Screen; Used with: AP85051, AP85053, AP85055, AP85163, AP85152, AP85154, AP85057, AP85058, AP85062	3946106S  SY-KLONE 78016; Adaptor
3946053S SY-KLONE 902K15; Self-cleaning pre-cleaner adaptor package	3946090S  SY-KLONE 9002SC; Screen; Used with: AP85041, AP85042, AP85046, AP85047, AP85104, AP85105	3946107S  Adaptor; Used with: AP85152
3946054S Reducer	3946091S SY-KLONE 9001SC; Screen Used with: AP85036, AP85038	3946108S SY-KLONE 68013; Adaptor
3946055S SY-KLONE 902K8; Self-cleaning pre-cleaner adaptor package	3946092S SY-KLONE 70RA625; Adaptor	3946109S  Adaptor; Used with: AP85152
3946056S  SY-KLONE 903K14; Self-cleaning pre-cleaner adaptor package	3946093S SY-KLONE 70R65; Flanged Insert	3946110S  SY-KLONE 64060; Expansion Adaptor Assembly - Steel 4/6"; Used with: AP85035, AP85036, AP85037, AP85038
3946057S  SY-KLONE 903K17; Self-cleaning pre-cleaner adaptor package	3946094S SY-KLONE 70R625; Flanged insert	
	3946095S  SY-KLONE 70R60; Flanged insert	
	3946097S  SY-KLONE 50R40; Flanged insert	
	3946098S SY-KLONE 45RA425; Flanged insert	

E. PRODUCT GUIDE

3946111S SY-KLONE SYK20015; Adaptor Kit

3946112S SY-KLONE 9001SCKIT; Screen



3946248S Fuel Filter Head



3946322S OptiAir 6" Weatherhood



3946326S Restriction Indicator



3946327S Restriction Indicator



3946379S CUMMINS POWER GENERATION LTD 140340702 Bracket



3946385 Electric Valve

3946389S DAVCO 570811
Used with: RN24015 Universal Mounting Bracket for the 15 Gallon (56.8 liter) Oil Supply Reservoir and Stand



3946390S DAVCO 570812
Universal Mounting Bracket for the 30 Gallon (113.6 liter) Oil Supply Reservoir and Stand
Used with: RN24017



3946405S Valve Screw



3946411S CUMMINS 4937489
Bowl Assembly
Used with: FS19805, FS19511N



3946447 Head and Switch Assembly

3946456S OptiAir 10" Metal Bracket Assembly



3946457S OptiAir Dust Ejection Valve



3946458S OptiAir 8" Weatherhood



3946459S OptiAir 4" Cover Assembly Kit
Used with: AH19474, AH19485, AH19496, AH19484



3946460S OptiAir 5" Cover Assembly Kit
Used with: AH19483, AH19487, AH19482, AH19486



3946461S Used with: AH19476, AH19477, AH19489, AH19488 OptiAir 6" Cover Assembly Kit



3946462S OptiAir 8" Cover Assembly Kit
Used with: AH19261, AH19260, AH19491, AH19490



3946463S Used with: AH19478, AH19479
OptiAir 10" Cover Assembly Kit



3946464S OptiAir 10" Weatherhood



3946465S 11" Cover Assembly Kit
Used with: AH19333, AH19334
OptiAir



3946466S OptiAir 11" Weatherhood



3946467S Cover Assembly Kit
Used with: AH19480, AH19481
OptiAir 13"



3946468S OptiAir 13" Weatherhood




3946512S DAVCO 57020525
LCD Readout for Diesel Pro and Fuel Pro

3946662S DAVCO 100311
Wiring Harness for Diesel Pro and Fuel Pro

3946667S DAVCO 102424
Conversion Kit for Diesel Pro and Fuel Pro

3946668S DAVCO 382023
Wire Display Rack for Diesel Pro and Fuel Pro



3946670S DAVCO 103041
LED WIF Assembly Light for Diesel Pro and Fuel Pro










3946673S DAVCO 102454
Used with: 3952119S Thermostat Switch for Diesel Pro and Fuel Pro



3946677S DAVCO 382027SVCB
Mounting Plate for Diesel Pro and Fuel Pro

E. PRODUCT GUIDE

3946704S  CUMMINS 4919915, DAVCO 102146 Hex Head Bolt for Diesel Pro and Fuel Pro	3946907S Plug for REN Product	3947114S DAVCO 101935 Diesel Pro and Fuel Pro Unit Valve Assembly
3946706S  DAVCO 102425 Collar for the Fuel Pro and Diesel Pro Units	3946908S  DAVCO 560092 Mounting Plate for REN Product	3947136S  CUMMINS 4928763 Thread Adaptor Insert Used with: FS20022, 3944287S
3946707S  DAVCO 102463 Fuel Heater Assembly for Diesel Pro and Fuel Pro	3946909S  DAVCO 560099 Regulator Bracket for REN Product	3947145 Hydraulic Filter Head
3946708S  DAVCO 102464 Fuel Heater Assembly for Diesel Pro and Fuel Pro	3946910S  DAVCO 571302 Assembly Valve for REN Product	3947315S  DAVCO 102536 Upgrade Kits for the Fuel Pro Units. Contains a 7 micron plus size filter, cover, and a collar to install a standard or plus size filter element
3946711S  DAVCO 910007 Fitting and O-ring for Diesel Pro and Fuel Pro	3946911S  DAVCO 57013349 Screw for REN Product	3947337S  DAVCO 102537 Upgrade Kits for the Fuel Pro Units. Contains a 25 micron plus size filter, cover, and a collar to install a standard or plus size filter element
3946712S  DAVCO 910009 Fitting for Diesel Pro and Fuel Pro	3946951S  Used with: FS19624 O-Ring; Replaces 3926140S	3947502S  DAVCO 920002 Mounting Plate for Davco Industrial Pro Units
3946714S  DAVCO 102493 Installation Kit for Diesel Pro and Fuel Pro	3946989S  CUMMINS 4924295 Fuel Tube Kit	3947503S  DAVCO 920003 Housing Bracket for Industrial Pro Unit
3946715S  DAVCO 101798 Heater Hose for Diesel Pro and Fuel Pro	3946990S  CUMMINS 4924296 Fuel Tube Kit	3947504S  DAVCO 101423 Fitting for Davco Industrial Pro Units
3946716S  DAVCO 102015 Electric Cord for Diesel Pro and Fuel Pro	3946991S  CUMMINS 4919914, 4924297 Vibration Isolator Kit	3947508S  CUMMINS 4924702 Kit containing one fuel tube (short, inlet)
3946905S  DAVCO 20909 Plug for REN Product	3946993S  CUMMINS 4924298 Drain Plug & O-ring Kit	3947509S  CUMMINS 4924703 Kit containing one fuel tube (long, outlet)
3946906S  DAVCO 57103352 Maintenance Kit for REN Product	3946996S Fitting + o-ring	3947658S  Hump Hose Used with: AK15
	3947034S  Fuel Filter Head	3947659S  Hump Hose Used with: AK14
		3948198S Tubing, Special
		3948239S  Gasket is used as a thread seal Used with: FF5421 Overall Height: 0.08 (2) Largest OD: 1.3 (33) Largest ID: 0.78 (20) Cross Section: Rectangular

E. PRODUCT GUIDE

3948395S  RACOR RK21113131 Replacement Bowl Used with: FS19532, FS19753, FS19736, FS19551, FS19687, FS1287, FS19734	3948714S  CUMMINS 4917751 Mounting Band	3948978S  Service Kit for FH21010B4
3948495S Is included in 3948505 Tubing, Special	3948731S Reducer	3949015S  Weatherhood for 6" ID Inlet OptiAir Systems
3948496S Bracket	3948732S CUMMINS 4097964 Tubing, Special	3949066S  OptiAir 700 Series Bracket Is included in 3946045
3948497S Bracket	3948733S CUMMINS 4924392 Tubing, Special	3949127 CUMMINS 4925089 Industrial Kit
3948504 CUMMINS POWER GENERATION LTD 1403756 Industrial Kit	3948734S CUMMINS 4924394 Tubing, Special	3949134S CUMMINS 4917962 Bracket
3948505 CUMMINS POWER GENERATION LTD 1403757 Industrial Kit Includes 3316633S, 3944205S, 3948495S, 3948558S, AF26173	3948735S  CUMMINS 4924396 Tubing, Special	3949135S CUMMINS 4917963 Bracket
3948558S Service Part Is included in 3948505	3948736S  CUMMINS 4924398 Hump Hose	3949136S CUMMINS 4917729 Bracket
3948644S  DAVCO 560019 REN Flange Ring	3948737S CUMMINS 4924381 Bracket	3949137S CUMMINS 4917730 Mounting Band
3948645S  DAVCO 560311 REN Gasket	3948738S CUMMINS 4924391 Bracket	3949138S  CUMMINS 4917723 Tubing, Special
3948665 CUMMINS POWER GENERATION LTD 1403825 Industrial Kit	3948739S CUMMINS 4924405 Bracket	3949139S CUMMINS 4917722 Tubing, Special
3948667 CUMMINS POWER GENERATION LTD 1403827 Industrial Kit	3948740S CUMMINS 4924406 Service Part, Bracket	3949140S CUMMINS 4917721 Tubing, Special
3948669S Clamp	3948741S CUMMINS 4098638 Service Part, Bracket	3949141S  CUMMINS 4917720 Tubing, Special
3948670S Clamp Is included in 3946045	3948764S  DAVCO 57013564 REN Safety Cut-Off Switch	3949148S CUMMINS 4917724 Bracket
3948671S Clamp	3948951S  CUMMINS POWER GENERATION LTD 1403860 Mounting Band	3949149S CUMMINS 4917706 Bracket
3948672S Clamp	3948963 CUMMINS POWER GENERATION LTD 5411150 Industrial Kit	3949293 CUMMINS POWER GENERATION LTD 5411194 Industrial Kit
3948673S Clamp		3949411 CUMMINS 4925090 Industrial Kit
3948674S Clamp		
3948675S Clamp		
3948676S  CUMMINS POWER GENERATION LTD 503187104 Clamp		

E. PRODUCT GUIDE

3949848S	Brace	3950392S	DAVCO 560355 REN Gasket	3950445S	Gasket package for Fuel Pro FH230 and Industrial Pro FH234 Series. Consists of 3952163, 3952164, and 3952207
3949851S	CUMMINS 4917718 Tubing, Special				
3949853S	CUMMINS 4917719 Tubing, Special	3950393S	DAVCO 560365 REN C Spring		Used with: FH23040, FH23041, FH23042, FH23045, FH23049, FH23050, FH23054, FH23060, FH23061, FH23067M, FH23068M, FH23069M, FH23070, FH23400, FH23401, FH23402, FH23435, FH23438, FH23439, FH23440, FH23441, FH23453, FH23027, FH23028, FH23029, FH23030, FH23031, FH23032, FH23038, FH23039
3950365S	Dual Fuel Head for Fuel Island Filtration.			3950450S	Reducer
3950385S	DAVCO 57023549 REN Slow Flow Meter Screw			3950600S	Expansion Adaptor FOR AP0500 Used with: AP5000
		3950394S	DAVCO 560371 REN Ratchet Wheel	3950622S	Threaded insert with loctite kit
3950386S	DAVCO 560017 REN Flange Ring				
		3950395S	DAVCO 560389 REN Gasket	3950689S	Base and Shaft Used with: CH41113, CH41111
3950387S	DAVCO 560020 REN Metal Bowl			3950690S	Base and Shaft Used with: CH41114, CH41112
3950388S	DAVCO 560310 REN Endplate	3950396S	DAVCO 560393 REN Meter Counter Cover	3950729S	DAVCO 102600 WIF Harness for Diesel Pro Fuel Housing; Replaces 3945151S
					
3950389S	DAVCO 560319 REN Spring	3950400S	Reducer	3950786S	CUMMINS POWER GENERATION LTD 1403552 Tubing, Special
				3950787S	CUMMINS POWER GENERATION LTD 1403601 Tubing, Special
3950390S	DAVCO 560324 REN Spring	3950444S	Gasket package for Diesel Pro FH232 and FH233 Series. Consists of 3952163, 3952164, and 3952165	3950789S	Tubing, Special
				3950790S	Tubing, Special
3950391S	DAVCO 560326 REN O-ring	Used with: FH23200, FH23201, FH23202, FH23209M, FH23210M, FH23211M, FH23302, FH23303, FH23304, FH23308, FH23315M, FH23316M, FH23317M, FH23321		3950792S	CUMMINS POWER GENERATION LTD 1403551 Is included in 3950899 Clamp
				3950794S	CUMMINS POWER GENERATION LTD 1403605 Clamp
				3950817	CUMMINS POWER GENERATION LTD 179354201 Industrial Kit
				3950827S	CUMMINS POWER GENERATION LTD 1403555 Mounting Band
				3950828S	CUMMINS POWER GENERATION LTD 5032466 Hump Hose

E. PRODUCT GUIDE

3950855S	Flexible hose
3950857S	Flexible hose
3950861S	CUMMINS POWER GENERATION LTD 1403646 Is included in 3950899 Tubing, Special
3950883	CUMMINS POWER GENERATION LTD 179354202 Industrial Kit
	
3950887	CUMMINS POWER GENERATION LTD 179354401 kit contains AH19037 + connection 3316608S + clamp 3950794 + tube 3950789
3950889	CUMMINS POWER GENERATION LTD 179354501 Industrial Kit
3950893	CUMMINS POWER GENERATION LTD 179354503 Industrial Kit
3950895	CUMMINS POWER GENERATION LTD 179354601 Industrial Kit
3950897	CUMMINS POWER GENERATION LTD 179354602 Industrial Kit
3950899	CUMMINS POWER GENERATION LTD 541108601 Industrial Kit; Includes 3316606S, 3950792S, 3950861S, AH1136
	
3950911S	Rubber Accessories
3951006S	Element for FS20022 Head and Filter Assembly
	
3951024	CUMMINS POWER GENERATION LTD 541119301 Industrial Kit
3951133	Fuel Reservoir Cummins ISB
	

3951210S	DAVCO 102599 WIF Harness/WIF LED Light Kit for Davco Bullet Style WIF Contains 3946662S & 3946670S
	
3951337S	Hump Hose
3951338S	CUMMINS POWER GENERATION LTD 1403882 Adaptor
3951339	CUMMINS POWER GENERATION LTD 179354402 Industrial Kit
3951359S	Heater with Thermostat and O-Ring Kit
	
3951360S	CUMMINS 4934880 Heater Kit
	
3951366S	Lube Housing, Full Flow Housing used with CH41111
	
3951367S	Lube Housing, Full Flow Housing used with CH41112
3951391S	Mounting Band; Used with: AH19036
3951438S	Service Kit for FH21010B4
	
3951841S	DAVCO 101813 120 V AC / 37W Heater for the Diesel Pro FH232/FH233 Housings; Used with: FH23200, FH23201, FH23202, FH23302, FH23303, FH23304, FH23308
	
3951843S	CUMMINS POWER GENERATION LTD 140337102 Base
3951844S	CUMMINS POWER GENERATION LTD 140336902 Brace
3951845S	CUMMINS POWER GENERATION LTD 140336702 Left Brace

3951847S	CUMMINS POWER GENERATION LTD 140336802 Right Brace
3951848S	CUMMINS POWER GENERATION LTD 140340202 Bracket
3951849S	CUMMINS POWER GENERATION LTD 140336602 Left Bracket
3951850S	CUMMINS POWER GENERATION LTD 140336502 Right Bracket
3951929S	DONALDSON P603476 Mack Waste Control Equipment
	Overall Height: 8.08 (205) Overall OD: 5.09 (129)
3952025S	Housing used with LF500 Bypass housing vertical mount assembly; Replaces 159707S
	
3952026S	Housing used with LF500 Bypass Mounting- Vertical or horizontal mount; Replaces 250826S
	
3952027S	Inverted 750 housing assembly Uses service part(s) LF750A, LF750B, LF750D; Replaces 3301874S
	
3952028S	Bypass housing vertical mount assembly; Used with: LF750A, LF750B, LF750D; Replaces 159706S
	
3952029S	Vertical or Horizontal Mount Used with: LF750A, LF750B, LF750D; Replaces 250825S
	
3952119S	Heater Kit for Fuel Pro Units Uses service part(s) 3945120S, 3945123S, 3945136S, 3946673S
	

E. PRODUCT GUIDE

3952201  CUMMINS 4931690 Includes AS2474 Head and filter assembly Uses service part(s) 3961128S, 3961129S	3952349S  SY-KLONE 67011 Expansion Adapter used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952358S  SY-KLONE 91900 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners
3952226S CUMMINS POWER GENERATION LTD 140346803 Bracket	3952350S  SY-KLONE 68011 Expansion Adapter used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners Used with: AP85051, AP85052, AP85053, AP85054, AP85055, AP85163, AP85154, AP85057, AP85058, AP85062, AP85063, AP85064	3952359S  SY-KLONE FH20003 2"x10" Rubber Flex Hose used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners
3952227S CUMMINS POWER GENERATION LTD 140346802 Bracket	3952351S  7"x7" Hump Hose used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners Used with: AP85055, AP85061	3952360S SY-KLONE OA09004 Used with: AP85154 Elbow Hose used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners
3952229S CUMMINS POWER GENERATION LTD 140346403 Bracket	3952352S  SY-KLONE 911100 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952361S SY-KLONE OA09008 Used with: AP85055, AP85154 Disposal Hose used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners
3952230S CUMMINS POWER GENERATION LTD 140346402 Bracket	3952353S  SY-KLONE 91200 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952362S SY-KLONE OA09009 Used with: AP85055 Disposal Hose used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners
3952232S CUMMINS POWER GENERATION LTD 140346303 Bracket	3952353S  SY-KLONE 91200 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners Used with: AP85041, AP85042, AP85051, AP85053, AP85152, AP85061	3952363S  SY-KLONE OA11002 Used with: AP85055 Metal Adapter used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners
3952233S CUMMINS POWER GENERATION LTD 140346302 Bracket	3952354S  SY-KLONE 91588 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952436S  DAVCO 57023557 REN Slow Flow Meter Cycling Valve Kit
3952235S CUMMINS POWER GENERATION LTD 140346703 Tubing, Special	3952355S  SY-KLONE 91600 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952575 CUMMINS POWER GENERATION LTD 1793851 Industrial Kit
3952236S CUMMINS POWER GENERATION LTD 140346702 Tubing, Special	3952356S  SY-KLONE 91688 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952578S CUMMINS POWER GENERATION LTD 140373902 Bracket
3952238S CUMMINS POWER GENERATION LTD 140388603 Bracket	3952357S  SY-KLONE 91800 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3952581S CUMMINS POWER GENERATION LTD 140374102 Tubing, Special
3952239S CUMMINS POWER GENERATION LTD 140388602 Bracket	3952357S  SY-KLONE 91800 Clamp used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners	3953480S  DAVCO 560267 REN Slow Flow Meter Sensor
3952241S CUMMINS POWER GENERATION LTD 140388503 Bracket		
3952242S CUMMINS POWER GENERATION LTD 140388502 Bracket		
3952332S  DAVCO 571003 REN Slow Flow Meter Piston Valve Kit		
3952334S  SY-KLONE 620175 Scavenger Adapter used in Optimax Dual Stage and Series 9000 Ejective Air Pre-cleaners Used with: AP85041, AP85042, AP85051, AP85152		

E. PRODUCT GUIDE

3953507S



SY-KLONE 70012
Pipe Extension used in Optimax
Dual Stage and Series 9000
Ejective Air Pre-cleaners

3953517S



CHRYSLER 5093128AA,
CUMMINS 3949958
Used with: FS1022, FS19616
WIF; Replaces 3907611S

3953518S



SY-KLONE 836COPTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85061

3953519S




SY-KLONE 836GOPTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85154

3953520S



SY-KLONE D6ROPTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85041

3953521S



SY-KLONE D7ROPTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85042

3953522S



SY-KLONE D8NOPTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85152

3953523S



SY-KLONE D8ROPTIB;
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners; Used with:
AP85051

3953524S




SY-KLONE D9ROPTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners; Used with:
AP85053

3953525S



SY-KLONE STD60PTIB;
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners; Used with:
AP85043, AP85047, AP85101,
AP85104

3953526S



SY-KLONE STD60PTIBS2;
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners; Used with:
AP85044, AP85046, AP85102,
AP85105

3953527S



SY-KLONE STD70PTIB
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85052, AP85055,
AP85058, AP85062, AP85063

3953528S



SY-KLONE STD70PTIBS2
Chamber used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85054, AP85163,
AP85057, AP85064

3953529S



Rubber Reducer used in Optimax
Dual Stage and Series 9000
Ejective Air Pre-cleaners
Used with: AP85152, AP85061

3953530S



SY-KLONE DB18011
Dust Boot used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners
Used with: AP85042, AP85154

3953531S



SY-KLONE HEATSHD001
Heat Shield used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners

3953532S



SY-KLONE OA09001;
Mounting Bracket used in
Optimax Dual Stage and Series
9000 Ejective Air Pre-cleaners

3953533S



SY-KLONE OA11003;
Mounting Bracket used in
Optimax Dual Stage and Series
9000 Ejective Air Pre-cleaners
Used with: AP85055

3953534S



SY-KLONE OA11004;
Mounting Bracket used in
Optimax Dual Stage and Series
9000 Ejective Air Pre-cleaners

3953535S



SY-KLONE OA09007; Valve
Check used in Optimax Dual
Stage and Series 9000 Ejective
Air Pre-cleaners; Used with:
AP85041, AP85053, AP85152,
AP85154, AP85061

3953725S



Hump Hose

3954128S

Cover and Support for Sea Pro 7

3954131S

CUMMINS 4919916; Drain Valve
for Sea Pro 7

3954132S

Sealing Plate for Sea Pro 7

3954136S



DAVCO 910101; M26 Metric
Adaptor Kit for Fuel Processors

3954138S



DAVCO 910102
M33 Metric Adaptor Kit for Fuel
Processors

3954139S



DAVCO 102381
Check Valve for use with the
Industrial Pro & Sea Pro
Dual/Duplex/Triple/Triplex
Assemblies

3954619



JOHN DEERE F0070016;
Head and filter assembly; Uses
service part(s) 3954620S,
3954621S; Head used with
FS19511N

E. PRODUCT GUIDE

3954620S 	Insert; Used with: 3954619, FS19511N	3956192S 	CUMMINS 4939059 Head and Filter Assembly	3957279S 	Used with: FS19521, FS19798, FS19593, FS19799, FS19591, FS19754, FS19538 Bowl
3954621S 	Replacement Head Assembly Used with: 3954619 Head used with FS19511N	3956193S 	CUMMINS 4939060; Head and Filter Assembly	3957300 	CUMMINS 4940648; Head and Filter Assembly
3954750S 	Hump Hose	3956196 	Head and Filter Assembly; Cummins ISB07	3957300S 	Head and filter assembly
3955168S 	SCANIA 1475433; Gasket	3956196S 	CUMMINS 4990860; Head, Pump and Filter Assembly Cummins ISB07	3957503S 	CHRYSLER 680239774AB; Fuel Line Kit
3955640S 	Cover Housing; Housing used with CH41113	3956561S 	Metric Adaptor Kit for Industrial Pro Units	3957737 	Aluminum Head
3955641S 	Cover Housing; Housing used with CH41114	3956562S 	Heater Spacer for Industrial Pro Triple/Triplex	3957738 	CUMMINS 4943201; Includes: FS19732 filter, 3944287 head with priming pump, 3951359 24V Heater
3955879S 	O-Ring Overall Height: 0.14 (4) Largest OD: 2.76 (70) Largest ID: 2.48 (63) Cross Section: Round	3956687 	CUMMINS POWER GENERATION LTD 5411296; Industrial Kit	3957830 	Pump Assembly used on Cummins ISB07
3956011S 	Industrial Pro Bottom Plate	3956688 	CUMMINS POWER GENERATION LTD 5411299; Industrial Kit	3958111S 	Insert
3956072S 	NELSON Q760070; Check Valve Assembly	3956900S 	Elbow	3958180S 	CUMMINS 4942666; Head and filter assembly
3956093S 	24DVC, 250W high temperature heater for FH230 Series Applications	3956943S 	Tubing, Special	3958181S 	CUMMINS 4942665; Head and filter assembly
3956191S 	CUMMINS 4939058; Head and Filter Assembly	3956944S 	Tubing, Special	3958392S 	Gasket service pack; Used with: WF2126, WF2127, LF3703, LF3941
		3956945S 	Tubing, Special	3958438 	CUMMINS POWER GENERATION LTD 1795025 Industrial Kit
		3956946S 	Tubing, Special		
		3957113 	CUMMINS 4959288 Industrial Kit		
		3957141S 	CUMMINS POWER GENERATION LTD 1306713; Tubing, Special		
		3957158S 	WIF Sensor with Harness for use with Industrial Pros		


E. PRODUCT GUIDE

3958441S	CUMMINS POWER GENERATION LTD 140407902; Service Part, Bracket
3958442S	CUMMINS POWER GENERATION LTD 1307324; Tubing, Special
3958443S	CUMMINS POWER GENERATION LTD 503187007; Clamp
3958444S	Screw kit
3958448	CUMMINS POWER GENERATION LTD 1795027; Industrial Kit
3958451S	CUMMINS POWER GENERATION LTD 140404102; Bracket
3958452S	CUMMINS POWER GENERATION LTD 5032853; Hump Hose
3958484S	CUMMINS 4898876; High Performing Gasket for use in Bio-Diesel Applications Upgrade of 3935185S Overall Height: 0.14 (4) Largest OD: 2.76 (70) Largest ID: 2.48 (63) Cross Section: Round
3959125S	High Performing Gasket for use in Bio-Diesel Applications; Replaces 3925469S Overall Height: 0.1 (3) Largest OD: 4.29 (109) Largest ID: 4.08 (104) Cross Section: Round
3959447S	FS Element; Replaces 3943304S
3959448S	CHRYSLER 5015585AB, CUMMINS 3942466; Heater; Replaces 3926757S
3959449S	CHRYSLER 5015578AC, CUMMINS 3892545, 3937175; Lid; Replaces 3926758S
3959452S	WIF Sensor; Replaces 3907611S
3959453S	Drain Valve; Replaces 3923831S, 3926759S

3959454S	CHRYSLER 5015582AB, 5015582AC, CUMMINS 3942468 WIF Sensor; Replaces 3926756S
3959502S	CHRYSLER 3671076; PCV; This product is not available in all regions of the world
3959505S	CUMMINS 4945471; Element for FS1065 Head and filter assembly
3959506S	FORD D9ZZ6A666A; PCV; This product is not available in all regions of the world
3959507S	GMC 6487778; PCV; This product is not available in all regions of the world
3959508S	FORD D90Z6A666A; PCV; This product is not available in all regions of the world
3959509S	CHRYSLER 4777240; PCV; This product is not available in all regions of the world
3959510S	PCV; This product is not available in all regions of the world
3959512S	GMC 6487936; PCV This product is not available in all regions of the world
3959513S	FORD D9ZZ6A666A; PCV This product is not available in all regions of the world

3959514S	FORD E5ZZ6A666A; PCV This product is not available in all regions of the world
3959515S	GMC 25097214; PCV; This product is not available in all regions of the world
3959517S	FORD D90Z6A666A; PCV; This product is not available in all regions of the world
3959518S	GMC 6487778; PCV; This product is not available in all regions of the world
3959519S	NISSAN 1181060U00; PCV; This product is not available in all regions of the world
3959520S	FORD E1DZ6A666A; PCV; This product is not available in all regions of the world
3959521S	CHRYSLER 5214088; PCV; This product is not available in all regions of the world
3959522S	HONDA E63Z6A666A; PCV; This product is not available in all regions of the world
3959524S	NISSAN 1181057Y00; PCV; This product is not available in all regions of the world
3959525S	CHRYSLER 53041134; PCV; This product is not available in all regions of the world

E. PRODUCT GUIDE

3959527S  CHRYSLER 53030564; PCV; This product is not available in all regions of the world	3959755S  DAVCO 102696 24V DC, 250W Fuel Heater Kit for use with FH230, FH232, FH233, and FH234 Series	3960670S  Assembly made up of parts 3831871 (bowl) and 3834624 (o-ring)
3959745S  DAVCO 102551; Metric Check Valve Fitting for Industrial Pro Series	3959836 CUMMINS POWER GENERATION LTD 5411419 Not available in US	3960737 CUMMINS POWER GENERATION LTD 5411461 Industrial Kit
3959747S  NISSAN 11810F0500; PCV; This product is not available in all regions of the world	3959962S  IRISBUS 5003062008 Copper Washer	3960826S  CUMMINS 4919917, DAVCO 102756 Metal WIF for Sea Pro
	3960036S Industrial Kit; Replaces 3949871S	3960827S  Plastic PSR lid
	3960200S Replacement Lid & Wingnut for AP0200	3960976S 24 V DC, 250W, 65 deg C, Biodiesel Preheater for Fuel Pro FH230 Units
3959748S  DAVCO 102688; Fuel Heater kit for use with Fuel Housings	3960247S  Is included in FH21040, FH21049, FH21101, FH21102, FH21108, FH21045, FH22263, FH22264, FH21107, FH21098, FH21099, FH21100, FH21047, FH21103, FH21048 M14 plug	3961128S Connector Used with: 3952201
3959749S  DAVCO 102689 Fuel Heater Kit for use with Fuel Housings	3960274S  Gasket PURFLUX P250 Used with: FF5303, FF5354	3961129S Connector Used with: 3952201
3959750S  DAVCO 102690 Fuel Heater Kit for use with Fuel Housings	3960293 CUMMINS 4959286 Industrial Kit	3961245 LEYLAND AENB543 Fuel Water Separator Head Assembly for Cummins ISB 2007 Engines
3959751S  DAVCO 102691 Fuel Heater Kit for use with Fuel Housings	3960300S Replacement Lid & Wingnut for AP0300	3961283S  Primer Pump Fitting Set for Industrial Pro Single
3959752S  DAVCO 102693 Fuel Heater Kit for use with Fuel Housings	3960379S Clamp	3961284S Primer Pump Fitting Set for Industrial Pro Dual/Duplex
3959753S  DAVCO 102694 Fuel Heater Kit for use with Fuel Housings	3960450S Replacement Lid & Wingnut for AP0450	3961285S  Primer Pump Fitting Set for Industrial Pro Triple/Triplex
3959754S  DAVCO 102695 12V DC, 250W Fuel Heater Kit for use with FH230, FH232, FH233, and FH234 Series	3960461S  CUMMINS 3954906 Head and filter assembly Head used with FF5421, FS20000; Replaces 3940777S	3961286S DAVCO 910051CEG IP single primer assembly The primer pump assembly consists of a primer pump, bracket, hoses, vibration isolators, and all fittings.
	3960500S Replacement Lid & Wingnut for AP0500	
	3960502S  Gasket; Used with: HF7999; Replaces 3916708S	

E. PRODUCT GUIDE

3961287S



DAVCO 910053ICEG IP Double/Duplex/Triple/Triplex primer pump assembly
The primer pump assembly consists of a primer pump, bracket, hoses, vibration isolators, and all fittings.

3961293S

DAVCO 390063CEG SP Single primer pump assembly
The primer pump assembly consists of a primer pump, bracket, hoses, vibration isolators, and all fittings.

3961294S



DAVCO 390064CEG SP Double/Duplex/Triple/Triplex primer pump assembly
The primer pump assembly consists of a primer pump, bracket, hoses, vibration isolators, and all fittings.

3961295S



CUMMINS 4919925 Primer Pump Fitting Set for Sea Pro Dual/Duplex/Triple/Triplex

3961296S

CUMMINS 4919918; Primer Pump Fitting Set for Sea Pro Single

3962017S



Filter head for ISC engine; Replaces 3912214S

3962018S



CUMMINS 3944987; Head used with FS1000, FS1022; Replaces 3914857S

3962094S



12V 150W heater for FH234 Series Fuel Processors

3962319S

Head Package Service Kit

3962484S

Head Package



3962607S

WIF harness length is 92" Purchase Complete from Davco, their p/n 102660FGD-92

3962763



Uses service part(s) 3928013S PTC heater kit - 12V

3962839S



STAUFF FPMRF090130; Used with: ST2060HH Service Part

3962855S



STAUFF FPMRF045070 Used with: ST2054HH Service Part

3962859S




STAUFF FPMRF014030 Used with: ST2048HH, ST2051HH Service Part

3962969



Fuel Filter Head

3963017



CUMMINS 4948443; Head, Filter, and Heater

3963018



CUMMINS 4995443; Head and filter assembly

3963173S



STAUFF NBRRF090130; Used with: ST2032HH, ST2033HH, ST2040HH, ST2041HH

3963177S



STAUFF NBRRF045070; Used with: ST2016HH, ST2017HH, ST2024HH, ST2025HH

3963181S



STAUFF NBRRF014030 Used with: ST2000HH, ST2003HH, ST2008HH, ST2009HH

3963500S



Washer; M8 plug included


Is included in FH21049, FH21101, FH21102, FH21108, FH21045, FH21040, FH22263, FH22264, FH21107, FH21098, FH21099, FH21100, FH21047, FH21103, FH21048.

3963621S



STAUFF NBRSF045070 Used with: ST2016HH, ST2017HH, ST2024HH, ST2025HH

3964002S



STAUFF NBRSF014030; Used with: ST2000HH, ST2003HH, ST2008HH, ST2009HH

3964006S



STAUFF NBRSF090160; Kit; Replaces ST2023BDKIT

3964101S



24V stick heater (includes screws) Is included in FH21101, FH21040, FH21098, FH21047

3964354S



Hand pump (includes spring)

Is included in FH21040, FH21049, FH21101, FH21102, FH21108, FH21045, FH22263, FH22264, FH21107, FH21098, FH21099, FH21100, FH21047, FH21103, FH21048

3965311S

DAVCO 571102; Metal Bowl

3965412S



CUMMINS 4992118; Head and filter assembly

3965431S








STAUFF FKMSF014030; Used with: ST2000HH

3965432S



STAUFF FKMSF045070; Used with: ST2016HH

E. PRODUCT GUIDE

3965433S  STAUFF FPMSF090160; Used with: ST2032HH	3966459S  CUMMINS 4919928, DAVCO 104140FGD; Passive 165K SS WIF Kit Length: 2.5 (64) WIF Sensor: YES	3968210S  CUMMINS 4919933, DAVCO 390077FGD; Manifold Kit
3965502S  12V stick heater (includes screws) Is included in FH21045, FH21102, FH21099, FH21103	3966807S  Head and filter assembly Element for FS20022	3968211S  CUMMINS 4919934, DAVCO 390078FGD; Manifold Kit
3965503S  Heater plug with screws; Is included in FH21049, FH21108, FH22263, FH22264, FH21107, FH21100, FH21048	3967685S  DAVCO 56002104FGD; Gasket and Screen	3968212S  CUMMINS 4919935, DAVCO 390079FGD; Manifold Kit
3965504S  CUMMINS 4995590; WIF sensor harness; Is included in FH21040, FH21049, FH21045, FH21098, FH21099, FH21100	3967874  DAF 1674458; Urea Application Filter	3968213S  CUMMINS 4919936, DAVCO 390080FGD; Manifold Kit
3965752S Head and Heater Package	3967905S  CUMMINS 5260605; Head, Insert & Plug	3968215S DAVCO 390081FGD; Manifold Kit
3965753S Head and Heater Package	3967965S  DAVCO 102834FGD; 250W 12V Heater for Biodiesel	3968216S DAVCO 390082FGD; Manifold Kit
3966413S  DAVCO 570208FGD; Retrofit Kit for Slow Flow Meters	3968203S  CUMMINS 4919929, DAVCO 102764FGD; Adapter	3968217S DAVCO 390083FGD; Manifold Kit
3966414S  DAVCO 570209FGD; Retrofit Kit for Slow Flow Meters	3968204S  DAVCO 103024FGD; Capscrew	3968218S DAVCO 390084FGD; Manifold Kit
3966456S  CUMMINS 4919919, DAVCO 391001FGD; DP Gauge Kit - Single Body Kit Pressure Diagnosis Port: YES Outlet Connection: SAE #4, STRAIGHT FITTING Inlet Connection: SAE #4, 90 DEGREE FITTING	3968205S  CUMMINS 4919930, DAVCO 103024FGD12; Capscrew	3968219S DAVCO 910077FGD; Manifold Kit
3966457S  CUMMINS 4919926, DAVCO 392001FGD; DP Gauge Kit - Multiple Body Kit Pressure Diagnosis Port: YES Outlet Connection: SAE #4, STRAIGHT FITTING Inlet Connection: SAE #4, 90 DEGREE FITTING	3968206S  DAVCO 390010FGD; Valve	3968220S DAVCO 910078FGD; Manifold Kit
3966458S  CUMMINS 4919927, DAVCO 104143FGD; Passive WIF Harness Kit Overall Height: 3.0 (76) Length: 8.0 (203)	3968207S  CUMMINS 4919931, DAVCO 390010FGD13; Valve	3968221S DAVCO 910079FGD; Manifold Kit
	3968208S  DAVCO 390071FGD; Seal	3968222S DAVCO 910080FGD; Manifold Kit
	3968209S  CUMMINS 4919932, DAVCO 390071FGD06; Seal	3968623S Service Part
		3968803S Cap Plug
		3968804S Cap Plug
		3968805S  Mounting Bracket with 1/2" slots
		3970397 Diesel Exhaust Fluid Flow Meter
		3970753S  CUMMINS 4919937; Shut-off Valve for Sea Pro and Industrial Pro
		3970923S  Priming Pump
		3970958S CUMMINS 4919920; Gasket
		3970959S CUMMINS 4919921; Mounting Plate
		3971121S SY-KLONE 9005SCKIT; Screen Kit; Uses service part(s) 3939410S, 3971122S
		3971122S SY-KLONE 9005SC; Screen; Used with: 3971121S

E. PRODUCT GUIDE

3971124S	SY-KLONE 50008; Adaptor
	
3971125S	SY-KLONE STD40PTIBS2; Optimax Air Pre-cleaner Stage 2 Chamber; Used with: AP85035, AP85036, AP85037, AP85038
3971478S	Filter Minder Test Kit
	
3972254S	DAVCO 240005; Heather Kit
	
3972255S	DAVCO 240014; Bowl Assembly
	
3973506S	DAVCO 242010; Cover Assembly
3973614S	Threaded Insert; Used with: FH21107, FS19723; Is included in FH22263
3973674S	Threaded insert
	
3973675S	Threaded Insert; Used with: FH21107 Is included in FH22263
	
3973689S	Adapter fitting
3973690S	DAVCO 102821; Plug
	

3974145S	DAVCO 243010; Cover Assembly
	
3974231S	Elbow
	
3974232S	Tube
3974852S	SCANIA 2005054; Service Part
3974949	Diesel Exhaust Electric Toe Pump, 50" tube; Replaces 3970401
	
3974950	Diesel Exhaust Pneumatic Toe Pump, 50" tube; Replaces 3970400
	
3976891S	DAVCO 240010; Heater Kit
	
3976892S	DAVCO 242008; Heater Kit
3977798S	Eye Max Assembly
3977800S	Eye Max Assembly
3979200S	DAVCO 570210; REN MRA Kit, Intrinsically Safe Readout
	
3979201S	DAVCO 561718; REN LCD Cover Assembly
3979320S	Dual Head Fuel Filter Assembly
3979382S	8"x5" hump hose
	

3979541S	Electrical connector for Air Filter restriction indicators; Replaces 3965583S
	
3979660S	DAVCO 240025; Heater Kit
3979758S	DAVCO 2400224FGDK; 120V 75W Upgrade Kit
3979819S	Sea Pro 6 to Sea Pro 5 Conversion Kit
3979820S	DAVCO 390481; Sea Pro 7 to Sea Pro 5 Conversion Kit
	
3980102S	Gasket
3980208S	DAVCO 240024K; Heater Kit
	
3980209S	DAVCO 102820; Fitting
	
3980618	Pneumatic Drum Pump 1/2 Horsepower Motor, 39" Tube, 20' Hose; Replaces 3970402
3980619	Electric Drum Pump; 110-120V Variable Speed Motor, 39" Tube 20' Hose; Replaces 3970403
	
3980620	240V Y-Cord With Thermostat For Oil Pan Heaters; Replaces 3825425
	
3980622S	Cummins/Komatsu B 3.3L engine; Used for applications where the engine requires the lube filter to be remote mounted; Replaces 3926762S
	

E. PRODUCT GUIDE

3980623



1500 Watt/120 Volt Caterpillar engines C10, C12, 3196, 3176, 1999 and newer; Replaces the 1" NPT plug in rear of oil cooler Caterpillar 3406 (with Brake Saver 1994 and newer) replaces 1" plug in oil cooler, front bonnet; This heater is not for use with 1998 3406E or 15.8L 600 HP models; Replaces 3934665

3981179

RACOR 401403056; 90 Degree Elbow

3981729S

4"x4.5" hump hose



3981759S

ENGINEERING PRODUCTS CO. 13550110815; Mindergage



3982246S

Oil Fill Cap; Replaces 3936963



3982840S

Nut

3983678S

Gasket; Used with: LF9025, LF9035



3986767

RENAULT V.I. 7420877950; Urea Application Filter

5305982

FLEETGUARD AH55631; Air Housing

Winslow

82040A

WINSLOW 3473, CP937T; Winslow Element

Overall Height: 8.88 (226)
OD: 2.88 (73)
ID: 1.60 (41)
CP Length: 3.60 (91)

82051A

WINSLOW EL7518B, WEL7518B2



Overall Height: 18.50 (470)
OD: 7.25 (184)
ID: 2.70 (69)
CP Length: 4.00 (102)

82101A

WINSLOW F1840T, F-1840-T

Overall Height: 18.00 (457)
OD: 4.00 (102)
ID: 1.60 (41)

82240A

WINSLOW F635T, F-635-T

Overall Height: 6.00 (152)
OD: 3.50 (89)
ID: 1.40 (36)

82250A

WINSLOW CP738T, CP-738-O



Overall Height: 7.00 (178)
OD: 3.50 (89)
ID: 1.60 (41)
CP Length: 3.00 (76)

82250C

WINSLOW 701601488, 701601-488

Overall Height: 7.00 (178)
OD: 3.50 (89)
ID: 1.60 (41)
CP Length: 3.00 (76)

82270A

WINSLOW F835O, F-835-O

Overall Height: 8.12 (206)
OD: 3.50 (89)
ID: 1.60 (41)

82280A

WINSLOW CP931C, CP-931-C



Overall Height: 9.12 (232)
OD: 2.88 (73)
ID: 1.60 (41)
CP Length: 1.50 (38)

82300A

WINSLOW F1040C, L1040C, F-1040-C / L-1040-C

Overall Height: 10.00 (254)
OD: 4.00 (102)
ID: 1.60 (41)

82302B

WINSLOW W1040CSS, W-1040-CSS

Overall Height: 10.00 (254)
OD: 4.00 (102)
ID: 1.60 (41)

82310C

WINSLOW 417000, A266515, CP1044O, A266515 / CP-1044-O / 417000



Overall Height: 9.88 (251)
OD: 4.00 (102)
ID: 1.60 (41)
CP Length: 4.50 (114)

82320A

WINSLOW 515023, 775130, CP1046O, CP-1046-O / 515023 / 775130

Overall Height: 9.88 (251)
OD: 4.00 (102)
ID: 1.60 (41)
CP Length: 1.50 (38)

82340B

WINSLOW CP1251O, CP-1251-O

Overall Height: 12.25 (311)
OD: 4.75 (121)
ID: 1.60 (41)
CP Length: 4.50 (114)

82351A

WINSLOW CP1542T, CP-1542-T

Overall Height: 15.62 (397)
OD: 3.75 (95)
ID: 1.60 (41)
CP Length: 2.25 (57)

82361A

WINSLOW 1544T, F1544T, SS1544T F-1544-T / SS-1544-T / 1544-T

Overall Height: 15.62 (397)
OD: 3.75 (95)
ID: 1.50 (38)

82362A

WINSLOW W1544T, W-1544-T



Overall Height: 15.62 (397)
OD: 3.75 (95)
ID: 1.60 (41)

82370D

WINSLOW CP151645TO, CP1.5-1645-TO



Overall Height: 16.00 (406)
OD: 4.38 (111)
ID: 1.80 (46)
CP Length: 1.50 (38)

82371A

WINSLOW CS1645T, GS1645T, SS1645T CS-1645-T / GS-1645-T / SS-1645-T



Overall Height: 16.00 (406)
OD: 4.38 (111)
ID: 1.80 (46)

82372A

WINSLOW DCS1645T, DCS-1645-T



Overall Height: 16.00 (406)
OD: 4.38 (111)
ID: 1.80 (46)
CP Length: 4.50 (114)

82373A

WINSLOW DS1645T, DS-1645-T



Overall Height: 16.00 (406)
OD: 4.38 (111)
ID: 1.80 (46)
CP Length: 4.50 (114)

E. PRODUCT GUIDE

82374A	WINSLOW EX1645T, EX-1645-T
	Overall Height: 16.00 (406) OD: 4.38 (111) ID: 1.80 (46) CP Length: 16.00 (406)

82375A	WINSLOW F1645T, L1645T, F-1645-T / L-1645-T
	Overall Height: 16.00 (406) OD: 4.38 (111) ID: 1.60 (41)

82376A	WINSLOW LC1645T, LC-1645-T
	Overall Height: 16.00 (406) OD: 4.38 (111) ID: 1.60 (41)

82377A	WINSLOW W1645TO, W-1645-TO
	Overall Height: 16.00 (406) OD: 4.38 (111) ID: 1.60 (41)

82377C	WINSLOW W1645TSS, W-1645-TSS
	Overall Height: 16.00 (406) OD: 4.38 (111) ID: 1.60 (41)

82377D	WINSLOW 4P3631, W1645T 4P3631 / W-1645-T
	Overall Height: 16.00 (406) OD: 4.38 (111) ID: 1.60 (41)

82390A	WINSLOW CP1652O, CP41648T CP-1652-O / CP41648T
	Overall Height: 16.12 (409) OD: 4.75 (121) ID: 1.70 (43) CP Length: 3.50 (89)

82390B	WINSLOW 243094
	Overall Height: 16.12 (409) OD: 4.75 (121) ID: 1.70 (43) CP Length: 3.50 (89)

82400A	WINSLOW CP681648T, CP6.8-1648-T
	Overall Height: 16.12 (409) OD: 4.75 (121) ID: 1.70 (43) CP Length: 6.75 (171)

82421A	WINSLOW W1670T W-1670-T
	Overall Height: 15.16 (385) OD: 6.75 (171) ID: 1.70 (43)

82450A	WINSLOW CP1865T, CP681645T, CP-1865-T / CP6.8-1645-T
	Overall Height: 18.18 (462) OD: 6.50 (165) ID: 2.70 (69) CP Length: 6.75 (171)

82460A	WINSLOW F1870T, F-1870-T
	Overall Height: 18.88 (480) OD: 6.50 (165) ID: 2.40 (61)

82461A	WINSLOW CP1871T, CP1875T, CP451871T CP-1871-T / CP-1875-T / CP4.5-1871-T
	Overall Height: 18.88 (480) OD: 6.50 (165) ID: 2.40 (61) CP Length: 4.50 (114)

82470C	WINSLOW CP1850T, CP51850T, CP-1850-T / CP5-1850-T
	Overall Height: 18.50 (470) OD: 6.50 (165) ID: 3.10 (79) CP Length: 5.00 (127)

82480U	WINSLOW 172607, A022067, CP1874TO CP-1874-TO / 172607 / A-022-067
	Overall Height: 17.25 (438) OD: 6.50 (165) ID: 2.80 (71) CP Length: 5.00 (127)

82481A	WINSLOW EX1874T, EX-1874-T
	Overall Height: 17.25 (438) OD: 6.50 (165) ID: 2.80 (71)

82482A	WINSLOW F1874T, L1874T, F-1874-T / L-1874-T
	Overall Height: 17.25 (438) OD: 6.50 (165) ID: 2.80 (71)

82484A	WINSLOW W1874T, W-1874-T
	Overall Height: 17.25 (438) OD: 6.50 (165) ID: 2.80 (71)

82484B	WINSLOW W1874TSS, W-1874-TSS
	Overall Height: 17.25 (438) OD: 6.50 (165) ID: 2.80 (71)

82490A	WINSLOW F1950T, L1950T, F-1950-T / L-1950-T
	Overall Height: 18.88 (480) OD: 4.75 (121) ID: 1.60 (41)

82492A	WINSLOW F1950T, L1950T, F-1950-T / L-1950-T
	Overall Height: 18.50 (470) OD: 4.75 (121) ID: 1.60 (41)

82530A	WINSLOW CP42465TO, CP4-2465-TO
	Overall Height: 24.75 (629) OD: 6.50 (165) ID: 3.20 (81) CP Length: 4.00 (102)

82531A	WINSLOW CP82465TO, CP8-2465-TO
	Overall Height: 24.75 (629) OD: 6.50 (165) ID: 3.20 (81) CP Length: 8.00 (203)

82531B	WINSLOW 120455100
---------------	-------------------

82532A	WINSLOW CP152465TO, WE55, CP15-2465-TO / WE-55
	Overall Height: 24.75 (629) OD: 6.50 (165) ID: 3.20 (81) CP Length: 15.00 (381)

82533A	WINSLOW EX2465T, WE65, EX-2465-T / WE-65
	Overall Height: 24.75 (629) OD: 6.50 (165) ID: 3.20 (81)

82534A	WINSLOW F2465T, L2465T, F-2465-T / L-2465-T
	Overall Height: 24.75 (629) OD: 6.50 (165) ID: 3.20 (81)

82536A	WINSLOW LC2465T, LC-2465-T
	Overall Height: 24.75 (629) OD: 6.50 (165) ID: 3.20 (81)

E. PRODUCT GUIDE

82537A WINSLOW W2465T, W-2465-T



Overall Height: 24.75 (629)
OD: 6.50 (165)
ID: 3.20 (81)

82537B WINSLOW W2465TSS,
W-2465-TSS

Overall Height: 24.50 (622)
OD: 6.50 (165)
ID: 3.20 (81)

82581A WINSLOW WC3031T,
WC-3031-T

Overall Height: 30.70 (780)
OD: 2.75 (70)
ID: 1.60 (41)
CP Length: 4.50 (114)

82602A WINSLOW F3143T, L3143T,
F-3143-T / L-3143-T



Overall Height: 30.75 (781)
OD: 4.38 (111)
ID: 1.60 (41)

82603A WINSLOW GS3143TO,
GS-3143-TO




Overall Height: 30.75 (781)
OD: 4.38 (111)
ID: 1.60 (41)

82604A WINSLOW LC3143T, LC-3143-T



Overall Height: 30.75 (781)
OD: 4.38 (111)
ID: 1.60 (41)

82605A WINSLOW W3143T, W-3143-T



Overall Height: 30.75 (781)
OD: 4.38 (111)
ID: 1.60 (41)

82605C WINSLOW CT104518, CT104518

Overall Height: 30.75 (781)
OD: 4.38 (111)
ID: 1.60 (41)

82620D WINSLOW CP3245TO,
CP-3245-TO

Overall Height: 31.25 (794)
OD: 4.38 (111)
ID: 1.60 (41)
CP Length: 4.00 (102)

82621A WINSLOW GS3245T, GS-3245-T

Overall Height: 31.25 (794)
OD: 4.38 (111)
ID: 1.60 (41)

82622A WINSLOW F-3245-T, L-3245-T

82630A WINSLOW CP3621T, CP-3621-T

Overall Height: 31.50 (800)
OD: 5.75 (146)
ID: 2.30 (58)
CP Length: 8.00 (203)

82640A WINSLOW CP43265T
CP4-3265-T



Overall Height: 32.12 (816)
OD: 6.5 (165)
ID: 3.7 (94)
CP Length: 4.00(102)

82644A WINSLOW EX3265T EX-3265-T



Overall Height: 32.12 (816)
OD: 6.5 (165)
ID: 3.7 (94)
CP Length: 32.0 (813)

82645A WINSLOW F3265T, L3265T
F-3265-T / L-3265-T



Overall Height: 32.12 (816)
OD: 6.50 (165)
ID: 3.70 (94)

82646A WINSLOW GS3265T, GS-3265-T

Overall Height: 32.12 (816)
OD: 6.50 (165)
ID: 3.70 (94)

82647A WINSLOW LC3265T, LC-3265-T

Overall Height: 32.12 (816)
OD: 6.50 (165)
ID: 3.70 (94)

82648A WINSLOW W3265T, W-3265-T



Overall Height: 32.12 (816)
OD: 6.50 (165)
ID: 3.70 (94)

82651A WINSLOW F3643, G3643,
L3643, F-3643 / G-3643 / L-3643



OD: 4.38 (111)
ID: 1.60 (41)

82652A WINSLOW W3643 W-3643



Overall Height: 36.12 (917)
OD: 4.38 (111)
ID: 1.60 (41)

82653A WINSLOW LC3643 LC-3643



Overall Height: 36.12 (917)
OD: 4.38 (111)
ID: 1.60 (41)

82654A WINSLOW GS3643, GS-3643



Overall Height: 36.12 (917)
OD: 4.38 (111)
ID: 1.60 (41)

82739A WINSLOW CP1543T,
CP71543TO, CP-1543-T /
CP7-1543-TO

83804E PSR Element



871100N INGERSOLL-RAND 54717145

Overall Height: 16.8 (427)
Largest OD: 8.81 (224)
Largest ID: 5.52 (140)

871101N INGERSOLL-RAND 54717152;
Air

Overall Height: 15.81 (402)
Largest OD: 5.7 (145)
Largest ID: 4.2 (107)

871547A WINSLOW W1065T W-1065-T

Overall Height: 10.16 (258)
OD: 6.75 (171)
ID: 1.70 (43)

88465A WINSLOW E3265T, F3265T,
L3265T E-3265-T / F-3265-T /
L-3265-T



88468A WINSLOW F950TO, L950TO,
F-950-TO / L-950-TO

88471N 6.0 GPM Commercial Style
KoalescerT Element



88473N 15.0 GPM Single Commercial
Style KoalescerT Element



88589A Bilge Boy 7.5 GPM. Coalescer
filter element

91284N 6.0 GPM Commercial Style
KoalescerT

93006402FGD25 FLEETGUARD FH23494 FUEL
HOUSING

E. PRODUCT GUIDE

95101A L1-CP1046-.75

95240J Bypass Lube Filter B1-W1670-.25

95250A Fuel Filter F1-F1874-1



95251A L1-CP1874-1

95300A Fuel Filter F1-F2465-1.5



95350A Fuel Filter F1-F3265-2



95830A Fuel Filter F21-F1645-2

Dual Pack Air Kits

AA2900 Kit Containing (1) AF851 and (1) AF883



AA2901 Kit Containing (1) AF873M and (1) AF4516



AA2902 Kit Containing (1) AF424 and (1) AF820M



AA2903 Kit Containing (1) AF4605M and (1) AF4603



AA2904 Kit Containing (1) AF875M and (1) AF4514



AA2905 Kit Containing (1) AF1605M and (1) AF1604



AA2906 Kit Containing (1) AF879 and (1) AF857



AA2907 Kit Containing (1) AF899 and (1) AF880



AA2907M Kit Containing (1) AF899M and (1) AF880



AA2908 Kit Containing (1) AF421 and (1) AF821M



AA2910 Kit Containing (1) AF911 and (1) AF910; Replaces AF4507



AA2912 Kit containing (1) AF1768M and (1) AF1767



AA2920 Kit containing (1) AF4504M and (1) AF1791



AA2921 Kit containing (1) AF434KM and (1) AF804M



AA2948 Kit containing (1) AF25277 and (1) AF25276



AA2950 Kit containing (1) AF928M and (1) AF26380M

AA2951 Kit containing (1) AF26410 and (1) AF26411

AA2952 Kit containing (1) AF26412 and (1) AF26414

AA2953 Kit containing (1) AF26413 and (1) AF26414

AA2954 Kit containing (1) AF25691 and (1) AF25690

AA2955 Kit containing (1) AF25268 and (1) AF25269



AA2956 DONGFENG MOTOR CORPORATION,LTD 1109NSET2; Kit containing (1) AF25270 and (1) AF25271



AA2957 Kit containing (1) AF25452 and (1) AF25453



AA2958 FLEETGUARD SHANGHAI 1109ZB1SET2 Kit containing (1) AF25813 and (1) AF25812



AA2959 Kit containing (1) AF26431 and (1) AF26432

E. PRODUCT GUIDE

AA2960  Kit containing (1) AF26433 and (1) AF26434	AA90141 Kit containing (1) AF26597 (1) AF26598 AA90145 RSPD25-11 - Kit containing AF26614 (primary) + AF26613 (safety) AA90146 Kit containing AF26616 (1) and AF26615 (1)	AF257 FORD B7A9601C  Overall Height: 3.62 (92) End 2 OD: 9.14 (232) End 1 OD: 9.43 (240) End 1 ID: 6.88 (175)
AA2961  DONGFENG MOTOR CORPORATION,LTD 1109R65SET2; Kit containing (1) AF25810 and (1) AF25811	AA90155 FLEETGUARD SHANGHAI A041P370; Kit containing AF26639 (1) and AF26638 (1) AA90157 Kit containing AF25739 (1) and AF25738 (1)	AF258 CASE 150868R91  Overall Height: 7.62 (194) Overall OD: 8.09 (205) End 2 ID: 5.75 (146) End 1 ID: 0.44 (11)
AA2975 FLEETGUARD SHANGHAI A101SET2 Kit containing (1) AF26508 and (1) AF26507	AA90160 Kit containing (1) AF27719 and (1) AF27720	AF259 CUMMINS 106836, 299259; Fram FA-210PL Series  Overall Height: 7.95 (202) Overall OD: 6.68 (170) End 2 ID: 0.3 (8) End 1 ID: 4.19 (106)
AA2976  Kit containing (1) AF26505 and (1) AF26506	Air Filters AF250  CUMMINS 255963; Breather For Naturally Aspirated Engines Only; Uses service part(s) 154272S, 156779S, 250024S Overall Height: 2.73 (69) Overall OD: 2.99 (76) End 1 ID: 1.35 (34)	AF260 FORD B8Q9601A; Replaces AF273  Overall Height: 7.16 (182) End 2 OD: 9.16 (233) End 1 OD: 9.46 (240) End 1 ID: 6.75 (171)
AA2978 Kit containing (1) AF26549 and (1) AF26550	AF251  CUMMINS 155065, 256837; Air Compressor Breather; Uses service part(s) 257014S Overall Height: 1.28 (33) Overall OD: 4.92 (125) End 1 ID: 3.0 (76)	
AA90130 FLEETGUARD SHANGHAI A030G190; Kit containing AF25560 (1) and AF25559 (1)	AF252  CUMMINS 299252; Pre-cleaner blanket is AF1844; Replaces AF295, AF312 Overall Height: 10.06 (256) End 1 OD: 9.23 (234) End 2 ID: 6.61 (168) End 1 ID: 0.44 (11)	AF262 CUMMINS 299262 Air, Primary  Overall Height: 15.03 (382) Overall OD: 11.94 (303) End 1 ID: 7.32 (186)
AA90131 FLEETGUARD SHANGHAI A610SET2; Kit containing AF26564 (1) and AF26563 (1)	AF253  CUMMINS 299253; Uses service part(s) 3835841S, 3835842S Optional Gaskets For Fram Housing Overall Height: 12.06 (306) Overall OD: 10.4 (264) End 2 ID: 0.44 (11) End 1 ID: 7.8 (198)	AF263 ALLIS-CHALMERS 4052520; Air, Primary  Overall Height: 16.39 (416) Overall OD: 12.08 (307) End 1 ID: 7.94 (202)
AA90134 FLEETGUARD SHANGHAI A029Z303; Kit including (1) AF26569 and (1) AF26570	AF255  CHRYSLER 1929429 Overall Height: 3.67 (93) End 1 OD: 3.3 (84) End 1 ID: 1.97 (50)	AF264 CUMMINS 299264; Secondary air filter used with AF936  Overall Height: 12.04 (306) Overall OD: 10.21 (259) End 1 ID: 5.54 (141)
AA90135 Kit containing (1) AF26571 and (1) AF26572		AF265 CUMMINS 124721, 299265  Overall Height: 10.06 (255) Overall OD: 8.99 (228) End 1 ID: 4.33 (110)
AA90137  Kit containing AF26529 (1) and AF26530 (1)		
AA90138 Kit containing (1) AF26531 and (1) AF26532		
AA90139 Kit containing (1) AF26557 and (1) AF26558		
AA90140  RSPD35-23 - Kit containing (1) AF26595 (1) AF26596		

AF267 FORD C1KE9601A


Overall Height: 2.26 (57)
Overall OD: 9.76 (248)
End 1 ID: 7.94 (202)

AF277 CASE 156073C91


Overall Height: 8.56 (217)
Overall OD: 6.06 (154)
End 1 ID: 4.56 (116)

AF281 GMC 2308840


Overall Height: 2.5 (64)
Overall OD: 3.0 (76)
End 1 ID: 1.62 (41)

AF284 CLARK 880044


Overall Height: 7.0 (178)
Overall OD: 4.38 (111)
End 1 ID: 3.0 (76)

AF285 CUMMINS 133739, 299285;
250806 Bolt Seal Included


Overall Height: 9.04 (230)
End 1 OD: 8.41 (214)
End 2 ID: 0.54 (14)
End 1 ID: 5.79 (147)

AF289 CATERPILLAR 2M7941, 2S5648,
CUMMINS 299289; For Magnum
Version, Use AF289M; Replaces
AF310


Overall Height: 11.54 (293)
End 2 OD: 12.77 (324)
End 1 OD: 12.83 (326)
End 2 ID: 8.36 (212)
End 1 ID: 5.93 (151)

AF289M DONALDSON P119417;
Extended Life Version of AF289


Overall Height: 11.54 (293)
End 2 OD: 12.77 (324)
End 1 OD: 12.83 (326)
End 2 ID: 8.36 (212)
End 1 ID: 5.93 (151)

AF290 TOWMOTOR 333660; Air,
Primary; Replaces AF261


Overall Height: 3.01 (76)
End 2 OD: 6.41 (163)
End 1 OD: 6.69 (170)
End 1 ID: 5.0 (127)

AF291 AMERICAN MOTORS 8991012


Overall Height: 3.05 (77)
End 2 OD: 6.37 (162)
End 1 OD: 6.64 (169)
End 1 ID: 4.11 (104)

AF297 PUROLATOR AF2


Overall Height: 4.0 (102)
Overall OD: 8.08 (205)
End 2 ID: 0.25 (6)
End 1 ID: 5.77 (147)

AF303 CATERPILLAR 2M2626,
CUMMINS 299303; For Magnum
Version, use AF303M


Overall Height: 10.5 (267)
End 1 OD: 10.46 (266)
End 2 ID: 7.8 (198)
End 1 ID: 5.25 (133)

AF303M DONALDSON P119596;
Extended Life Version of AF303


Overall Height: 10.5 (267)
End 1 OD: 10.46 (266)
End 2 ID: 7.8 (198)
End 1 ID: 5.25 (133)

AF304M CATERPILLAR 1M3424, 1S6079,
CUMMINS 150449, 299304;
Air, Primary; Replaces AF304


Overall Height: 10.5 (267)
End 1 OD: 11.64 (296)
End 2 ID: 8.98 (228)
End 1 ID: 6.18 (157)

AF305 GMC 5649797, 6422866; Air,
Primary


Overall Height: 2.04 (52)
Overall OD: 9.68 (246)
End 1 ID: 8.12 (206)

AF306 GMC 6422680; Air, Primary


Overall Height: 3.06 (78)
Overall OD: 11.44 (291)
End 1 ID: 8.61 (219)

AF308 CHRYSLER 1739548; Air,
Primary


Overall Height: 3.02 (77)
End 2 OD: 8.0 (203)
End 1 OD: 8.31 (211)
End 1 ID: 6.5 (165)

AF311 CHRYSLER 1739547; Air,
Primary


Overall Height: 2.75 (70)
Overall OD: 10.0 (254)
End 1 ID: 7.54 (192)

AF322 FORD C3AZ9601B; Air, Primary


Overall Height: 2.58 (66)
Overall OD: 9.69 (246)
End 1 ID: 7.44 (189)

AF323 MERCEDES-BENZ 3760948204;
Air, Primary


Overall Height: 17.08 (434)
Largest OD: 10.62 (270)
Largest ID: 5.79 (147)

AF324 FORD C2OZ9601A; Air, Primary


Overall Height: 3.26 (83)
Overall OD: 8.4 (213)
End 1 ID: 6.59 (167)

AF329 GMC 5647033; Air, Primary; Two
Elements Required


Overall Height: 3.16 (80)
Overall OD: 5.28 (134)
End 1 ID: 3.88 (99)

AF331 CATERPILLAR 4L9851; Air,
Primary


Overall Height: 8.31 (211)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF332 CATERPILLAR 4L9852; Air,
Primary


Overall Height: 12.31 (313)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF333 CATERPILLAR 4L4718; Air,
Primary


Overall Height: 12.21 (310)
Overall OD: 13.83 (351)
End 1 ID: 9.49 (241)

AF335M CATERPILLAR 4M9334;
Primary Air Filter used with
AF338, AF959; Replaces AF335


Overall Height: 13.55 (344)
End 1 OD: 11.08 (281)
End 1 ID: 6.73 (171)

E. PRODUCT GUIDE

AF336M



CAMECO INDUSTRIES
60010832, CATERPILLAR
7M9045; Primary Air Filter used
with AF340, AF4769; For Inner
Air, use AF340 or AF4769
depending on the application;
Replaces AF336

Overall Height: 16.48 (418)
End 1 OD: 11.08 (281)
End 1 ID: 6.73 (171)

AF337



CATERPILLAR 4M9378;
Primary Air Filter used with AF341

Overall Height: 10.49 (266)
Overall OD: 8.39 (213)
End 1 ID: 4.0 (102)

AF338



CATERPILLAR 2S1286, 4M9335,
4M9339; Fleetguard Airkit Option
AF4513 + AK2; Secondary air
filter used with AF335M;
Replaces AF339

Overall Height: 13.09 (333)
End 2 OD: 6.28 (160)
End 1 ID: 4.62 (117)
Flange Diameter: 9.06 (230)

AF340



CATERPILLAR 2S1287;
Fleetguard Airkit Option AF4526 +
AK00004; Secondary air filter
used with AF336M

Overall Height: 16.15 (410)
End 2 OD: 6.28 (160)
End 1 OD: 9.06 (230)
End 2 ID: 4.62 (117)

AF341



CATERPILLAR 2S1284, 4M9379;
Secondary air filter used with
AF337; Replaces AF342

Overall Height: 11.41 (290)
End 2 OD: 3.75 (95)
End 1 ID: 2.62 (67)
Flange Diameter: 6.72 (171)

AF343



CATERPILLAR 2S1285, 4M8048;
Fleetguard Airkit Option AF4512 +
AK00001; Secondary air filter
used with AF344, AF344M

Overall Height: 13.22 (336)
End 2 OD: 4.75 (121)
End 1 ID: 3.66 (93)
Flange Diameter: 7.31 (186)

AF344M



CATERPILLAR 4M8047;
Primary Air Filter used with
AF343, AF4639; Replaces AF344

Overall Height: 12.4 (315)
End 1 OD: 9.22 (234)
End 2 ID: 4.86 (123)

AF345



CATERPILLAR 7M8183

Overall Height: 3.86 (98)
Overall OD: 2.99 (76)
End 1 ID: 1.52 (39)

AF346K



CUMMINS 158879, 299346;
For Magnum Version, use
AF346KM; 250806 Bolt Seal
Included

Overall Height: 14.51 (369)
End 2 OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)
Fin Diameter: 15.8 (401)

AF346KM



DONALDSON P117332,
P117639, XLP182001; Extended
life version of AF346K 250806;
Bolt Seal Included

Overall Height: 14.51 (369)
End 2 OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)
Fin Diameter: 15.8 (401)

AF347M



CUMMINS 150785, 299347,
FIAT-ALLIS 74055092;
250806 Bolt Seal Included;
Replaces AF347

Overall Height: 13.06 (332)
Overall OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)

AF348



CUMMINS 299348; For filter with
gasket, use AF414M; For
Magnum Version, use AF348M;
250806 Bolt Seal Included;
Replaces AF287

Overall Height: 10.06 (256)
Overall OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)

AF348M



DONALDSON P117811,
P119241, XLP182032;
Extended Life Version of AF348;
250806 Bolt Seal Included

Overall Height: 10.06 (256)
Overall OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)

AF349



CUMMINS 150778, 299349;
For Magnum Version, use
AF349M; 250806 Bolt Seal
Included

Overall Height: 11.05 (281)
End 1 OD: 8.41 (214)
End 2 ID: 5.35 (136)
End 1 ID: 5.79 (147)

AF349M



DONALDSON P118340,
XLP182071; Extended Life
Version of AF349; 250806 Bolt
Seal Included

Overall Height: 11.06 (281)
End 1 OD: 8.41 (214)
End 2 ID: 0.54 (14)
End 1 ID: 5.79 (147)

AF350K



CUMMINS 158876, 299350;
For Magnum Version, use
AF350KM; 250806 Bolt Seal
Included

Overall Height: 10.56 (268)
End 2 OD: 7.93 (201)
End 2 ID: 0.54 (14)
End 1 ID: 3.6 (91)
Fin Diameter: 10.08 (256)

AF350KM



DONALDSON P118159,
P119247, XLP182045;
Extended Life Version Of
AF350K; 250806 Bolt Seal
Included

Overall Height: 10.56 (268)
End 2 OD: 7.93 (201)
End 2 ID: 0.54 (14)
End 1 ID: 3.6 (91)
Fin Diameter: 10.08 (256)

AF351K



CUMMINS 158878, 299351;
For Magnum Version, use
AF351KM; 250806 Bolt Seal
Included

Overall Height: 12.44 (316)
End 2 OD: 11.08 (281)
End 2 ID: 0.54 (14)
End 1 ID: 6.73 (171)
Fin Diameter: 13.8 (351)

AF351KM



DONALDSON P117331,
XLP182000; Extended Life
Version of AF351K; 250806 Bolt
Seal Included

Overall Height: 12.44 (316)
End 2 OD: 11.08 (281)
End 2 ID: 0.54 (14)
End 1 ID: 6.73 (171)
Fin Diameter: 13.8 (351)

AF352M



CUMMINS 151807, 299352;
Air, Primary; Replaces AF352

Overall Height: 9.02 (229)
End 1 OD: 6.85 (174)
End 2 ID: 4.23 (107)

AF353K



CUMMINS 158877, 299353;
For Magnum Version, use
AF353KM; 250806 Bolt Seal
Included

Overall Height: 10.56 (268)
End 2 OD: 9.21 (234)
End 2 ID: 0.54 (14)
End 1 ID: 4.86 (123)
Fin Diameter: 11.7 (297)

AF353KM



DONALDSON P117431,
P119234, XLP182035;
Extended Life Version of AF353K;
250806 Bolt Seal Included

Overall Height: 10.56 (268)
End 2 OD: 9.21 (234)
End 2 ID: 0.54 (14)
End 1 ID: 4.86 (123)
Fin Diameter: 11.7 (297)