

AF354  CUMMINS 150749, 299354 Same as AF4529 w/o gasket; For Magnum Version, use AF354M; 250806 Bolt Seal Included; Replaces AF286 Overall Height: 9.06 (230) Overall OD: 10.4 (264) End 2 ID: 0.54 (14) End 1 ID: 6.05 (154)	AF364  CUMMINS 299364 Overall Height: 1.4 (36) Overall OD: 2.99 (76) End 1 ID: 1.35 (34)	AF383  CUMMINS 299383; Air, Primary Overall Height: 9.04 (230) End 1 OD: 8.41 (214) End 1 ID: 5.79 (147)
AF354M  DONALDSON P118158, P119245, XLP184033; Extended Life Version of AF354; 250806 Bolt Seal Included Overall Height: 9.06 (230) Overall OD: 10.4 (264) End 2 ID: 0.54 (14) End 1 ID: 6.05 (154)	AF371  WHITE 3103029; Secondary air filter used with AF360 Overall Height: 15.38 (391) Overall OD: 8.08 (205) End 1 ID: 5.75 (146)	AF387  CUMMINS 209890 Overall Height: 7.88 (200) Overall OD: 9.62 (244) End 1 ID: 5.0 (127)
AF355  PUROLATOR AF71 Overall Height: 4.0 (102) Overall OD: 5.94 (151) End 2 ID: 0.25 (6) End 1 ID: 3.25 (83)	AF373  VORTOX VF120A; 250806 Bolt Seal Included Overall Height: 10.31 (262) End 1 OD: 8.89 (226) End 2 ID: 0.44 (11) End 1 ID: 4.98 (127)	AF388  FORD C4ZF9601B, C5ZZ9601B Air, Primary Overall Height: 2.36 (60) Overall OD: 10.0 (254) End 1 ID: 7.54 (192)
AF360  WHITE 3103028; Primary Air Filter used with AF371 Overall Height: 16.05 (408) Overall OD: 14.18 (360) End 1 ID: 9.79 (249)	AF374  VORTOX VF160A; 250806 Bolt Seal Included Overall Height: 13.51 (343) Overall OD: 11.87 (301) End 2 ID: 0.44 (11) End 1 ID: 7.13 (181)	AF390  GMC 6421746; Air, Primary; Replaces AF1627 Overall Height: 3.05 (77) Overall OD: 13.88 (353) End 1 ID: 11.62 (295)
AF361  MACK 2191P102090; Same as AF1871M w/o gasket; For Magnum Version, use AF361M; 250806 Bolt Seal Included Overall Height: 16.05 (408) Overall OD: 13.83 (351) End 2 ID: 0.54 (14) End 1 ID: 9.48 (241)	AF376  VORTOX VF135A; 250806 Bolt Seal Included Overall Height: 10.56 (268) Overall OD: 10.39 (264) End 2 ID: 0.44 (11) End 1 ID: 5.49 (139)	AF399  GMC 6483644; Air, Primary Overall Height: 2.64 (67) Overall OD: 12.62 (321) End 1 ID: 10.84 (275)
AF361M  DONALDSON P117808, P119238, XLP182036; Extended Life Version of AF361; 250806 Bolt Seal Included Overall Height: 16.06 (408) Overall OD: 13.83 (351) End 2 ID: 0.54 (14) End 1 ID: 9.48 (241)	AF378  VORTOX VF100A; 250806 Bolt Seal Included Overall Height: 10.56 (268) End 1 OD: 7.39 (188) End 2 ID: 0.44 (11) End 1 ID: 3.49 (89)	AF400  GMC 6484235; Air, Primary Overall Height: 3.47 (88) Overall OD: 12.0 (305) End 1 ID: 9.88 (251)
AF362  CUMMINS 151688, 299362 With gasket, use AF413; For Magnum Version, use AF362M; 250806 Bolt Seal Included; Replaces AF309 Overall Height: 14.05 (357) Overall OD: 13.83 (351) End 2 ID: 0.54 (14) End 1 ID: 9.48 (241)	AF380  GMC 6419892, 6420934; Air, Primary Overall Height: 3.5 (89) Overall OD: 9.71 (247) End 1 ID: 8.18 (208)	AF401  GMC 6483645; Air, Primary Overall Height: 2.48 (63) Overall OD: 12.0 (305) End 1 ID: 9.88 (251)
AF362M  DONALDSON P117809, P119239, XLP182031; Extended Life Version of AF362; 250806 Bolt Seal Included; Replaces AF288, AF288M Overall Height: 14.05 (357) Overall OD: 13.83 (351) End 2 ID: 0.54 (14) End 1 ID: 9.48 (241)	AF381  CLARK 1800562, ONAN 140B495; Air, Primary Overall Height: 3.31 (84) Overall OD: 4.25 (108) End 1 ID: 3.0 (76)	AF402  CHRYSLER 2863349; Air, Primary Overall Height: 2.75 (70) Overall OD: 12.8 (325) End 1 ID: 11.04 (280)
	AF403  FORD C8AF9601A; Air, Primary Overall Height: 2.81 (71) Overall OD: 13.0 (330) End 1 ID: 11.22 (285)	
	AF406  CASE 303642C91, GMC 2493708 Overall Height: 3.0 (76) Overall OD: 13.0 (330) End 1 ID: 10.5 (267)	

E. PRODUCT GUIDE

AF407



WHITE 3107361; For Magnum Version, use AF407M; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 11.08 (281)
End 2 ID: 0.67 (17)
End 1 ID: 6.73 (171)

AF407M



DONALDSON P119720; Extended Life Version of AF407; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 11.08 (281)
End 2 ID: 0.67 (17)
End 1 ID: 6.73 (171)

AF408



WHITE 545249; Primary Air Filter used with AF920; For Magnum Version, use AF408M; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF408M



DONALDSON P117327; Extended Life Version of AF40; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.72 (196)

AF409K



Primary Air Filter used with AF1980, AF4813; Filter used with housing AH19110; Some European applications use AF1980; For Magnum Version use AF409KM; 3311624 Bolt Seal Included

Overall Height: 12.43 (316)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF409KM



DONALDSON P118160, XLP182054; Is included in AH19110; Extended Life Version of AF409K; 3311624 Bolt Seal Included

Overall Height: 12.43 (316)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF410



FORD C8TZ9601A; Air, Primary

Overall Height: 2.15 (55)
Overall OD: 10.88 (276)
End 1 ID: 8.95 (227)

AF411



FORD C9ZZ9601A; Air, Primary

Overall Height: 2.11 (54)
Overall OD: 11.75 (298)
End 1 ID: 9.56 (243)

AF413



CASE 346779R91; Gasket(s): 3309167 w/gasket w/o gasket use AF362; 250806 Bolt Seal Included

Overall Height: 14.55 (370)
Overall OD: 13.83 (351)
End 2 ID: 0.54 (14)
End 1 ID: 9.48 (241)

AF414M



CASE 346777R91 w/gasket; w/o gasket use AF348; 250806 Bolt Seal Included; Replaces AF366, AF414

Overall Height: 10.51 (267)
Overall OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)

AF415K



For Magnum Version use AF415KM; 250806 Bolt Seal Included

Overall Height: 10.62 (270)
End 2 OD: 9.21 (234)
End 2 ID: 4.86 (123)
End 1 ID: 0.54 (14)
Fin Diameter: 11.7 (297)

AF415KM



DONALDSON P118343; Extended Life Version of AF415KM; 250806 Bolt Seal Included

Overall Height: 10.62 (270)
End 2 OD: 9.21 (234)
End 2 ID: 4.86 (123)
End 1 ID: 0.54 (14)
Fin Diameter: 11.7 (297)

AF416



DONALDSON P106510, FORD C5TZ9601A; This element to be used only after Donaldson FWB-12-0009 kit has been installed; 250806 Bolt Seal Included

Overall Height: 10.46 (266)
Overall OD: 9.21 (234)
End 2 ID: 0.54 (14)
End 1 ID: 4.86 (123)

AF417K



FIAT-ALLIS 73040631; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
End 2 OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (123)
Fin Diameter: 11.7 (297)

AF418



FIAT-ALLIS 70660360, 73050258, FRANKLIN 1513159; Primary Air Filter used with AF490M; Primary air filter used with AF490M; For element w/ fin use AF489K; For Magnum Version use AF418M; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (123)

AF418M



DONALDSON P117439, XLP182034; Primary Air Filter used with AF490M; Filter used with housing AH19070; Extended Life Version of AF418; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (123)

AF421



EUCLID 9035429; Primary Air Filter used with AF821M; For Magnum Version, use AF421M; 3830497 Bolt Seal Included

Overall Height: 16.51 (419)
End 2 OD: 11.99 (305)
End 1 OD: 7.81 (198)
End 2 ID: 12.04 (306)
End 1 ID: 7.77 (197)

AF421M



EUCLID 9035429; Primary Air Filter used with AF821M; Extended Life Version of AF421; Replaces AF25212, AF421, AF4707

Overall Height: 16.46 (418)
Overall OD: 12.08 (307)
End 2 ID: 0.91 (23)
End 1 ID: 7.73 (196)

AF422



MACK 2MD49303A; Primary Air; 250806 Bolt Seal Included

Overall Height: 12.38 (314)
Overall OD: 12.08 (307)
End 2 ID: 0.54 (14)
End 1 ID: 7.73 (196)

AF423K



MACK 2MD3110, WHITE 3891H21; 250806 Bolt Seal Included; Replaces AF423KM

Overall Height: 8.44 (214)
End 2 OD: 11.08 (281)
End 2 ID: 0.54 (14)
End 1 ID: 6.73 (171)
Fin Diameter: 13.8 (351)

AF424



CASE 702322C1; Primary Air Filter used with AF820M; For Magnum Version use AF424M; 3311624 Bolt Seal Included

Overall Height: 16.56 (421)
End 1 OD: 11.09 (282)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)

E. PRODUCT GUIDE

AF424M



DONALDSON P117437, XLP182046; Primary Air Filter used with AF820M; Extended Life Version of AF424; 3311624 Bolt Seal Included

Overall Height: 16.58 (421)
Overall OD: 11.08 (281)
End 2 ID: 0.67 (17)
End 1 ID: 6.73 (171)

AF426



DONALDSON P109685; 250806; Bolt Seal Included

Overall Height: 8.94 (227)
Overall OD: 13.83 (351)
End 2 ID: 0.54 (14)
End 1 ID: 9.48 (241)

AF427M



CAMECO INDUSTRIES 60019277, DONALDSON P109200, P117433, SMP181044; Primary Air Filter used with AF822M, AF938; 830497 Bolt Seal Included; Replaces AF427

Overall Height: 14.55 (370)
Overall OD: 10.4 (264)
End 2 ID: 0.91 (23)
End 1 ID: 6.05 (154)

AF433K



FIAT-ALLIS 73038733, 73039921; 250806 Bolt Seal Included

Overall Height: 13.56 (344)
End 2 OD: 7.93 (201)
End 2 ID: 0.54 (14)
End 1 ID: 3.58 (91)
Fin Diameter: 10.7 (272);

AF434KM



ALLIS-CHALMERS 654409, CUMMINS 196677 Primary Air Filter used with AF4589, AF804M; Is substituted by AF25397KM; For inner air on some applications use AF804M, AF4589; 3311624 Bolt Seal Included; Replaces AF434K, AF4704K

Overall Height: 16.58 (421)
End 2 OD: 7.93 (201)
End 2 ID: 0.67 (17)
End 1 ID: 5.33 (135)
Fin Diameter: 10.08 (256)

AF435KM



DONALDSON SMP181050; Primary Air Filter used with AF4660, AF4850; 3311624 Bolt Seal Included; Replaces AF435K, AF4938

Overall Height: 10.43 (265)
End 2 OD: 4.08 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.56 (65)
Fin Diameter: 5.16 (131)

AF436M



DONALDSON P118342, P19175; Air, Primary; Replaces AF436

Overall Height: 8.06 (205)
Overall OD: 5.24 (133)
End 1 ID: 2.71 (69)

AF437K



DONALDSON P101222, SMP181052; Primary Air Filter used with AF4510; Filter used with housing AH19109; For Magnum Version, use AF437KM; For Flame Retardant version, use AF4545K; 3311624 Bolt Seal Included

Overall Height: 11.43 (290)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 6.34 (161)

AF437KM



DONALDSON P119775, XLP182052; Primary Air Filter used with AF4510; Filter used with housing AH19109; Extended Life Version of AF437K; 3311624 Bolt Seal Included

Overall Height: 11.43 (290)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 6.34 (161)

AF438



UNITED AIR CLEANER 250C6S; Air, Primary

Overall Height: 20.27 (515)
End 2 OD: 6.99 (178)
End 1 OD: 7.05 (179)
End 2 ID: 4.42 (112)

AF439



HOUGH 214349H1, UNITED AIR CLEANER 250C14S

Overall Height: 9.5 (241)
End 1 OD: 6.94 (176)
End 2 ID: 4.44 (113)
End 1 ID: 4.88 (124)

AF444



CARRIER 300031600, FARR P4, TRANSICOLD 300031600; Inside-Out Flow (2 x 2)

Height: 8.18 (208)
Length: 8.13 (207)
Width: 5.97 (152)

AF445



FARR P6 (2 x 3) Inside-Out Flow

Height: 8.18 (208)
Length: 8.25 (210)
Width: 5.97 (152)

AF446



FARR P9 (3 x 3) Inside-Out Flow

Height: 8.18 (208)
Length: 8.25 (210)
Width: 8.25 (210)

AF447



FARR P12 (3 x 4) Inside-Out Flow

Height: 8.18 (208)
Length: 10.56 (268)
Width: 8.25 (210)

AF448



FARR P1226 (2 x 6) Inside-Out Flow

Height: 8.18 (208)
Length: 15.19 (368)
Width: 5.97 (152)

AF449



FARR P16 (4 x 4) Inside-Out Flow

Height: 8.18 (208)
Length: 10.56 (268)
Width: 10.56 (268)

AF450



FARR P1628 (2 x 8) Inside-Out Flow

Height: 8.18 (208)
Length: 5.97 (152)
Width: 19.81 (503)

AF452



FARR P20 (4 x 5) Inside-Out Flow

Height: 8.18 (208)
Length: 12.88 (327)
Width: 10.56 (268)

AF453



FARR P24 (4 x 6) Inside-Out Flow

Height: 8.18 (208)
Length: 15.19 (386)
Width: 10.56 (268)

AF454



FARR P2438 (3 x 8) Inside-Out Flow

Height: 8.18 (208)
Length: 19.81 (503)
Width: 8.25 (210)

AF456



FARR P32 (4 x 8) Inside-Out Flow

Height: 8.18 (208)
Length: 19.81 (503)
Width: 10.56 (268)

AF458



FARR P40 (5 x 8) Inside-Out Flow

Height: 8.18 (208)
Length: 19.81 (503)
Width: 12.88 (327)

E. PRODUCT GUIDE

AF459 FARR P48 (6 x 8) Inside-Out Flow



Height: 8.18 (208)
Length: 19.81 (503)
Width: 15.19 (386)

AF460 FARR P64 (8 x 8) Inside-Out Flow



Height: 8.18 (208)
Length: 19.81 (503)
Width: 19.81 (503)

AF461 CASE 317702R91



Overall Height: 12.62 (321)
Overall OD: 4.49 (114)
End 1 ID: 2.26 (58)

AF462K FORD D0HZ9601B; For Magnum Version use AF462KM; 3311624 Bolt Seal Included



Overall Height: 10.62 (270)
End 2 OD: 11.08 (281)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)
Fin Diameter: 13.8 (351)

AF462KM DONALDSON P119112; 3311624 Bolt Seal Included



Overall Height: 10.62 (270)
End 2 OD: 11.08 (281)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)
Fin Diameter: 13.8 (351)

AF463 FORD C8HZ9601C; 3311624 Bolt Seal Included



Overall Height: 11.44 (290)
Overall OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (123)

AF465 GMC 6421161, 6423239; Air, Primary; Replaces AF466



Overall Height: 5.55 (141)
Overall OD: 11.43 (290)
End 1 ID: 8.61 (219)

AF471 FIAT-ALLIS 70197588; For Primary Air, use AF4506M, AF472 depending on the application; Secondary air filter used with AF4506M, AF472; For Magnum Version use AF471M; 3311624 Bolt Seal Included



Overall Height: 17.73 (450)
End 2 OD: 7.26 (185)
End 1 OD: 8.43 (214)
End 2 ID: 0.67 (17)
End 1 ID: 6.23 (158)

AF471M DONALDSON P119372 Extended Life Version of AF471; 3311624 Bolt Seal Included



Overall Height: 17.73 (450)
End 2 OD: 7.26 (185)
End 1 OD: 8.43 (214)
End 2 ID: 0.67 (17)
End 1 ID: 6.23 (158)

AF472 Primary Air Filter used with AF471; For Magnum Version, use AF472M; 3311624 Bolt Seal Included



Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.72 (196)

AF472M DONALDSON P117443, XLP182002, NEW HOLLAND 70659387; Extended Life Version of AF472; 3311624 Bolt Seal Included



Overall Height: 18.5 (470)
Overall OD: 12.09 (307)
End 1 ID: 7.72 (196)

AF473K FORD D0HZ9601C; For Magnum Version, use AF473KM; 3311624 Bolt Seal Included



Overall Height: 14.5 (368)
End 2 OD: 11.08 (281)
End 2 ID: 0.67 (17)
End 1 ID: 6.73 (171)
Fin Diameter: 13.8 (351)

AF473KM DONALDSON P119113; Extended Life Version of AF473K; 3311624 Bolt Seal Included



Overall Height: 14.5 (368)
End 2 OD: 11.08 (281)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)
Fin Diameter: 13.8 (351)

AF474K DONALDSON P134741, SMP181067; For Magnum Version, use AF474KM; 3311624 Bolt Seal Included



Overall Height: 16.43 (417)
End 2 OD: 12.09 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)
Fin Diameter: 15.8 (401)

AF474KM DONALDSON P117185 3311624 Bolt Seal Included



Overall Height: 16.43 (417)
End 2 OD: 12.09 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)
Fin Diameter: 15.8 (401)

AF476KM DONALDSON P119114 Extended Life Version of AF476K; 3311624 Bolt Seal Included



Overall Height: 16.5 (419)
End 2 OD: 11.08 (281)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)
Fin Diameter: 13.8 (351)

AF477K FORD C8HZ9601A For Magnum Version, use AF477KM; 3311624 Bolt Seal Included



Overall Height: 8.57 (218)
End 2 OD: 9.21 (234)
End 2 ID: 4.86 (123)
End 1 ID: 0.67 (17)
Fin Diameter: 11.7 (297)

AF477KM DONALDSON P119183, XLP182024 For Magnum Version, use AF477K; 3311624 Bolt Seal Included



Overall Height: 8.57 (218)
End 2 OD: 9.21 (234)
End 2 ID: 4.86 (123)
End 1 ID: 0.67 (17)
Fin Diameter: 11.7 (297)

AF478K For Magnum Version, use AF478KM



Overall Height: 10.5 (267)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.67 (17)
Fin Diameter: 15.8 (401)

AF478KM DONALDSON P127918 Extended Life Version of AF478K



Overall Height: 10.5 (267)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.67 (17)
Fin Diameter: 15.8 (401)

AF479 TOYOTA 1780124010



Overall Height: 2.76 (70)
Overall OD: 7.12 (181)
End 1 ID: 4.94 (125)

AF484 TOYOTA 1780131010



Overall Height: 2.27 (58)
Overall OD: 9.69 (246)
End 1 ID: 6.94 (176)

E. PRODUCT GUIDE

AF485  TOYOTA 1780141050 Overall Height: 1.95 (50) Overall OD: 12.25 (311) End 1 ID: 9.38 (238)	AF493  CASE 391852R91 Overall Height: 10.78 (274) End 1 OD: 3.56 (90) End 2 ID: 2.24 (57) End 1 ID: 2.07 (53)	AF804M  Secondary air filter used with AF1929, AF434KM; 3311624 Bolt Seal Included; Replaces AF804 Overall Height: 15.83 (402) End 2 OD: 4.61 (117) End 1 OD: 5.81 (148) End 2 ID: 0.67 (17) End 1 ID: 3.56 (90)
AF486K  JOHN DEERE AR45784 3311624 Bolt Seal Included Overall Height: 16.55 (420) End 2 OD: 7.93 (201) End 2 ID: 0.67 (17) End 1 ID: 5.33 (135) Fin Diameter: 10.7 (272)	AF494  CASE 338744R91, GMC 6485497, KOMATSU 338744R91 Air, Primary Overall Height: 17.32 (440) End 1 OD: 5.54 (141) End 1 ID: 3.16 (80)	AF805K  CASE 381344R91, 381344R92; 3311624 Bolt Seal Included Overall Height: 10.10 (256) End 2 OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.71 (69) Fin Diameter: 6.4 (163)
AF487  JOHN DEERE AT27823 Secondary air filter used with AF1917M, AF4541KM, AF489K, AF932; 3311624 Bolt Seal Included Overall Height: 11.22 (285) End 2 OD: 4.62 (117) End 1 ID: 3.51 (89)	AF498  CATERPILLAR 4S8340 Secondary air filter used with AF801; Fleetguard Airtkit Option AF4514 + AK00005 Overall Height: 13.38 (340) End 2 OD: 7.66 (195) End 1 ID: 6.0 (152) Flange Diameter: 10.2 (259)	AF806K  CASE 675410R91; 3311624 Bolt Seal Included Overall Height: 7.25 (184) End 2 OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.71 (69) Fin Diameter: 6.4 (163)
AF488  JOHN DEERE AR45785; Secondary air filter used with AF1732K; 3311624 Bolt Seal Included Overall Height: 11.22 (285) End 2 OD: 5.21 (132) End 1 ID: 4.16 (106)	AF800  CATERPILLAR 3S4745 Secondary air filter used with AF803; Fleetguard Airtkit Option AF4516 + AK00008 Overall Height: 15.28 (388) End 2 OD: 8.66 (220) End 2 ID: 7.0 (178) Flange Diameter: 12.0 (305)	AF807K  CASE 384812R93; 3311624 Bolt Seal Included Overall Height: 11.25 (286) End 2 OD: 5.24 (133) End 2 ID: 0.64 (16) End 1 ID: 2.71 (69) Fin Diameter: 8.03 (204)
AF489K  JOHN DEERE AT27824 Primary Air Filter used with AF487; For element w/o fin use AF418; 3311624 Bolt Seal Included Overall Height: 13.38 (340) End 2 OD: 9.21 (234) End 2 ID: 0.67 (17) End 1 ID: 4.86 (123) Fin Diameter: 11.7 (297)	AF801  CATERPILLAR 4S8337; Primary Air Filter used with AF498 Overall Height: 14.48 (368) End 2 OD: 12.77 (324) End 1 OD: 14.4 (366) End 2 ID: 8.36 (212) End 1 ID: 0.93 (23)	AF808K  CASE 383731R93; 3311624 Bolt Seal Included Overall Height: 14.3 (363) End 2 OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.71 (69) Fin Diameter: 6.4 (163)
AF490M  FIAT-ALLIS 70662609, FRANKLIN 1513160, JOHN DEERE AR46004; Secondary air filter used with AF418, AF4567, AF418M; Filter used with housing AH19070; 3311624 Bolt Seal Included; Replaces AF490 Overall Height: 13.05 (332) End 2 OD: 4.61 (117) End 1 OD: 5.8 (147) End 2 ID: 0.67 (17) End 1 ID: 3.56 (90)	AF802  CATERPILLAR 4S8833 Air, Primary Overall Height: 9.8 (249) End 2 OD: 12.77 (324) End 1 OD: 14.4 (366) End 2 ID: 8.36 (212) End 1 ID: 0.93 (23)	AF809K  CASE 343731R91; 250806 Bolt Seal Included Overall Height: 16.5 (419) End 2 OD: 7.93 (201) End 2 ID: 0.54 (14) End 1 ID: 3.58 (91) Fin Diameter: 10.7 (272)
AF491  FORD D2AZ9601A Overall Height: 2.64 (67) Overall OD: 11.22 (285) End 1 ID: 9.03 (229)	AF803  CATERPILLAR 5S4282 Primary Air Filter used with AF800 Gasket(s): 3309167 Overall Height: 16.15 (410) End 2 OD: 13.83 (351) End 1 OD: 16.4 (417) End 2 ID: 9.48 (241) End 1 ID: 0.93 (23)	AF810K  CASE 392517R91; Primary Air Filter used with AF815 Overall Height: 14.39 (366) End 2 OD: 7.95 (202) End 1 ID: 5.33 (135) Fin Diameter: 10.7 (272)
AF492  ALLIS-CHALMERS 7237395, CASE 313964R91; Primary Air Filter used with AF1687 Overall Height: 10.87 (276) Overall OD: 4.49 (114) End 1 ID: 2.26 (58)		AF811  FARR R150; Air, Panel Height: 14.0 (356) Length: 22.88 (581) Width: 6.19 (157)

E. PRODUCT GUIDE

AF813



CASE 383732R93; 3311624 Bolt Seal Included

Overall Height: 11.31 (287)
End 2 OD: 6.08 (154)
End 1 OD: 6.1 (155)
End 2 ID: 3.48 (88)
End 1 ID: 0.67 (17)

AF814



CASE 383711R93; 3311624 Bolt Seal Included

Overall Height: 16.31 (414)
End 2 OD: 6.08 (154)
End 1 OD: 6.1 (155)
End 2 ID: 3.48 (88)
End 1 ID: 0.67 (17)

AF815



CASE 392516R91; Secondary air filter used with AF810K; 3311624 Bolt Seal Included

Overall Height: 13.28 (337)
End 2 OD: 5.21 (132)
End 1 OD: 0.67 (17)
End 2 ID: 5.21 (132)
End 1 ID: 4.16 (106)

AF816K



CASE A42224; 3311624 Bolt Seal Included

Overall Height: 13.25 (337)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 6.4 (163)

AF817K



JOHN DEERE AH19848; 3311624 Bolt Seal Included

Overall Height: 9.25 (235)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 6.4 (163)

AF818K



JOHN DEERE AR39798; Primary Air Filter used with AF4817; 3311624 Bolt Seal Included

Overall Height: 10.38 (264)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.8 (198)

AF819KM



DONALDSON P108736; 3311624 Bolt Seal Included

Overall Height: 9.41 (239)
End 2 OD: 4.08 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.56 (65)
Fin Diameter: 5.16 (131)

AF820M



JOHN DEERE U44956; Secondary air filter used with AF424, AF25284M, AF4583M, AF25249M, AF4582, AF424M; 3311624 Bolt Seal Included; Replaces AF4703

Overall Height: 16.11 (409)
End 2 OD: 6.4 (163)
End 1 OD: 7.59 (193)
End 2 ID: 0.67 (17)
End 1 ID: 5.28 (134)

AF821M



CAMECO INDUSTRIES 60034315; Secondary air filter used with AF421, AF421M; 3830497 Bolt Seal Included; Replaces AF4832

Overall Height: 15.49 (394)
End 2 OD: 7.64 (194)
End 1 OD: 7.65 (194)
End 2 ID: 6.05 (154)
End 1 ID: 0.9 (23)

AF822M



DONALDSON P119371 Secondary air filter used with AF427M; 3830497 Bolt Seal Included

Overall Height: 12.43 (316)
Overall OD: 5.96 (151)
End 2 ID: 0.87 (22)
End 1 ID: 4.85 (123)

AF824K



ALLIS-CHALMERS 2565687 250806 Bolt Seal Included

Overall Height: 9.5 (241)
End 2 OD: 7.93 (201)
End 2 ID: 0.54 (14)
End 1 ID: 3.58 (91)
Fin Diameter: 10.7 (272)

AF826



CASE A14417; Air, Primary

Overall Height: 8.54 (217)
Overall OD: 10.21 (259)
End 1 ID: 5.54 (141)

AF827



CASE A17741; Air, Primary

Overall Height: 10.79 (274)
Overall OD: 11.94 (303)
End 1 ID: 7.32 (186)

AF828



JOHN DEERE AT25219; Secondary air filter used with AF945K; 3311624 Bolt Seal Included

Overall Height: 7.46 (189)
Overall OD: 4.08 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.56 (65)

AF829



JOHN DEERE AR46481; 3311624 Bolt Seal Included

Overall Height: 12.31 (313)
End 2 OD: 6.08 (154)
End 1 OD: 6.1 (155)
End 2 ID: 3.48 (88)
End 1 ID: 0.67 (17)

AF830



JOHN DEERE AR46976; 3311624 Bolt Seal Included

Overall Height: 14.51 (369)
End 2 OD: 6.83 (174)
End 1 OD: 6.85 (174)
End 2 ID: 3.48 (88)
End 1 ID: 0.68 (17)

AF833



CASE 390642R91; Primary Air Filter used with AF848

Overall Height: 16.5 (419)
Overall OD: 9.21 (234)
End 1 ID: 4.86 (123)

AF834K



CASE 537336R1; Air, Primary

Overall Height: 15.49 (393)
End 2 OD: 7.95 (202)
End 1 ID: 5.33 (135)
Fin Diameter: 10.7 (272)

AF835K



ALLIS-CHALMERS 239622, CASE A59586; 3311624 Bolt Seal Included

Overall Height: 14.38 (365)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.8 (198)

AF842



CASE 619652C1; 250806 Bolt Seal Included

Overall Height: 13.16 (334)
Overall OD: 10.02 (255)
End 2 ID: 0.4 (10)
End 1 ID: 5.48 (139)

AF843



CASE 385168R1

Overall Height: 1.95 (50)
Overall OD: 6.07 (154)
End 1 ID: 4.68 (119)

AF844



CASE 401267R1 Secondary air filter used with AF846

Overall Height: 12.31 (313)
Overall OD: 4.12 (105)
End 2 ID: 3.0 (76)
End 1 ID: 0.44 (11)

E. PRODUCT GUIDE

AF845  CASE 401268R1; Secondary air filter used with AF847 Overall Height: 14.5 (368) Overall OD: 4.12 (105) End 2 ID: 3.0 (76) End 1 ID: 0.41 (10)	AF851M  DONALDSON P117441; Primary Air Filter used with AF883M, AF943; Exact match w/diff gasket of AF4606M; For Inner Air use AF883M or AF943 depending on application; 256282 Bolt Seal Included; Replaces AF25217, AF851 Overall Height: 18.49 (470) Overall OD: 13.83 (351) End 2 ID: 0.91 (23) End 1 ID: 9.48 (241)	AF857  DONALDSON P115070 Secondary air filter used with AF879, AF879M, AF879NF; 3830497 Bolt Seal Included Overall Height: 22.15 (563) Overall OD: 10.88 (276) End 2 ID: 0.9 (23) End 1 ID: 8.16 (207)
AF846  CASE 401269R1; Primary Air Filter used with AF844 Overall Height: 12.87 (327) Overall OD: 6.62 (168) End 1 ID: 4.19 (106)	AF852  MACK 57MD33; Optional Cover Gaskets: Donaldson Hsg. 3312554S Fram Hsg. 3317765S For Magnum Version use AF852M Overall Height: 23.0 (584) End 2 OD: 8.4 (213) End 1 OD: 12.77 (324) End 2 ID: 8.36 (212) End 1 ID: 12.77 (324)	AF858KM  WHITE 27077560; 311624 Bolt Seal Included Overall Height: 12.62 (321) End 2 OD: 12.1 (307) End 2 ID: 5.69 (145) End 1 ID: 0.67 (17) Fin Diameter: 13.8 (351)
AF847  CASE 401270R1; Primary Air Filter used with AF845 Overall Height: 15.37 (391) End 2 OD: 6.62 (168) End 1 OD: 6.87 (175) End 1 ID: 4.19 (106)	AF852M  DONALDSON P116918, XLP182008; Extended Life Version of AF852 Overall Height: 23.0 (584) End 2 OD: 12.73 (323) End 1 OD: 8.4 (213) End 2 ID: 12.73 (323) End 1 ID: 8.4 (213)	AF859KM  WHITE 27077372; 311624 Bolt Seal Included Overall Height: 10.56 (268) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189) End 1 ID: 0.67 (17) Fin Diameter: 15.5 (394)
AF848  CASE 390643R91; Secondary air filter used with AF833 Overall Height: 15.84 (402) End 2 OD: 4.61 (117) End 1 ID: 3.44 (87) Flange Diameter: 7.0 (178)	AF853  DONALDSON P134743, SMP181007 Overall Height: 22.36 (568) Overall OD: 10.39 (264)	AF860  DONALDSON SMP181010; For Magnum Version, use AF860M; 3311624 Bolt Seal Included Overall Height: 14.51 (368) End 2 OD: 12.08 (307) End 1 OD: 12.1 (307) End 2 ID: 0.67 (17) End 1 ID: 5.69 (145)
AF849  FARR T519, WHITE 27074664 Single Inlet; Also See AF850 Height: 5.0 (127) Length: 19.00 (483) Width: 19.00 (483)	AF853M  DONALDSON P117797 Optional Cover Gasket; Extended Life Version of AF853 Overall Height: 22.37 (568) End 2 OD: 10.0 (254) End 1 OD: 10.4 (264) End 1 ID: 6.05 (154)	AF860M  DONALDSON XLP182010; Extended Life Version of AF860; 3311624 Bolt Seal Included Overall Height: 14.48 (368) End 2 OD: 12.08 (307) End 1 OD: 12.1 (307) End 2 ID: 0.67 (17) End 1 ID: 5.69 (145)
AF850  FARR T519D; Dual Inlet; Also See AF849 Height: 5.0 (127) Length: 19.00 (483) Width: 19.00 (483)	AF855M  DONALDSON P119587 Air, Primary Overall Height: 18.05 (458) Overall OD: 10.4 (264) End 1 ID: 6.05 (154)	AF861M  DONALDSON P121075; Air, Primary; Gasket(s): 3309167, 3311624 Overall Height: 18.62 (473) End 2 OD: 13.83 (351) End 1 OD: 13.85 (352) End 2 ID: 0.67 (17) End 1 ID: 7.44 (189)
AF851  EUCLID 9035992 Primary Air Filter used with AF883M, AF943; For Inner Air use AF883M or AF943 depending on application. For Magnum Version, use AF851M; 256282 Bolt Seal Included Overall Height: 18.49 (470) End 2 OD: 13.72 (348) End 1 OD: 9.49 (241) End 2 ID: 13.76 (349) End 1 ID: 9.43 (239)	AF856M  CASE 447417C1, WHITE 27000805; 311624 Bolt Seal Included Overall Height: 19.99 (508) Overall OD: 12.08 (307) End 2 ID: 0.67 (17) End 1 ID: 7.73 (196)	AF862KM  WHITE 27077288; 3311624 Bolt Seal Included Overall Height: 12.6 (320) End 2 OD: 13.85 (352) End 2 ID: 7.44 (189) End 1 ID: 0.67 (17) Fin Diameter: 15.5 (394)
	AF863M  DONALDSON P117092; Air, Primary; Gasket(s): 3312554 Overall Height: 21.0 (533) End 1 OD: 12.79 (325) End 2 ID: 8.36 (212)	

E. PRODUCT GUIDE

AF865  DONALDSON P134745; For Magnum Version, use AF865M; Gasket(s): 3312554 Overall Height: 27.0 (686) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF872  CASE 420051C1; Air, Primary; To upgrade, use AF872M; Filter used with housing AH19327; Replaces AF25671 Overall Height: 18.49 (470) End 2 OD: 13.83 (351) End 2 ID: 9.48 (241) Cover Diameter: 16.41 (417)	AF878M  DONALDSON P124907 Air, Primary
AF865M  DONALDSON P128299 Extended Life Version of AF865 Overall Height: 27.0 (686) Overall OD: 12.77 (324) End 1 ID: 10.09 (256)	AF872M  DONALDSON P118047, XLP182006; Air, Primary; Upgrade of AF872; Filter used with housing AH19111; Replaces AF1836M Overall Height: 18.49 (470) End 2 OD: 13.83 (351) End 2 ID: 9.48 (241) Cover Diameter: 16.41 (417)	AF879  WABCO VS2186; To upgrade, use AF879M; Primary Air Filter used with AF857; Gasket(s): 3308026; 3630497 Bolt Seal Included Overall Height: 23.62 (600) End 2 OD: 17.6 (447) End 2 ID: 11.1 (282) End 1 ID: 0.9 (23) Boot Diameter: 18.6 (472)
AF867M  CASE 472099C1; 3311624 Bolt Seal Included Overall Height: 17.77 (451) End 2 OD: 12.09 (307) End 1 OD: 12.1 (307) End 2 ID: 0.67 (17) End 1 ID: 5.69 (145)	AF873M  CATERPILLAR 1P8483 Primary Air Filter used with AF1833, AF874; Replaces AF873 Overall Height: 15.47 (393) End 1 OD: 12.49 (317) End 2 ID: 9.11 (231)	AF879M  DONALDSON P115069, XLP182038; Upgrade of AF879; To upgrade, use AF879NF; Is a Primary Air Filter for AF857; Gasket(s): 3308026; 3830497 Bolt Seal Included Overall Height: 23.62 (600) End 2 OD: 17.6 (447) End 1 OD: 18.6 (472) End 2 ID: 11.1 (282) End 1 ID: 0.9 (23)
AF869M  CASE 606860C91; Air, Primary Overall Height: 18.49 (470) Overall OD: 9.21 (234) End 1 ID: 4.86 (123)	AF874  CATERPILLAR 1P8482; Secondary air filter used with AF873, AF873M; For Magnum Version, use AF874M; Fleetguard Airkit Option AF4516 + AK0007 Overall Height: 15.03 (382)	AF879NF  NanoForce--nanofiber air filter media; Upgrade of AF879M; Primary Air Filter used with AF857; 99.99% efficient per ISO 5011 (Nominal 0 - 5 micron test dust) Overall Height: 23.62 (600) Largest OD: 18.6 (472) Largest ID: 11.1 (282)
AF870  WHITE 27092086; For Magnum Version, use AF870M Overall Height: 19.42 (493) End 2 OD: 12.75 (324) End 1 OD: 16.26 (413) End 2 ID: 7.36 (187)	AF874M  CATERPILLAR 7N1308; Extended Life Version of AF874; Fleetguard Air kit Option AF4516M + AK00007 Overall Height: 15.49 (393) End 2 OD: 12.43 (316) End 1 OD: 9.15 (232) End 2 ID: 11.4 (289) End 1 ID: 7.0 (178)	AF880  WABCO VJ5176; Secondary air filter used with AF899, AF899M, AF899NF; Filter used with housing AH19473; 3830497 Bolt Seal Included Overall Height: 22.5 (572) End 2 OD: 11.92 (303) End 1 OD: 0.92 (23) End 2 ID: 11.92 (303) End 1 ID: 10.22 (259)
AF870M  DONALDSON P122079 Extended Life Version of AF870 Overall Height: 19.55 (496) End 2 OD: 12.75 (324) End 1 OD: 16.26 (413) End 2 ID: 7.36 (187)	AF875M  CATERPILLAR 1P7716; Primary Air Filter used with AF876; Replaces AF875 Overall Height: 13.51 (343) Overall OD: 11.5 (292) End 1 ID: 8.08 (205)	AF881  DRESSSTA 1200455H1, FIAT-ALLIS 70690304; Secondary air filter used with AF882M, AF1849M 3830497; Bolt Seal Included Overall Height: 21.13 (537) End 2 OD: 8.63 (219) End 1 OD: 0.9 (23) End 2 ID: 8.63 (219) End 1 ID: 7.11 (181)
AF871  CASE 425534C1; For Magnum Version, use AF871M Overall Height: 21.52 (547) End 2 OD: 13.83 (351) End 1 OD: 16.26 (413) End 2 ID: 9.48 (241)	AF876  CATERPILLAR 1P7360 Secondary air filter used with AF875, AF875M; Fleetguard Airkit Option AF4514 + AK00005 Overall Height: 13.5 (343) End 2 OD: 7.62 (194) End 2 ID: 1.72 (44) End 1 ID: 6.0 (152) Flange Diameter: 10.25 (260)	AF881  DRESSSTA 1200455H1, FIAT-ALLIS 70690304; Secondary air filter used with AF882M, AF1849M 3830497; Bolt Seal Included Overall Height: 21.13 (537) End 2 OD: 8.63 (219) End 1 OD: 0.9 (23) End 2 ID: 8.63 (219) End 1 ID: 7.11 (181)
AF871M  DONALDSON P118039 Extended Life Version of AF871 Overall Height: 21.52 (547) End 2 OD: 13.83 (351) End 1 OD: 16.26 (413) End 2 ID: 9.48 (241)		

E. PRODUCT GUIDE

AF882M



FIAT-ALLIS 70690305; Primary air filter used with AF881; 3830497 Bolt Seal Included

Overall Height: 22.71 (577)
End 2 OD: 13.83 (351)
End 1 OD: 14.6 (371)
End 2 ID: 9.48 (241)
End 1 ID: 0.9 (23)

AF883M



EUCLID 9035993; Secondary air filter used with AF851, AF4606M, AF851M; Gasket(s): 3830497; Extended Life Version of AF883; 3830497 Bolt Seal Included; Replaces AF883

Overall Height: 17.11 (435)
Overall OD: 8.63 (219)
End 2 ID: 0.91 (23)
End 1 ID: 7.05 (179)

AF884K



JOY 1224974; 3311624 Bolt Seal Included

Overall Height: 18.55 (471)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.67 (17)
Fin Diameter: 15.8 (401)

AF885M



FORD D5HZ9601C; Air, Primary

Overall Height: 20.96 (532)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF886



FORD D5HZ9601D; Gasket(s): 3312556 For Magnum Version; use AF886M

Overall Height: 16.0 (406)
End 2 OD: 7.86 (200)
End 1 OD: 7.19 (183)
End 2 ID: 10.4 (264)
End 1 ID: 6.05 (154)

AF886M



DONALDSON XLP182014; Extended Life Version Of AF886; Gasket(s): 3312556

Overall Height: 16.0 (406)
End 2 OD: 7.86 (200)
End 1 OD: 7.19 (183)
End 2 ID: 10.4 (264)
End 1 ID: 6.05 (154)

AF887KM



CHAMP LAF1868, DONALDSON P120117, LUBERFINER LAF1868; 250806 Bolt Seal Included

Overall Height: 14.56 (370)
End 2 OD: 13.83 (351)
End 2 ID: 0.54 (14)
End 1 ID: 9.48 (241)
Fin Diameter: 15.85 (402)

AF888M



WHITE 27088627; To upgrade, use AF888NF; 3830497 Bolt Seal Included

Overall Height: 17.64 (448)
End 2 OD: 12.77 (324)
End 2 ID: 8.36 (212)
End 1 ID: 0.93 (23)
Boot Diameter: 13.5 (343)

AF888NF



DONALDSON DBA5057; NanoForce Primary Air Element; Upgrade of AF888M Axial Seal

Overall Height: 17.64 (448)
End 2 OD: 12.77 (324)
End 2 ID: 8.36 (212)

AF889



IHC HOUSINGS 923611C91, NEW HOLLAND 614104; Secondary air filter used with AF901; 3311624 Bolt Seal Included

Overall Height: 20.05 (509)
End 2 OD: 6.41 (163)
End 1 ID: 5.27 (134)

AF890



INGERSOLL-RAND 35123520; Secondary air filter used with AF891, AF891NF; Uses Element(s): AH19113; 3830497 Bolt Seal Included; Replaces AF4089

Overall Height: 22.44 (570)
Overall OD: 8.24 (209)
End 2 ID: 0.93 (24)
End 1 ID: 7.12 (181)

AF891



DONALDSON P145706; Primary Air Filter used with AF890; For Magnum Version, use AF891M; 3830497 Bolt Seal Included; Replaces AF4090

Overall Height: 24.62 (625)
End 2 OD: 12.77 (324)
End 1 OD: 13.8 (351)
End 2 ID: 8.36 (212)
End 1 ID: 0.93 (24)

AF891M



INGERSOLL-RAND 35123512; To upgrade, use AF891NF; Uses Element(s): AH19113; 3830497 Bolt Seal Included

Overall Height: 24.62 (625)
End 2 OD: 12.77 (324)
End 1 OD: 13.8 (351)
End 2 ID: 8.36 (212)
End 1 ID: 0.93 (24)

AF891NF



DONALDSON DBA5049; NanoForce Axial Seal; Primary Air Filter used with AF890; Upgrade of AF891M

Overall Height: 24.62 (625)
End 2 OD: 12.77 (324)
End 1 OD: 13.8 (351)
End 2 ID: 8.36 (212)
End 1 ID: 0.93 (24)

AF892



AC A866C; Secondary air filter used with AF893; 250806 Bolt Seal Included; Replaces AF4102, AF4109

Overall Height: 13.55 (344)
Overall OD: 5.07 (129)
End 2 ID: 0.42 (11)
End 1 ID: 3.83 (97)

AF893



KOMATSU 6112837610; Primary Air Filter used with AF892; 250806 Bolt Seal Included; Replaces AF4110

Overall Height: 15.57 (395)
Overall OD: 9.65 (245)
End 2 ID: 0.42 (11)
End 1 ID: 5.25 (133)

AF894



KOMATSU 6001819120; Secondary air filter used with AF895; Replaces AF4113

Overall Height: 11.72 (298)
End 2 OD: 4.1 (104)
End 1 OD: 0.62 (16)
End 1 ID: 2.92 (74)

AF895



KOMATSU 6001819220; Primary Air Filter used with AF894; Replaces AF4114

Overall Height: 12.94 (329)
End 2 OD: 8.26 (210)
End 1 OD: 8.27 (210)
End 2 ID: 4.16 (106)
End 1 ID: 0.4 (10)

AF897



KOMATSU 6003000110; Air, Primary; Replaces AF4116

Overall Height: 16.81 (427)
Overall OD: 8.48 (215)
End 1 ID: 4.16 (106)

AF898M



CASE 433324C1 IH; 1600-1800 Trucks w/ Dd 6V-53

Overall Height: 7.54 (192)
End 2 OD: 13.85 (352)
End 1 OD: 16.26 (413)
End 2 ID: 7.44 (189)

AF899



DONALDSON SMP181040, WABCO VJ0075, VJ5175; Primary Air Filter used with AF880; For Magnum Version, use AF899M; 3830497 Bolt Seal Included; Gasket(s): 3825893

Overall Height: 23.62 (600)
End 2 OD: 17.6 (447)
End 1 OD: 18.6 (472)
End 2 ID: 12.23 (311)
End 1 ID: 0.9 (23)

E. PRODUCT GUIDE

AF899M



WABCO VJ5175; Primary Air Filter used with AF880; To upgrade, use AF899NF; Filter used with housing AH19473; Extended Life Version of AF899. 3830497 Bolt Seal Included; Gasket(s): 3825893

Overall Height: 23.62 (600)
End 2 OD: 17.6 (447)
End 2 ID: 12.23 (311)
End 1 ID: 0.9 (23)
Boot Diameter: 18.6 (472)

AF899NF



NanoForce--nanofiber air filter media; Upgrade of AF899M; Primary Air Filter used with AF880; 99.99% efficient per ISO 5011 (Nominal 0 - 5 micron test dust)

Overall Height: 23.62 (600)
Largest OD: 18.6 (472)
Largest ID: 12.23 (311)

AF901



IHC HOUSINGS 640968C91, JOHN DEERE AT49022, NEW HOLLAND 614103; Primary Air Filter used with AF889; 3311624 Bolt Seal Included

Overall Height: 20.44 (519)
End 1 OD: 11.09 (282)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)

AF902



CASE 702847C1; Secondary air filter used with AF900; 3311624 Bolt Seal Included

Overall Height: 21.46 (545)
End 2 OD: 5.26 (134)
End 1 OD: 0.68 (17)
End 2 ID: 5.21 (132)
End 1 ID: 4.16 (106)

AF903M



CUMMINS 3013205; 3311624 Bolt Seal Included; Replaces AF903

Overall Height: 18.41 (468)
End 1 OD: 13.85 (352)
End 2 ID: 0.67 (17)
End 1 ID: 7.44 (189)

AF904



CASE 627934C1; Primary Air Filter used with AF905; 3311624 Bolt Seal Included

Overall Height: 12.55 (319)
Overall OD: 10.4 (264)
End 2 ID: 0.67 (17)
End 1 ID: 6.05 (154)

AF905



CASE A47146; Secondary air filter used with AF4636, AF904; 3311624 Bolt Seal Included

Overall Height: 10.43 (265)
End 1 OD: 5.96 (152)
End 2 ID: 4.85 (123)
End 1 ID: 0.67 (17)

AF906



CASE 627127C1; Primary Air Filter used with AF907; 3830497 Bolt Seal Included

Overall Height: 16.6 (422)
End 2 OD: 10.4 (264)
End 2 ID: 6.05 (154)
End 1 ID: 0.9 (23)
Boot Diameter: 11.4 (290)

AF907



CASE 624978C91, JOHN DEERE AE30507; Secondary air filter used with AF1887M; AF906; 3830497 Bolt Seal Included

Overall Height: 14.35 (364)
End 2 OD: 5.98 (152)
End 1 ID: 4.83 (123)

AF908



CASE 702672C1; Primary Air Filter used with AF909; 3302302 Bolt Seal Included

Overall Height: 27.41 (696)
Overall OD: 12.56 (319)
End 2 ID: 0.77 (20)
End 1 ID: 7.57 (192)

AF909



CASE 702673C1; Secondary air filter used with AF908; 3302302 Bolt Seal Included

Overall Height: 25.72 (653)
End 2 OD: 7.35 (187)
End 1 ID: 6.16 (156)

AF910



MACK 57MD21 To upgrade, use AF910M Gasket(s): 3312554 Used With AF911 or AF967M depending on application

Overall Height: 9.0 (229)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF910M



DONALDSON P142449, XLP182005; Upgrade of AF910; Gasket(s): 3312554 Air

Overall Height: 9.0 (229)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF911



MACK 57MD31; Gasket(s): 3312554; For Magnum Version use AF911M

Overall Height: 15.0 (381)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF911M



DONALDSON P142448; Extended Life Version of AF911; Gasket(s): 3312554

Overall Height: 15.0 (381)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF915



VERSATILE 22935; Secondary air filter used with AF916

Overall Height: 18.32 (465)
End 2 OD: 7.06 (179)
End 2 ID: 5.85 (149)

AF916



VERSATILE 22934; Primary Air Filter used with AF915

Overall Height: 20.36 (517)
End 2 OD: 13.91 (353)
End 2 ID: 7.73 (196)
Cover Diameter: 13.91 (353)

AF917



VERSATILE 22930; Primary Air Filter used with AF918

Overall Height: 20.47 (520)
Overall OD: 10.47 (266)
End 2 ID: 6.87 (175)
End 1 ID: 6.87 (175)

AF918



VERSATILE 17444 Secondary air filter used with AF917, AF927

Overall Height: 18.42 (468)
End 1 OD: 6.12 (156)
End 2 ID: 4.73 (120)
End 1 ID: 0.5 (13)

AF919



CASE 680587C2 Primary air filter used with AF929; 3311624 Bolt Seal Included

Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF920



Secondary air filter used with AF408; 3311624 Bolt Seal Included

Overall Height: 12.43 (316)
Overall OD: 7.64 (194)
End 2 ID: 0.67 (17)
End 1 ID: 6.05 (154)

AF921M



CATERPILLAR 4N0326; Primary air filter used with AF922; 3311624 Bolt Seal Included; Replaces AF921

Overall Height: 12.48 (317)
End 1 OD: 6.85 (174)
End 2 ID: 3.48 (88)
End 1 ID: 0.67 (17)

AF922



CATERPILLAR 4N0313; Secondary air filter used with AF921, AF921M, AF25287K; 3311624 Bolt Seal Included

Overall Height: 10.37 (263)
Overall OD: 3.37 (85)
End 2 ID: 0.67 (17)
End 1 ID: 2.24 (57)

AF923M  CASE 537337R1; Primary air filter used with AF924; Replaces AF923 Overall Height: 15.53 (394) End 2 OD: 8.48 (215) End 1 OD: 9.5 (241) End 2 ID: 4.51 (115)	AF929  IHC HOUSINGS 681911C91; Secondary air filter used with AF919; 3311624 Bolt Seal Included Overall Height: 17.3 (439) End 2 OD: 7.65 (194) End 1 ID: 6.02 (153)	AF936  INGERSOLL-RAND 40070; Primary air filter used with AF264 Overall Height: 16.06 (408) Overall OD: 16.64 (423) End 1 ID: 11.99 (305)
AF924  CASE 537338R2; Secondary air filter used with AF923, AF923M Overall Height: 14.38 (365) Overall OD: 4.47 (114) End 2 ID: 3.41 (87) End 1 ID: 0.44 (11)	AF930M  FORD D2HZ9601C; 250806 Bolt Seal Included; Replaces AF1723 Overall Height: 9.5 (241) End 2 OD: 10.23 (260) End 1 OD: 12.0 (305) End 2 ID: 4.83 (123) End 1 ID: 0.54 (14)	AF937  STEIGER 71010; Secondary air filter used with AF4628M, AF939; 3311624 Bolt Seal Included Overall Height: 16.41 (417) End 2 OD: 5.97 (152) End 1 ID: 4.83 (123)
AF925  CASE 925761C1 Primary air filter used with AF926; 250806 Bolt Seal Included Overall Height: 21.02 (534) Overall OD: 10.02 (255) End 2 ID: 0.4 (10) End 1 ID: 5.48 (139)	AF931M  DONALDSON P129472; Air, Primary; Gasket(s): 3309314 Overall Height: 28.9 (734) End 2 OD: 5.72 (145) End 1 OD: 8.66 (220) End 1 ID: 5.21 (132)	AF938  STEIGER 45212 Secondary air filter used with AF427M; 3311624 Bolt Seal Included Overall Height: 12.44 (316) End 2 OD: 5.97 (152) End 1 ID: 4.83 (123)
AF926  CASE 925762C1 Secondary air filter used with AF925; 3311624 Bolt Seal Included Overall Height: 19.28 (490) End 2 OD: 5.43 (138) End 1 ID: 4.01 (102)	AF932  JOHN DEERE AT35155; Primary air filter used with AF487; 3311624 Bolt Seal Included Overall Height: 12.5 (318) Overall OD: 7.93 (201) End 2 ID: 0.67 (17) End 1 ID: 5.33 (135)	AF939  STEIGER 71011; Primary air filter used with AF937 3830497; Bolt Seal Included Overall Height: 18.49 (470) Overall OD: 10.4 (264) End 2 ID: 0.9 (23) End 1 ID: 6.05 (154)
AF927  VERSATILE 15803; Primary air filter used with AF918 Overall Height: 20.37 (518) End 2 OD: 9.63 (244) End 1 OD: 11.56 (294) End 1 ID: 6.19 (157)	AF933  DONALDSON P181021; For Magnum Version, use AF933M Overall Height: 10.5 (267) Overall OD: 10.4 (264) End 2 ID: 0.33 (8) End 1 ID: 6.05 (154)	AF940K  MASSEY-FERGUSON 1428739M91; Primary air filter used with AF988; 3311624 Bolt Seal Incl. Overall Height: 15.41 (391) End 2 OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 3.66 (93) Fin Diameter: 6.34 (161)
AF928M  CUMMINS 3022209, DONALDSON XLP182056; To upgrade, use AF928NF; Filter used with housing AH19325, AH19326; Is included in AA2950; Extended Life Version of AF928; Replaces AF928 Overall Height: 15.68 (398) End 1 OD: 12.09 (307) End 2 ID: 0.67 (17) End 1 ID: 7.74 (197)	AF933M  DONALDSON XLP182021; Extended Life Version Of AF933 Overall Height: 10.5 (267) Overall OD: 10.4 (264) End 2 ID: 0.33 (8) End 1 ID: 6.05 (154)	AF941  CASE 466400C1; Air, Primary Overall Height: 8.64 (219) Overall OD: 12.59 (320) End 1 ID: 8.19 (208)
AF928NF  CUMMINS 3022209, DONALDSON DBA5056; NanoForce Axial Seal Primary Air Element; Upgrade of AF928M Overall Height: 15.68 (398) End 1 OD: 12.09 (307) End 2 ID: 0.67 (17) End 1 ID: 7.74 (197)	AF934  EUCLID 9039992 Secondary air filter used with AF935M; 3830497 Bolt Seal Included Overall Height: 18.12 (460) End 2 OD: 11.92 (303) End 1 ID: 10.22 (259)	AF942  CASE 478974C1; For Magnum Version, use AF942M Overall Height: 12.34 (313) End 2 OD: 10.36 (263) End 1 ID: 6.02 (153)
	AF935M  EUCLID 9039993; Primary air filter used with AF4862, AF934; Gasket(s): 3308026; 3830497 Bolt Seal Included Overall Height: 19.6 (498) End 2 OD: 17.6 (447) End 2 ID: 12.23 (311) End 1 ID: 0.9 (23) Boot Diameter: 18.58 (472)	AF942M  Extended Life Version of AF942 Overall Height: 12.34 (313) End 1 OD: 10.36 (263) End 1 ID: 6.02 (153)

E. PRODUCT GUIDE

AF943



STEIGER 45253; Secondary air filter used with AF851, AF851M; 3311624 Bolt Seal Included

Overall Height: 17.05 (433)
End 2 OD: 8.64 (219)
End 1 OD: 0.68 (17)
End 1 ID: 7.11 (181)

AF944



UNITED ENGINE LIFE 507D1, CASE 433127C91; Air, Primary; Replaces AF866

Overall Height: 8.49 (216)
End 1 OD: 12.1 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.49 (12)

AF945K



JOHN DEERE AR39799, AT33363; Primary air filter used with AF828

Overall Height: 10.38 (264)
End 2 OD: 6.85 (174)
End 2 ID: 0.68 (17)
End 1 ID: 4.23 (107)
Fin Diameter: 8.69 (221)

AF946M



FORD D6HZ9601B; 250806 Bolt Seal Included

AF947



CAMECO INDUSTRIES AR79679, CUMMINS 4099423, JOHN DEERE AR61967; Primary air filter used with AF963; Filter used with housing AH1148, AH19040, AH19322; 250806 Bolt Seal Included

Overall Height: 17.11 (435)
Overall OD: 9.1 (231)
End 2 ID: 0.37 (10)
End 1 ID: 4.79 (122)

AF948



KOMATSU 6001817210; Air, Primary

Overall Height: 12.44 (316)
Overall OD: 7.06 (179)
End 2 ID: 0.4 (10)
End 1 ID: 3.94 (100)

AF950



CHRYSLER 3614353

Overall Height: 3.51 (89)
Overall OD: 10.88 (276)
End 1 ID: 8.95 (227)

AF951M



FORD D5HZ9601B; 3311624 Bolt Seal Included

Overall Height: 16.5 (419)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF953K



CASE 3124008R91; 3311624 Bolt Seal Included

Overall Height: 18.38 (467)
End 2 OD: 6.1 (155)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.8 (198)

AF954M



GMC 68999; Air, Primary; Filter used with housing AH19099, AH19100; Gasket(s): 3311160

Overall Height: 28.9 (734)
End 2 OD: 7.49 (190)
End 1 OD: 10.4 (264)
End 1 ID: 6.95 (177)

AF955



FIAT-ALLIS 70671839; Secondary air filter used with AF956, AF956M; 3830497 Bolt Seal Included

Overall Height: 21.45 (545)
End 2 OD: 7.65 (194)
End 1 ID: 6.02 (153)

AF956



Primary air filter used with AF955; For Magnum Version, use AF956M; 3830497 Bolt Seal Included

Overall Height: 23.72 (602)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.9 (23)
Boot Diameter: 12.8 (325)

AF956M



FIAT-ALLIS 70671838; Primary air filter used with AF955; Extended Life Version of AF956; 3830497 Bolt Seal Included

Overall Height: 23.73 (603)
End 2 OD: 12.08 (307)
End 1 OD: 12.8 (325)
End 2 ID: 7.73 (196)
End 1 ID: 0.9 (23)

AF958M



FORD D5HZ9601A; Air, Primary

Overall Height: 16.55 (420)
End 2 OD: 12.1 (307)
End 2 ID: 6.69 (170)
Cover Diameter: 14.12 (359)

AF959



CATERPILLAR 9S9972; Secondary air filter used with AF335M Fleetguard Airtkit Option AF4513 + AK00003

Overall Height: 13.11 (333)
End 2 OD: 6.28 (160)
End 1 ID: 4.61 (117)
Cover Diameter: 9.04 (230)

AF960



DONALDSON SMP181017; For Magnum Version, use AF960M; 3308844S gasket is optional

Overall Height: 29.0 (737)
End 2 OD: 8.83 (224)
End 2 ID: 5.82 (148)
End 1 ID: 7.2 (183)

AF960M



DONALDSON XLP182017; Extended Life Version of AF960; Gasket is optional; Replaces AF1783

Overall Height: 29.0 (737)
End 1 OD: 8.85 (225)
End 2 ID: 5.82 (148)
End 1 ID: 7.2 (183)

AF961



GALION D59585

Overall Height: 2.25 (57)
Overall OD: 2.06 (52)
End 2 ID: 0.98 (25)
End 1 ID: 0.88 (22)

AF963



JOHN DEERE AR61968; Secondary air filter used with AF947, AF4668; Filter used with housing AH1148

Overall Height: 14.2 (361)
Overall OD: 4.67 (119)
End 2 ID: 4.03 (102)
End 1 ID: 0.66 (17)

AF964



FORD D5HZ9601A

Overall Height: 5.51 (140)
Overall OD: 12.62 (321)
End 1 ID: 9.75 (248)

AF965



FORD D4HZ9601B

Overall Height: 5.5 (140)
Overall OD: 12.6 (320)
End 1 ID: 8.35 (212)

AF966



MACK 57MD24; For Magnum Version, use AF966M

Overall Height: 23.0 (584)
End 1 OD: 8.85 (225)
End 2 ID: 5.82 (148)
End 1 ID: 7.2 (183)

AF966M



MACK 57MD24; Extended Life Version of AF966

Overall Height: 23.0 (584)
End 1 OD: 8.85 (225)
End 2 ID: 5.82 (148)
End 1 ID: 7.2 (183)

E. PRODUCT GUIDE

AF967M  MACK 57MD29301 Overall Height: 15.03 (382) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF975M  DONALDSON P124045, XLP182082; Primary air filter used with AF976; Is Long version of AF25763M Overall Height: 20.5 (521) Overall OD: 10.86 (276) End 2 ID: 0.92 (23) End 1 ID: 6.5 (165)	AF982  AC A784C, GMC 25040873, MOTORCRAFT FA709; Primary air filter used with AF986; To upgrade, use AF982M Overall Height: 18.55 (471) End 2 OD: 12.04 (306) End 1 ID: 7.77 (197)
AF968  VOLVO 475386; 250806 Bolt Seal Included Overall Height: 14.54 (369) Overall OD: 12.21 (310) End 2 ID: 0.54 (14) End 1 ID: 7.87 (200)	AF976  DONALDSON P124047; Secondary air filter used with AF975M; Is Long version of AF25764; 3311624 Bolt Seal Included Overall Height: 19.5 (495) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134)	AF982M  CASE 476743C1; Primary air filter used with AF986; Upgrade of AF982; Extended Life Version of AF982 Overall Height: 18.55 (471) End 2 OD: 12.04 (306) End 1 ID: 7.77 (197)
AF969  VOLVO 347138 Overall Height: 11.4 (290) End 2 OD: 8.39 (213) End 2 ID: 4.13 (105) End 1 ID: 0.35 (9) Cover Diameter: 9.25 (235)	AF977  MERCEDES-BENZ 10948304 Overall Height: 10.19 (259) End 2 OD: 12.85 (327) End 2 ID: 6.58 (167) End 1 ID: 0.41 (11) Cover Diameter: 15.16 (385)	AF983  HEIL 75A506; Hydraulic Air Overall Height: 5.37 (136) Largest OD: 3.69 (94) Thread Size: 1-14 UNS-2B
AF970  MASSEY-FERGUSON 197946201 Overall Height: 19.5 (495) End 2 OD: 9.54 (242) End 2 ID: 0.41 (11) End 1 ID: 5.21 (132) Cover Diameter: 12.17 (309)	AF978  MERCEDES-BENZ 10949304; Replaces AF4129 Overall Height: 10.13 (257) End 2 OD: 10.87 (276) End 2 ID: 5.26 (134) End 1 ID: 0.41 (11) Cover Diameter: 13.27 (337)	AF984  CASE 530560C1; Secondary air filter used with AF838, AF994; 3311624 Bolt Seal Included Overall Height: 14.44 (367) End 2 OD: 7.21 (183) End 1 ID: 5.66 (144)
AF971  JOHN DEERE AZ23642; Primary air filter used with AF1841 Overall Height: 15.0 (381) End 2 OD: 8.96 (228) End 2 ID: 4.61 (117) End 1 ID: 0.41 (11) Cover Diameter: 10.95 (278)	AF979  DONALDSON SMP181028; Primary air filter used with AF987; To upgrade, use AF979M Overall Height: 16.51 (419) Overall OD: 10.4 (264) End 1 ID: 6.05 (154)	AF986  Secondary air filter used with AF982, AF982M; 3311624 Bolt Seal Included Overall Height: 15.79 (401) End 2 OD: 7.65 (194) End 1 ID: 6.02 (153)
AF972KM  DONALDSON P132348; Primary air filter used with AF974; 3311624 Bolt Seal Included; Saleable in Australia only Overall Height: 16.57 (421) Largest OD: 15.7 (399)	AF979M  DONALDSON XLP182028 ; Primary air filter used with AF987; Upgrade of AF979; To upgrade, use AF979NF; Extended Life Version Of AF979 Overall Height: 16.5 (419) Overall OD: 10.4 (264) End 1 ID: 6.05 (154)	AF987  CASE 482644C1; Secondary air filter used with AF979, AF979M, AF979NF Overall Height: 13.78 (350) End 2 OD: 5.91 (150) End 1 ID: 4.8 (122)
AF973  FARR T528; Air, Panel Height: 5.0 (127) Length: 28.50 (724) Width: 19.00 (483)	AF979NF  DONALDSON DBA5028; NanoForce Axial Seal; Primary air filter used with AF987; Upgrade of AF979M Overall Height: 16.51 (419) Overall OD: 10.4 (264) End 1 ID: 6.05 (154)	AF988  MASSEY-FERGUSON 1037735M91; Secondary air filter used with AF1910M, AF940K Overall Height: 14.04 (356) Overall OD: 3.75 (95) End 2 ID: 0.66 (17) End 1 ID: 2.93 (74)
AF974  DONALDSON P132349; Secondary air filter used with AF972KM; 3311624 Bolt Seal Included Overall Height: 15.79 (401) End 2 OD: 7.27 (185) End 1 ID: 6.23 (158)	AF981  MERCEDES-BENZ 10949404 Overall Height: 8.63 (219) End 2 OD: 8.24 (209) End 2 ID: 4.08 (104) End 1 ID: 0.34 (9) Cover Diameter: 9.94 (252)	AF989  ATLAS COPCO 10300979; 250806 Bolt Seal Included; Gasket(s): 3309167 Overall Height: 14.24 (362) Overall OD: 13.83 (351) End 2 ID: 0.54 (14) End 1 ID: 9.48 (241)

E. PRODUCT GUIDE

AF990



FENDT F278201090020; Primary air filter used with AF25424

Overall Height: 9.35 (238)
Overall OD: 6.44 (164)
End 1 ID: 3.4 (86)

AF991



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2339823; Primary air filter used with AF25425

Overall Height: 12.93 (329)
Overall OD: 6.44 (164)
End 1 ID: 3.39 (86)

AF992



FENDT F181200091040; Air, Primary

Overall Height: 13.91 (353)
Overall OD: 6.46 (164)
End 1 ID: 3.38 (86)

AF994



CASE 530561C1 Primary air filter used with AF984; 3311624 Bolt Seal Included; Replaces AF838

Overall Height: 15.76 (400)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF995M



GMC 717702; Air, Primary; Gasket(s): 3312555

Overall Height: 19.88 (505)
End 1 OD: 13.85 (352)
End 1 ID: 7.44 (189)

AF996M



VORTEX VF160R; To upgrade, use AF996NF; 3311624 Bolt Seal Included

Overall Height: 27.0 (686)
End 1 OD: 12.79 (325)
End 2 ID: 8.36 (212)

AF996NF



DONALDSON DBA5102; NanoForce Axial Seal Primary Air Element; Upgrade of AF996M

Overall Height: 27.0 (686)
End 1 OD: 12.79 (325)
End 2 ID: 8.36 (212)

AF997M



MACK 57MD29305P2; Air, Primary; Gasket(s): 3312555

Overall Height: 15.0 (381)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF998M



MACK 57MD29305P1; Air, Primary; Gasket(s): 3312555

Overall Height: 12.04 (306)
Overall OD: 10.4 (264)
End 1 ID: 6.95 (177)

AF999



AC A181C, AP LOCKHEED AP497A, DONALDSON P539487, GMC 25096001; Air, Primary

Overall Height: 8.09 (205)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF1001



SCANIA 1869992; Primary air filter used with AF25615; Magnum RS

Overall Height: 20.7 (526)
Largest OD: 12.01 (305)
Largest ID: 6.57 (167)
Fin Diameter: 11.93 (303)

AF1002

DONALDSON P922448; Primary air filter used with AF27968

Overall Height: 23.44 (596)
Largest OD: 14.15 (360)
Largest ID: 8.92 (227)
End 2 ID: 11.06 (281)

AF1003



JOHN DEERE RE64913

Overall Height: 1.65 (42)
Overall Length: 13.77 (350)
Overall Width: 4.16 (106)

AF1004



LIEBHERR 10021425; Primary air filter used with AF1007; Magnum RS

Overall Height: 16.65 (423)
Largest ID: 5.2 (132)
Largest OD: 9.29 (236)

AF1007



LIEBHERR 10021426; Secondary air filter used with AF1004; Magnum RS

Overall Height: 15.98 (406)
Largest OD: 4.96 (126)
Largest ID: 3.7 (94)
Seal Type: Radial

AF1009



CATERPILLAR 2525002; Secondary air filter used with AF1010

Overall Height: 1.89 (48)
Overall Length: 10.8 (274)
Overall Width: 8.2 (208)

AF1010

CATERPILLAR 2525001; Primary air filter used with AF1009

Overall Height: 11.56 (294)
End 2 OD: .35 (9)

AF1600



DONALDSON SMP181011; For Magnum Version, use AF1600M; Gasket(s): 3312555

Overall Height: 27.0 (686)
End 1 OD: 13.76 (349)
End 1 ID: 7.4 (188)

AF1600M



DONALDSON P123785, XLP182011; Extended Life Version of AF1600; Gasket(s): 3312555

Overall Height: 27.0 (686)
End 1 OD: 13.85 (352)
End 1 ID: 7.44 (189)

AF1601M



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2241034, MANN & HUMMEL C20325; Primary air filter used with AF1840

Overall Height: 14.75 (375)
End 2 OD: 7.78 (198)
End 2 ID: 4.08 (104)
End 1 ID: 0.34 (9)
Cover Diameter: 9.8 (249)

AF1602M



MANN & HUMMEL C23726, SCANIA 269733

Overall Height: 14.93 (379)
End 2 OD: 8.96 (228)
End 2 ID: 4.6 (117)
End 1 ID: 0.41 (11)
Cover Diameter: 10.98 (279)

AF1603M



GMC 2034764; Air, Primary

Overall Height: 28.42 (722)
Overall OD: 9.01 (229)
End 1 ID: 5.71 (145)

AF1604



CAMECO INDUSTRIES 61380377, CUMMINS 3013213, KOMATSU VE1061; Secondary air filter used with AF1605M, AF4605M, AF1605NF; 3830497 Bolt Seal Included; Replaces AF1603, AF4603

Overall Height: 10.07 (256)
End 1 OD: 9.12 (232)
End 2 ID: 5.91 (150)
End 1 ID: 4.89 (124)

AF1605M


CAMECO INDUSTRIES
61380371, CUMMINS 3013212,
KOMATSU VE1062; Primary air
filter used with AF1604; To
upgrade, use AF1605NF;
Replaces AF25216

Overall Height: 24.5 (622)
End 1 OD: 14.7 (373)
End 2 ID: 10.3 (262)
End 1 ID: 0.88 (22)

AF1605NF


DONALDSON DBA5042;
NanoForce Axial Seal;
Primary air filter used with
AF1604; Upgrade of AF1605M

Overall Height: 24.5 (622)
End 1 OD: 14.7 (373)
End 2 ID: 10.3 (262)
End 1 ID: 0.88 (22)

AF1606K


DONALDSON SMP181062; Air,
Primary

Overall Height: 15.41 (392)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 3.25 (83)
Fin Diameter: 6.4 (163)

AF1606KM


DONALDSON XLP182062,
INGERSOLL-RAND 35291970;
Primary air filter used with
AF1892; Filter used with housing
AH19063, AH19064; 3311624
Bolt Seal Included

Overall Height: 15.46 (393)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 3.17 (81)
Fin Diameter: 6.34 (161)

AF1609


CATERPILLAR 6P6664; 3834340
Wing Nut Included

Overall Height: 12.47 (317)
End 1 OD: 6.85 (174)
End 2 ID: 4.23 (107)

AF1611M


DONALDSON P137982;
Available in Australia ONLY;
3830497 Bolt Seal Included

Overall Height: 16.56 (421)
End 2 OD: 11.07 (281)
End 1 OD: 11.08 (281)
End 2 ID: 0.9 (23)
End 1 ID: 6.73 (171)

AF1612M


DONALDSON P137981; Primary
air filter used with AF1749;
3830497 Bolt Seal Included

Overall Height: 18.48 (469)
Overall OD: 12.08 (307)
End 2 ID: 0.9 (23)
End 1 ID: 7.73 (196)

AF1613M


GMC 2034763; Air, Primary

Overall Height: 22.59 (574)
Overall OD: 9.01 (229)
End 1 ID: 5.71 (145)

AF1614


LEYLAND ACU2889

Overall Height: 11.52 (293)
Overall OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (123)

AF1616


WHITE 220055002; For Magnum
Version use AF1616M; Filter used
with housing AH19106;
Gasket(s): 3312556

Overall Height: 27.0 (686)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF1616M


WHITE 220055002; To upgrade,
use AF1616NF; Extended Life
Version Of AF1616; Gasket(s):
3312556

Overall Height: 27.0 (686)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF1616NF


DONALDSON DBA5016;
NanoForce Axial Seal Primary Air
Element; Upgrade of AF1616M

Overall Height: 27.0 (686)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF1618


FORD D7EF9601AA; Replaces
AF1719

Overall Height: 1.75 (44)
Overall OD: 11.25 (286)
End 1 ID: 9.38 (238)

AF1620


KHD(KLOCKNER-HUMBOLDT-D
EUTZ) 2102752, MANN &
HUMMEL C241653; Air, Primary

Overall Height: 6.47 (164)
Overall OD: 9.05 (230)
End 1 ID: 6.36 (161)

AF1622


JOHN DEERE AR80652; Primary
air filter used with AF1623; Air
Pre-cleaner

Overall Height: 19.76 (502)
Overall OD: 9.09 (231)
End 2 ID: 0.39 (10)
End 1 ID: 6.22 (158)

AF1623


JOHN DEERE AR80653;
Secondary air filter used with
AF1622

Overall Height: 16.15 (410)
Overall OD: 5.18 (132)
End 2 ID: 0.66 (17)
End 1 ID: 4.13 (105)

AF1624


GMC 8994941

Overall Height: 5.3 (135)
Overall OD: 5.09 (129)
End 1 ID: 3.59 (91)

AF1625


GMC 8996587

Overall Height: 2.29 (58)
Overall OD: 10.09 (256)
End 1 ID: 8.62 (219)

AF1628


GMC 8997189; Same As AF1985
Without Foam Pre-Cleaner;
Replaces AF1619, AF1626

Overall Height: 4.0 (102)
Overall OD: 13.88 (353)
End 1 ID: 11.62 (295)

AF1631


MASSEY-FERGUSON
1041845M91; Primary air filter
used with AF1685

Overall Height: 14.03 (356)
End 2 OD: 7.94 (202)
End 1 OD: 8.69 (221)
End 2 ID: 0.66 (17)
End 1 ID: 5.3 (135)

AF1632


CASE A44805; Secondary air
filter used with AF1633

Overall Height: 8.38 (213)
Overall OD: 6.84 (174)
End 2 ID: 0.66 (17)
End 1 ID: 4.22 (107)

AF1633


CASE A44804; Primary air filter
used with AF1632

Overall Height: 9.54 (242)
End 1 OD: 13.85 (352)
End 2 ID: 0.67 (17)
End 1 ID: 7.44 (189)

AF1635


MASSEY-FERGUSON
1039045M91; Secondary air filter
used with AF4855, AF1704

Overall Height: 13.44 (341)
Overall OD: 3.35 (85)
End 2 ID: 2.29 (58)
End 1 ID: 0.28 (7)

E. PRODUCT GUIDE

AF1636



JOHN DEERE AR82915; Primary air filter used with AF1637

Overall Height: 19.81 (503)
Overall OD: 9.06 (230)
End 2 ID: 5.37 (136)
End 1 ID: 0.45 (11)

AF1637



JOHN DEERE AR81313; Secondary air filter used with AF1636

Overall Height: 16.19 (411)
Overall OD: 4.7 (119)
End 2 ID: 4.04 (103)
End 1 ID: 0.63 (16)

AF1638



JOHN DEERE AR54336; Primary air filter used with AF1639

Overall Height: 15.32 (389)
End 1 OD: 7.35 (187)
End 2 ID: 4.03 (102)
End 1 ID: 0.39 (10)

AF1639



JOHN DEERE AR79942; Secondary air filter used with AF1638

Overall Height: 13.25 (337)
End 1 OD: 3.87 (98)
End 2 ID: 3.19 (81)
End 1 ID: 0.62 (16)

AF1640



FORD D1NN9R500A; Secondary air filter used with AF1641

Overall Height: 13.56 (344)
Overall OD: 3.62 (92)
End 2 ID: 0.44 (11)
End 1 ID: 3.02 (77)

AF1641



FORD D1NN9601A; Primary air filter used with AF1640

Overall Height: 15.36 (390)
Overall OD: 6.69 (170)
End 2 ID: 3.76 (96)
End 1 ID: 0.54 (14)

AF1643



JOHN DEERE AR70106; Primary air filter used with AF1644

Overall Height: 20.37 (518)
Overall OD: 10.4 (264)
End 2 ID: 0.9 (23)
End 1 ID: 6.05 (154)

AF1644



JOHN DEERE AR70107; Secondary air filter used with AF1643

Overall Height: 18.33 (466)
End 2 OD: 5.96 (151)
End 1 OD: 5.96 (152)
End 2 ID: 4.85 (123)
End 1 ID: 0.67 (17)

AF1647M



CATERPILLAR 4L4719; Air, Primary; Replaces AF1647

Overall Height: 18.26 (464)
End 1 OD: 13.89 (353)
End 2 ID: 9.48 (241)

AF1648



JOHN DEERE AM31000

Overall Height: 4.76 (121)
Overall OD: 4.38 (111)
End 1 ID: 3.0 (76)

AF1649



GMC 94020442, NISSAN 1654623000

Overall Height: 2.41 (61)
Overall OD: 10.2 (259)
End 1 ID: 8.01 (203)

AF1650



Allis-Chalmers, Autocar, Brockway, Cummins, FWD, Diamond T, Dodge, Hough, Hyster, IH Primary Air Blanket AF1807 element AF1888; Uses service part(s) 3835841S, 3835842S

Overall Height: 11.71 (297)
Overall OD: 9.61 (244)
End 1 ID: 5.2 (132)

AF1651



JOHN DEERE AM30800

Overall Height: 2.34 (59)
Overall OD: 4.39 (112)
End 1 ID: 3.0 (76)

AF1652



JOY 12124040

Overall Height: 18.38 (467)
Overall OD: 11.13 (283)
End 2 ID: 0.44 (11)
End 1 ID: 6.44 (164)

AF1653



MASSEY-FERGUSON 1026137M91, 1029945M91

Overall Height: 9.25 (235)
Overall OD: 4.09 (104)
End 2 ID: 0.37 (10)
End 1 ID: 2.47 (63)

AF1655



MASSEY-FERGUSON 1028094M92; Air, Secondary

Overall Height: 15.38 (391)
Overall OD: 6.09 (155)
End 2 ID: 0.66 (17)
End 1 ID: 3.47 (88)

AF1657



WISCONSIN LO173B

Overall Height: 4.19 (106)
Overall OD: 3.56 (90)
End 1 ID: 2.12 (54)

AF1658K



FIAT-ALLIS 70247060, NELSON 70795N; Filter used with housing AH19107

Overall Height: 7.36 (187)
End 2 OD: 3.27 (83)
End 2 ID: 0.41 (11)
End 1 ID: 1.79 (46)
Fin Diameter: 4.17 (106)

AF1659



JOHN DEERE AR43605, AR43941

Overall Height: 12.38 (314)
Overall OD: 6.85 (174)
End 2 ID: 0.88 (22)
End 1 ID: 3.45 (88)

AF1663



JOHN DEERE AR49839; Air, Primary

Overall Height: 17.2 (437)
Overall OD: 9.06 (230)
End 2 ID: 0.38 (10)
End 1 ID: 5.39 (137)

AF1664



JOHN DEERE AR51431; Primary air filter used with AF1665

Overall Height: 7.25 (184)
Overall OD: 13.84 (352)
End 2 ID: 0.63 (16)
End 1 ID: 7.44 (189)

AF1665



JOHN DEERE AR51432; Secondary air filter used with AF1664, AF1693

Overall Height: 6.19 (157)
Overall OD: 6.84 (174)
End 2 ID: 0.66 (17)
End 1 ID: 4.22 (107)

AF1666



NISSAN 1654618000

Overall Height: 1.94 (49)
Overall OD: 9.06 (230)
End 1 ID: 6.84 (174)

AF1667



CHRYSLER 2402677, MOPAR L141 Air

Height: 3.62 (92)
Length: 11.44 (291)

E. PRODUCT GUIDE

AF1668 BRIGGS & STRATTON 296186, 296188

Overall Height: 1.56 (40)
Overall OD: 4.39 (112)
End 1 ID: 3.0 (76)



AF1669 FRAM CA140PL

Overall Height: 2.12 (54)
Overall OD: 8.05 (204)
End 1 ID: 6.47 (164)



AF1670 CYCLONE AP250

Overall Height: 4.44 (113)
Overall OD: 7.12 (181)
End 1 ID: 4.94 (125)



AF1672 GMC 6484966; Crankcase Breather



AF1673 FORD D1AZ9D65A; For replacement foam, see AF1964



AF1675 CASE A43734; Primary air filter used with AF1676



Overall Height: 7.5 (191)
Overall OD: 11.72 (298)
End 2 ID: 7.16 (182)
End 1 ID: 0.44 (11)

AF1676 CASE A43735; Secondary air filter used with AF1675;



Overall Height: 6.13 (156)
Overall OD: 6.81 (173)
End 2 ID: 5.53 (140)
End 1 ID: 0.44 (11)

AF1678 CASE T395;15 Air, Panel



Height: 2.23 (57)
Length: 23.50 (597)
Width: 7.00 (178)

AF1680 DONALDSON P112212, MITSUBISHI 3083081900; Secondary air filter used with AF4059K; 3311624 Bolt Seal Included; Replaces AF4544

Overall Height: 13.42 (341)
Overall OD: 3.37 (85)
End 2 ID: 0.67 (17)
End 1 ID: 2.24 (57)



AF1681 JOHN DEERE AH80920; Cab Air

Height: 2.19 (56)
Length: 39.96 (1015)
Width: 6.12 (155)



AF1682 MASSEY-FERGUSON 1038946M91; Air, Primary

Overall Height: 14.28 (363)
Overall OD: 6.86 (174)
End 1 ID: 4.2 (107)



AF1683 CASE 529851R2; Air, Primary

Overall Height: 15.29 (388)
Overall OD: 6.08 (154)
End 1 ID: 3.48 (88)



AF1685 MASSEY-FERGUSON 1041846M91; Secondary air filter used with AF1631



Overall Height: 12.25 (311)
Overall OD: 5.22 (133)
End 2 ID: 0.66 (17)
End 1 ID: 4.08 (104)

AF1687 FORD D2NN9R500A, MASSEY-FERGUSON 1094269M91; Secondary air filter used with AF980, AF1954, AF492



Overall Height: 10.31 (262)
End 2 OD: 2.12 (54)
End 1 OD: 2.5 (64)
End 2 ID: 0.38 (10)
End 1 ID: 1.86 (47)

AF1688 FORD D2NN9601A



Overall Height: 14.38 (365)
End 2 OD: 7.94 (202)
End 1 OD: 9.81 (249)
End 2 ID: 4.62 (117)
End 1 ID: 0.53 (13)

AF1690 CASE 67975C1; Secondary air filter used with AF1689, AF1847



Overall Height: 15.5 (394)
Overall OD: 5.56 (141)
End 1 ID: 4.42 (112)

AF1693 CASE A44185; Primary air filter used with AF1665

Overall Height: 7.43 (189)
End 1 OD: 13.85 (352)
End 2 ID: 0.67 (17)
End 1 ID: 7.44 (189)



AF1694 CASE 537334R1; Primary air filter used with AF1839



Overall Height: 13.47 (342)
Overall OD: 6.08 (154)
End 1 ID: 3.48 (88)

AF1696 FORD D2HZ9601A

Overall Height: 10.38 (264)
Overall OD: 9.19 (233)
End 2 ID: 0.53 (13)
End 1 ID: 4.84 (123)



AF1697 MOPAR L539

Overall Height: 2.41 (61)
Overall OD: 9.75 (248)
End 1 ID: 7.56 (192)



AF1701 CASE A44694; Primary air filter used with AF1702



Overall Height: 7.55 (192)
End 2 OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)
Boot Diameter: 13.13 (334)

AF1702 CASE A44695; Secondary air filter used with AF1701



Overall Height: 5.26 (134)
Overall OD: 6.84 (174)
End 1 ID: 4.22 (107)

AF1704 MASSEY-FERGUSON 1039044M91; Primary air filter used with AF1635



Overall Height: 14.38 (365)
Overall OD: 5.31 (135)
End 1 ID: 3.44 (87)

AF1707 AC A705C, GMC 8995405



Overall Height: 2.61 (66)
Overall OD: 9.06 (230)
End 1 ID: 6.84 (174)

AF1708 CASE C15861, IHC 488619R91




Overall Height: 2.06 (52)
End 2 OD: 3.0 (76)
End 1 OD: 3.81 (97)
End 1 ID: 2.41 (61)


E. PRODUCT GUIDE

AF1720 HONDA 17220671000  Overall Height: 2.0 (51) Overall OD: 10.23 (260) End 1 ID: 7.64 (194) AF1724 FORD C9NN9R500B, D2NN9R500B; Secondary air filter used with AF1725  Overall Height: 13.75 (349) Overall OD: 4.56 (116) End 2 ID: 0.53 (13) End 1 ID: 3.47 (88) AF1727 DONALDSON P122115, NEW HOLLAND 73107280; Air, Panel  Height: 2.19 (56) Length: 23.50 (597) Width: 6.50 (165) AF1728 DONALDSON P113407; Air, Panel  Height: 2.19 (56) Length: 20.00 (508) Width: 7.50 (191) AF1730 CATERPILLAR 6K9606; Air, Panel  Height: 0.95 (24) Length: 23.43 (595) Width: 7.00 (178) AF1731 CASE 446661C2; For element with foam wrap, use AF1983; Replaces AF868  Overall Height: 5.0 (127) Overall OD: 11.56 (294) End 1 ID: 8.28 (210) AF1732K CASE A43264; Primary air filter used with AF488  Overall Height: 13.38 (340) End 2 OD: 7.94 (202) End 2 ID: 0.66 (17) End 1 ID: 5.3 (135) Fin Diameter: 10.0 (254) AF1733K MASSEY-FERGUSON 1093682M91; Primary air filter used with AF4103; Filter used with housing AH19267, AH19268; For Magnum Version, use AF1733KM  Overall Height: 15.35 (390) End 2 OD: 6.08 (154) End 2 ID: 0.67 (17) End 1 ID: 3.48 (88) Fin Diameter: 7.85 (200)	AF1733KM DONALDSON XLP182059; Primary air filter used with AF4103; Extended Life Version Of AF1733K  Overall Height: 15.54 (395) End 2 OD: 6.08 (154) End 2 ID: 0.67 (17) End 1 ID: 3.48 (88) Fin Diameter: 7.85 (200) AF1735K FIAT-ALLIS 70266787; Primary air filter used with AF4150; Filter used with housing AH19269; Replaces AF4148  Overall Height: 16.58 (421) End 2 OD: 6.85 (174) End 2 ID: 0.67 (17) End 1 ID: 4.23 (108) Fin Diameter: 8.88 (226) AF1737M GMC 2014573; Air, Primary; Gasket(s): 3312553  Overall Height: 14.97 (380) End 1 OD: 8.85 (225) End 2 ID: 5.82 (148) End 1 ID: 7.2 (183) AF1738 CASE 631422C1; Secondary air filter used with AF1740; 3311624 Bolt Seal Included  Overall Height: 12.11 (308) Overall OD: 3.88 (99) End 2 ID: 0.67 (17) End 1 ID: 2.48 (63) AF1739 DONALDSON P113632; Secondary air filter used with AF1747K; 3311624 Bolt Seal Included  Overall Height: 13.42 (341) Overall OD: 4.08 (104) End 2 ID: 0.67 (17) End 1 ID: 2.56 (65) AF1740 CASE 631421C1; Primary air filter used with AF1738  Overall Height: 14.63 (371) Overall OD: 7.35 (187) End 2 ID: 0.37 (10) End 1 ID: 4.0 (102) AF1741 WHITE 220050004; Air, Panel  Height: 5.0 (127) Length: 28.50 (724) Width: 19.00 (483)	AF1742M CASE 574845C1; Air, Primary  Overall Height: 23.0 (584) End 2 OD: 5.81 (147) End 1 OD: 8.66 (220) End 1 ID: 5.21 (132) AF1743M CASE 574844C1; Gasket(s): 3311631  Overall Height: 22.9 (582) End 2 OD: 7.49 (190) End 1 OD: 10.4 (264) End 1 ID: 6.95 (177) AF1744M FORD D6NN9601A; Primary air filter used with AF1766; 250806 Bolt Seal Included; Replaces AF1744  Overall Height: 11.54 (293) End 2 OD: 5.24 (133) End 1 OD: 5.91 (150) End 2 ID: 3.17 (80) End 1 ID: 0.49 (13) AF1746 DONALDSON P114653; Air, Panel  Height: 2.12 (54) Length: 30.56 (776) Width: 8.56 (217) AF1747K DONALDSON P113636; Primary air filter used with AF1739  Overall Height: 14.38 (365) End 2 OD: 6.84 (174) End 2 ID: 0.66 (17) End 1 ID: 4.22 (107) Fin Diameter: 8.69 (221) AF1748 DONALDSON SMP181058; Air, Primary; To upgrade, use AF1748M; Gasket(s): 3312555  Overall Height: 24.0 (610) End 1 OD: 13.85 (352) End 1 ID: 7.44 (189) AF1748M DONALDSON P132069; Air, Primary; Upgrade of AF1748; Gasket(s): 3312555  Overall Height: 24.0 (610) End 1 OD: 13.85 (352) End 1 ID: 7.44 (189) AF1749 DONALDSON P138789; Secondary air filter used with AF1612M; 3311624 Bolt Seal Included  Overall Height: 16.4 (417) End 2 OD: 7.21 (183) End 1 ID: 6.25 (159)
---	--	--

E. PRODUCT GUIDE

AF1750	GMC 8996555; Rectangular shaped
	Overall Height: 2.11 (54) End 1 OD: 10.7 (272) End 1 ID: 9.14 (232)
AF1751	GMC 8996528; Oval shaped
	Overall Height: 1.91 (49) End 1 OD: 10.41 (264) End 1 ID: 8.84 (225)
AF1752M	VOLVO 475975; Air, Primary
	Overall Height: 24.08 (612) Overall OD: 7.87 (200) End 2 ID: 0.41 (10) End 1 ID: 4.54 (115)
AF1753	DONALDSON P130747; 3311624 Bolt Seal Included; 3317119 Wing Nut
	Overall Height: 16.44 (418) Overall OD: 7.93 (201) End 2 ID: 0.67 (17) End 1 ID: 3.58 (91)
AF1754K	FORD D0HZ9601D; Complete With Reusable Lid; For Element Only, use AF1755; Replaces AF1607K
	Overall Height: 10.36 (263) End 2 OD: 9.04 (230) End 2 ID: 4.93 (125) End 1 ID: 0.54 (14) Fin Diameter: 11.47 (291) Cover Diameter: 12.38 (314)
AF1755	MOTORCRAFT FA1008; 250806 Bolt Seal Included; Replaces AF1607
	Overall Height: 10.61 (269) Overall OD: 8.89 (226) End 1 ID: 4.98 (127)
AF1758M	GMC 2031381, Air, Primary
	Overall Height: 15.98 (406) End 2 OD: 5.81 (147) End 1 OD: 8.66 (220) End 1 ID: 5.21 (132)
AF1759	QUINCY 125042001; Air, Panel
	Height: 5.37 (137) Length: 11.50 (292) Width: 15.00 (381)

AF1761	JOY 1224813
	Overall Height: 5.25 (133) Overall OD: 9.88 (251) End 1 ID: 6.06 (154)
AF1762	GMC 8997890
	Overall Height: 5.41 (137) Overall OD: 12.0 (305) End 1 ID: 9.82 (249)
AF1763K	DONALDSON P127172; Available in Australia only; Replaces AF1763
	
AF1765M	WHITE 220050009; Air, Primary
	Overall Height: 16.1 (409) End 2 OD: 13.85 (352) End 1 OD: 16.23 (412) End 2 ID: 7.44 (189)
AF1766	FORD D6NN9R500A; Secondary air filter used with AF1744M
	Overall Height: 10.08 (256) End 1 OD: 2.87 (73) End 2 ID: 0.43 (11) End 1 ID: 2.32 (59)
AF1767	YALE & TOWNE 408481; Secondary air filter used with AF1768M, AF4865M; 3311624 Bolt Seal Included
	Overall Height: 12.5 (318) End 2 OD: 5.72 (145) End 1 ID: 4.56 (116)
AF1768M	YALE & TOWNE 408480; Primary air filter used with AF1767; 3830497 Bolt Seal Included; Replaces AF4508, AF4708
	Overall Height: 13.44 (341) Overall OD: 9.14 (232) End 2 ID: 0.9 (23) End 1 ID: 5.87 (149)
AF1769	PERKINS PE322
	Overall Height: 2.99 (76) Overall OD: 6.89 (175) End 1 ID: 5.04 (128)

AF1770	CHRYSLER 5240668
	Overall Height: 5.78 (147) Overall OD: 4.39 (112) End 1 ID: 3.0 (76)
AF1771	FORD E1FZ9601A
	Overall Height: 2.01 (51) End 2 OD: 7.87 (200) End 1 OD: 14.57 (370) End 2 ID: 5.98 (152) End 1 ID: 12.68 (322)
AF1774	V.A.G. (VOLKSWAGEN, AUDI) 113129620, Air, Panel
	Height: 1.62 (41) Length: 13.23 (336) Width: 5.26 (134)
AF1777	FORD D7ZE9601A
	Overall Height: 2.19 (56) Overall OD: 11.03 (280) End 1 ID: 8.5 (216)
AF1780	GMC 25040929
	Overall Height: 2.82 (72) Overall OD: 9.69 (246) End 1 ID: 8.12 (206)
AF1781M	GMC 25040535, 717714; Gasket(s): 3312555
	Overall Height: 26.0 (660) End 1 OD: 13.85 (352) End 2 ID: 7.44 (189)
AF1782	AIR MAZE CD1221B05826
	Overall Height: 17.95 (456) Overall OD: 10.0 (254) End 2 ID: 0.43 (11) End 1 ID: 6.69 (170)
AF1785	GMC 25040881
	Overall Height: 2.47 (63) Overall OD: 8.43 (214) End 1 ID: 6.93 (176)
AF1788	GMC 25041208
	Overall Height: 2.62 (67) Overall OD: 13.88 (353) End 1 ID: 11.62 (295)
AF1789	GMC 25041646
	Overall Height: 1.75 (44) Overall OD: 9.31 (236) End 1 ID: 7.5 (191)

E. PRODUCT GUIDE

AF1790M  MACK 57MD32; 3311624 Bolt Seal Included Overall Height: 7.54 (192) Overall OD: 8.85 (225) End 2 ID: 0.67 (17) End 1 ID: 5.45 (138)	AF1800  RENAULT V.I. 5000559387 Overall Height: 13.45 (342) End 2 OD: 5.97 (152) End 2 ID: 3.33 (85) End 1 ID: 0.36 (9) Cover Diameter: 7.96 (202)	AF1809  MANN & HUMMEL C30880 Overall Height: 18.72 (476) End 2 OD: 11.88 (302) End 2 ID: 7.55 (192) End 1 ID: 0.41 (11) Cover Diameter: 14.96 (380)
AF1791  KOMATSU 6127817413; Secondary air filter used with AF4504M; 3311624 Bolt Seal Included Overall Height: 17.73 (450) End 2 OD: 7.31 (186) End 1 OD: 8.43 (214) End 2 ID: 0.67 (17) End 1 ID: 6.23 (158)	AF1801  MERCEDES-BENZ 10949604 Overall Height: 13.83 (351) End 2 OD: 6.44 (164) End 2 ID: 3.41 (87) End 1 ID: 0.34 (9) Cover Diameter: 7.76 (197)	AF1811  FORD 81DB9601TB; Replaces AF1936 Overall Height: 15.37 (391) End 2 OD: 6.06 (154) End 1 OD: 7.01 (178) End 2 ID: 0.67 (17) End 1 ID: 3.54 (90)
AF1792  LEROI H43651 Overall Height: 4.75 (121) Overall OD: 4.37 (111) End 1 ID: 3.0 (76)	AF1802  M.A.N. 81083040044; Primary air filter used with AF4523; Seal included Overall Height: 18.72 (476) End 1 OD: 11.88 (302) End 2 ID: 0.41 (11) End 1 ID: 7.55 (192)	AF1812  MERCEDES-BENZ 20942404 Overall Height: 13.91 (353) End 2 OD: 12.85 (327) End 2 ID: 6.58 (167) End 1 ID: 0.41 (11) Cover Diameter: 15.16 (385)
AF1793  MANN & HUMMEL C246502 Overall Height: 19.5 (495) End 2 OD: 9.54 (242) End 2 ID: 5.21 (132) End 1 ID: 0.41 (11) Cover Diameter: 12.17 (309)	AF1804  M.A.N. 81083040039, MANN & HUMMEL C247001 Overall Height: 19.62 (498) End 1 OD: 9.56 (243) End 2 ID: 5.21 (132)	AF1813  LEYLAND ACU3731; Replaces AF1937 Overall Height: 18.47 (469) End 2 OD: 7.24 (184) End 1 OD: 8.25 (210) End 2 ID: 0.67 (17) End 1 ID: 4.65 (118)
AF1795M  VOLVO 6872683; Air, Primary Overall Height: 20.38 (518) Overall OD: 7.87 (200) End 2 ID: 0.41 (10) End 1 ID: 4.54 (115)	AF1805M  CATERPILLAR 1W2516; Air, Primary Overall Height: 19.02 (483) End 1 OD: 12.49 (317) End 2 ID: 9.11 (231)	AF1814M  WHITE 220050013 Overall Height: 15.55 (395) End 2 OD: 13.85 (352) End 1 OD: 16.26 (413) End 2 ID: 7.44 (189)
AF1797M  FORD E2HZ9601A; Air, Primary; Gasket(s): 3309167; Replaces AF1818M Overall Height: 29.03 (737) End 2 OD: 9.81 (249) End 1 OD: 12.77 (324) End 1 ID: 8.33 (212)	AF1806M  WHITE 220050012; Air, Primary Overall Height: 16.05 (408) Overall OD: 12.1 (307) End 1 ID: 6.69 (170)	AF1815  DONALDSON P141284; For Magnum Version, use AF1815M; Replaces AF1816 Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 8.69 (221)
AF1798  M.A.N. 81083040024 Overall Height: 15.06 (383) End 1 OD: 8.98 (228) End 2 ID: 4.6 (117)	AF1807  FRAM CA240B; Pre-cleaner used with AF1888; Complete Assembly is AF1650 Height: 10.4 (264) Length: 29.00 (737) Width: 1.00 (25)	AF1815M  Extended Life Version of AF1815 Overall Height: 8.05 (204) Overall OD: 12.08 (307) End 1 ID: 8.69 (221)
AF1799  RENAULT V.I. 5000243970 Overall Height: 12.78 (325) End 2 OD: 7.11 (181) End 1 OD: 9.36 (238) End 2 ID: 4.16 (106) End 1 ID: 0.36 (9)	AF1808M  FRAM CA2550; Air, Primary Overall Height: 28.38 (721) Overall OD: 9.5 (241) End 1 ID: 6.49 (165)	AF1817  DONALDSON P142100; Air, Primary; To upgrade, use AF1817M; Gasket(s): 3309167 Overall Height: 25.01 (635) End 2 OD: 9.81 (249) End 1 OD: 12.77 (324) End 1 ID: 8.33 (212)

E. PRODUCT GUIDE

AF1817M



DONALDSON P185027; Air, Primary; Upgrade of AF1817; To upgrade, use AF1817NF; Gasket(s): 3309167

Overall Height: 25.01 (635)
End 2 OD: 9.81 (249)
End 1 OD: 12.77 (324)
End 1 ID: 8.33 (212)

AF1817NF



DONALDSON DBA5027; NanoForce Axial Seal Primary Air Element; Upgrade of AF1817M

Overall Height: 25.01 (635)
End 2 OD: 9.81 (249)
End 1 OD: 12.77 (324)
End 1 ID: 8.33 (212)

AF1819



MASSEY-FERGUSON 1051376M91; Air, Primary

Overall Height: 20.68 (525)
Overall OD: 11.5 (292)
End 2 ID: 0.4 (10)
End 1 ID: 7.0 (178)

AF1820M



CATERPILLAR 7N1225; Air, Primary

Overall Height: 9.5 (241)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF1821M



FRAM CA2570; Air, Primary; Gasket(s): 3310237

Overall Height: 28.38 (721)
End 1 OD: 9.54 (242)
End 2 ID: 6.49 (165)
End 1 ID: 0.39 (10)

AF1822



NISSAN 16546L3000

Overall Height: 6.72 (171)
Overall OD: 4.97 (126)
End 2 ID: 0.44 (11)
End 1 ID: 2.75 (70)

AF1823K



DONALDSON P120281; Primary air filter used with AF1824; Filter used with housing AH19061, AH19062

Overall Height: 14.39 (365)
End 2 OD: 4.08 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.56 (65)
Fin Diameter: 5.16 (131)

AF1824



DONALDSON P120307, NELSON 70497N; Secondary air filter used with AF1823K; Filter used with housing AH19062

Overall Height: 13.14 (334)
End 2 OD: 2.38 (60)
End 1 OD: 4.5 (114)
End 2 ID: 0.65 (16)
End 1 ID: 2.0 (51)

AF1827



BENDIX 100783, MIDLAND STEEL 100696A

Overall Height: 1.03 (26)
Overall OD: 2.73 (69)
End 1 ID: 1.38 (35)

AF1828



DONALDSON P124861; Primary air filter used with AF1894M; Is Long version of AF25762; Filter used with housing AH19259; 3830497S Bolt Seal Included

Overall Height: 20.7 (526)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.9 (23)
Boot Diameter: 12.8 (325)

AF1829



MANN & HUMMEL C27585

Overall Height: 9.11 (232)
End 2 OD: 10.39 (264)
End 2 ID: 5.2 (132)
End 1 ID: 0.41 (11)
Cover Diameter: 12.99 (330)

AF1830KM



CASE 924779C2; Primary air filter used with AF1839; 3311624 Bolt Seal Included

Overall Height: 12.5 (318)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 3.35 (85)
Fin Diameter: 6.34 (161)

AF1831



DONALDSON P138037; 3830497 Bolt Seal Included

Overall Height: 16.4 (417)
End 2 OD: 8.26 (210)
End 1 OD: 0.92 (23)
End 1 ID: 7.1 (180)

AF1832



CASE 505633C1; Air, Primary

Overall Height: 19.54 (496)
End 2 OD: 12.77 (324)
End 1 OD: 16.26 (413)
End 2 ID: 8.36 (212)

AF1833



CATERPILLAR 6N6444; Secondary air filter used with AF873M; Fleetguard Airtkit Option AF4515 + AK00006

Overall Height: 11.97 (304)
End 2 OD: 8.62 (219)
End 2 ID: 7.06 (179)
Flange Diameter: 11.42 (290)

AF1835



FORD D6NN9R500B; Secondary air filter used with AF1855

Overall Height: 13.43 (341)
Overall OD: 2.87 (73)
End 2 ID: 0.43 (11)
End 1 ID: 2.32 (59)

AF1837



DONALDSON P148044; Air, Primary; Gasket(s): 3309314

Overall Height: 28.9 (734)
End 2 OD: 5.81 (147)
End 1 OD: 8.66 (220)
End 1 ID: 5.21 (132)

AF1838



DONALDSON P148043; Gasket(s): 3311631

Overall Height: 28.9 (734)
End 2 OD: 7.49 (190)
End 1 OD: 10.4 (264)
End 1 ID: 6.95 (177)

AF1839



CASE 537335R1; Secondary air filter used with AF1694, AF1830KM

Overall Height: 11.06 (281)
End 2 OD: 2.95 (75)
End 1 OD: 3.62 (92)
End 2 ID: 0.67 (17)
End 1 ID: 2.44 (62)

AF1840



BOMAG 5821014, FENDT F184230090100, LIEBHERR 7360733, VOLVO 6644988; Secondary air filter used with AF25044M, AF25064, AF1601M

Overall Height: 14.78 (376)
End 2 OD: 3.98 (101)
End 1 OD: 4.33 (110)
End 2 ID: 0.67 (17)
End 1 ID: 3.41 (87)

AF1841



KAELEBLE 34000191, KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2243946, VOLVO 4785746; Secondary air filter used with AF25065, AF971, AF25043M

Overall Height: 14.96 (380)
End 2 OD: 4.49 (114)
End 1 OD: 4.76 (121)
End 2 ID: 0.67 (17)
End 1 ID: 3.92 (100)

AF1842



BOMAG 5821015, KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2985037, VOLVO 4765611; Secondary air filter used with AF4058

Overall Height: 13.56 (345)
End 2 OD: 3.31 (84)
End 1 OD: 3.54 (90)
End 2 ID: 0.67 (17)
End 1 ID: 2.74 (70)

AF1843



VOLVO 4785749; Secondary air filter used with AF4060

Overall Height: 18.84 (479)
End 2 OD: 5.12 (130)
End 1 OD: 5.51 (140)
End 2 ID: 0.67 (17)
End 1 ID: 4.55 (116)

E. PRODUCT GUIDE

AF1845K  J.C.B. 32203702; Primary air filter used with AF1851 Overall Height: 12.52 (318) End 2 OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.81 (72) Fin Diameter: 6.34 (161)	AF1854  STEIGER 13899; 3311624 Bolt Seal Included Overall Height: 20.98 (533) End 2 OD: 8.64 (219) End 1 OD: 0.68 (17) End 1 ID: 7.11 (181)	AF1862M  JOHN DEERE T52223; Primary air filter used with AF1863M; 3830497 Bolt Seal Included Overall Height: 15.47 (393) Overall OD: 10.86 (276) End 2 ID: 0.92 (23) End 1 ID: 6.5 (165)
AF1846  DONALDSON P150694; Air, Primary Overall Height: 28.4 (721) End 2 OD: 7.49 (190) End 1 OD: 10.4 (264) End 1 ID: 6.95 (177)	AF1855  FORD D6NN9601B; Primary air filter used with AF1835 Overall Height: 14.95 (380) End 2 OD: 5.24 (133) End 1 OD: 5.91 (150) End 2 ID: 3.17 (81) End 1 ID: 0.49 (13)	AF1863M  JOHN DEERE T52224; Secondary air filter used with AF1862M; 3311624 Bolt Seal Included Overall Height: 14.49 (368) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134)
AF1847  CASE 67974C4; Primary air filter used with AF1690; Replaces AF1689 Overall Height: 16.57 (421) End 1 OD: 9.6 (244) End 2 ID: 5.71 (145)	AF1856  MASSEY-FERGUSON 1698683M1; Primary air filter used with AF1857 Overall Height: 9.15 (233) End 2 OD: 6.65 (169) End 1 OD: 7.44 (189) End 2 ID: 3.62 (92) End 1 ID: 0.34 (9)	AF1864  WHITE 220050010; Air, Primary Overall Height: 18.55 (471) End 2 OD: 12.75 (324) End 2 ID: 7.42 (189) Flange Diameter: 16.23 (412)
AF1848  CASE 494730C91; 3311624 Bolt Seal Included Overall Height: 17.72 (450) Overall OD: 12.08 (307) End 2 ID: 0.67 (17) End 1 ID: 7.73 (196)	AF1857  MASSEY-FERGUSON 1698684M1; Secondary air filter used with AF1856 Overall Height: 7.91 (201) Overall OD: 3.5 (89) End 2 ID: 0.34 (9) End 1 ID: 2.24 (57)	AF1865  FENDT X810270070, KRAMER 9930906, RENAULT V.I. 3563576, 4311087 Overall Height: 13.22 (336) End 2 OD: 5.87 (149) End 2 ID: 2.82 (72) End 1 ID: 0.34 (9) Cover Diameter: 6.99 (178)
AF1849M  DRESSTA 1200454H1, STEIGER 13898; Primary air filter used with AF881; 3830497 Bolt Seal Included Overall Height: 22.48 (571) Overall OD: 13.83 (351) End 2 ID: 0.9 (23) End 1 ID: 9.48 (241)	AF1858  MASSEY-FERGUSON 1698374M1; Primary air filter used with AF1859 Overall Height: 12.82 (326) End 2 OD: 6.65 (169) End 1 OD: 7.44 (189) End 2 ID: 3.62 (92) End 1 ID: 0.34 (9)	AF1866M  CASE 932391C1; Primary air filter used with AF1873; 3311624 Bolt Seal Included Overall Height: 18.48 (469) End 1 OD: 9.2 (234) End 2 ID: 5.87 (149) End 1 ID: 0.67 (17)
AF1850  DONALDSON P150692; For element w/ attached cover, use AF4562M Overall Height: 28.4 (721) End 2 OD: 5.82 (148) End 1 OD: 8.66 (220) End 1 ID: 5.21 (132)	AF1859  MASSEY-FERGUSON 1698375M1; Secondary air filter used with AF1858 Overall Height: 11.65 (296) Overall OD: 3.5 (89) End 2 ID: 0.34 (9) End 1 ID: 2.24 (57)	AF1867  COOPERS AZA250T; Replaces AF1938 Overall Height: 19.24 (489) End 2 OD: 8.5 (216) End 1 OD: 9.96 (253) End 2 ID: 0.69 (18) End 1 ID: 6.3 (160)
AF1851  J.C.B. 32203703; Secondary air filter used with AF1845K Overall Height: 11.06 (281) End 2 OD: 2.76 (70) End 1 OD: 3.27 (83) End 2 ID: 0.67 (17) End 1 ID: 2.4 (61)	AF1860  LEYLAND AAU6096 Overall Height: 15.21 (386) Overall OD: 6.65 (169) End 2 ID: 0.41 (11) End 1 ID: 4.17 (106)	AF1868  COOPERS AZA199T Overall Height: 20.54 (522) End 2 OD: 9.21 (234) End 1 OD: 11.48 (292) End 2 ID: 0.67 (17) End 1 ID: 8.1 (206)
AF1852  LISTER PETTER 36606227; Air, Primary Overall Height: 2.52 (64) Overall OD: 5.79 (147) End 1 ID: 4.17 (106)	AF1861K  CASE 3125342R1; Primary air filter used with AF4882 Overall Height: 11.55 (293) End 2 OD: 6.08 (154) End 2 ID: 0.67 (17) End 1 ID: 3.48 (88) Fin Diameter: 7.85 (200)	AF1869  CATERPILLAR 4N0015; Air, Panel Height: 5.54 (141) Length: 15.00 (381) Width: 15.00 (381)

E. PRODUCT GUIDE

AF1871M



CROSLAND 9509; Same as AF361 w/attached gasket; 250806 Bolt Seal Included

Overall Height: 16.39 (416)
Overall OD: 13.83 (351)
End 2 ID: 0.54 (14)
End 1 ID: 9.48 (241)

AF1872



3311624 Bolt Seal Included

Overall Height: 13.5 (343)
Overall OD: 6.84 (174)
End 2 ID: 0.66 (17)
End 1 ID: 3.48 (88)

AF1873



CASE 932390C; 1 Secondary air filter used with AF1866M; 3311624 Bolt Seal Included

Overall Height: 16.34 (415)
End 2 OD: 5.72 (145)
End 1 ID: 4.56 (116)

AF1874



MACK 2MD3131

Overall Height: 4.31 (109)
Largest OD: 3.7 (94)
Thread Size: 3/4-20 UNEF-2B

AF1875M



DONALDSON P133754; Air, Primary; Gasket(s): 3312554

Overall Height: 16.94 (430)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF1876



CATERPILLAR 7G8116 3834340; Wing Nut Included

Overall Height: 7.54 (192)
Overall OD: 6.08 (154)
End 1 ID: 3.48 (88)

AF1877



CATERPILLAR 2V0036; Air, Secondary; Gasket(s): 3312136

Overall Height: 9.52 (242)
End 1 OD: 6.85 (174)
End 2 ID: 4.23 (107)

AF1878



CASE 588213C1

Overall Height: 6.95 (177)
Overall OD: 11.56 (294)
End 1 ID: 8.28 (210)

AF1879



DAF 693099

Overall Height: 14.99 (381)
Overall OD: 9.88 (251)
End 1 ID: 5.51 (140)

AF1880



VOLVO 15178478

Overall Height: 12.67 (322)
Overall OD: 6.54 (166)
End 1 ID: 2.99 (76)

AF1881



RENAULT V.I. 5000560078

Overall Height: 14.83 (377)
End 2 OD: 8.7 (221)
End 1 OD: 11.85 (301)
End 2 ID: 4.74 (121)
End 1 ID: 0.49 (13)

AF1882



PERMATIC FA1443, RENAULT V.I. 5000807196

Overall Height: 16.45 (418)
End 2 OD: 11.69 (297)
End 2 ID: 5.24 (133)
End 1 ID: 0.47 (12)
Cover Diameter: 14.74 (375)

AF1884KM



GMC 6488354; Primary air filter used with AF1885; 3311624 Bolt Seal Included

Overall Height: 15.51 (394)
End 2 OD: 11.08 (281)
End 2 ID: 6.73 (171)
End 1 ID: 0.67 (17)
Fin Diameter: 13.8 (351)

AF1885



JOY 360628321; Secondary air filter used with AF1884KM; 3311624 Bolt Seal Included

Overall Height: 15.11 (384)
End 2 OD: 6.41 (163)
End 1 ID: 5.27 (134)

AF1886M



FORD E2HZ9601B 3311624; Bolt Seal Included

Overall Height: 10.5 (267)
Overall OD: 13.85 (352)
End 2 ID: 0.67 (17)
End 1 ID: 7.44 (189)

AF1887M



CASE 935694C1; Primary air filter used with AF907; 3311624 Bolt Seal Included

Overall Height: 16.51 (419)
Overall OD: 10.4 (264)
End 2 ID: 0.68 (17)
End 1 ID: 6.05 (154)

AF1888



FRAM CA240PLH, Pre-cleaner blanket is AF1807; Complete assembly is AF1650

Overall Height: 11.71 (297)
Overall OD: 9.61 (244)
End 1 ID: 5.14 (131)

AF1890M



CATERPILLAR 8N5504; Primary air filter used with AF1891, AF4886

Overall Height: 5.78 (147)
Overall OD: 8.39 (213)
End 1 ID: 4.0 (102)

AF1891



CATERPILLAR 7N9027; Secondary air filter used with AF1890M; Replaces AF4873

Overall Height: 6.57 (167)
End 2 OD: 3.92 (100)
End 2 ID: 2.38 (60)
Flange Diameter: 6.7 (170)

AF1892



Secondary air filter used with AF1606KM, AF4800K, AF4888K; Filter used with housing AH19064

Overall Height: 14.02 (356)
End 2 OD: 2.95 (75)
End 1 OD: 3.62 (92)
End 2 ID: 0.67 (17)
End 1 ID: 2.44 (62)

AF1893



FRAM CA230PLHD; Pre-cleaner blanket is AF1844

Overall Height: 9.71 (247)
Overall OD: 8.35 (212)
End 1 ID: 5.14 (131)

AF1894M



DONALDSON P124860; Secondary air filter used with AF1828, AF26489; Filter used with housing AH19259; Pre-cleaner blanket is AF1844; 3830497S Bolt Seal Included

Overall Height: 18.5 (470)
End 2 OD: 7.65 (194)
End 1 ID: 6.02 (153)

AF1895M



DONALDSON P133050; Air, Primary

Overall Height: 13.54 (344)
End 2 OD: 13.85 (352)
End 1 OD: 16.26 (413)
End 2 ID: 7.44 (189)

AF1896M



GARDNER-DENVER 8507413; 3311624 Bolt Seal Included

Overall Height: 13.5 (343)
Overall OD: 10.4 (264)
End 2 ID: 0.68 (17)
End 1 ID: 6.05 (154)

E. PRODUCT GUIDE

AF1897M  WHITE 220053201; Air, Primary Overall Height: 15.95 (405) End 2 OD: 13.79 (350) End 1 ID: 9.52 (242)	AF1905M  KOMATSU 6001814300; Primary air filter used with AF1904M Overall Height: 16.58 (421) End 1 OD: 11.12 (282) End 2 ID: 6.73 (171)	AF1919  INGERSOLL-RAND 59710368; 256017 Bolt Seal Included; 3839974 Wing Nut Included Overall Height: 27.04 (687) End 2 OD: 15.11 (384) End 2 ID: 8.2 (208) End 1 ID: 0.85 (22) Boot Diameter: 15.77 (401)
AF1898KM  MOTORCRAFT AFA106; Primary air filter used with AF1899M; 3830497 Bolt Seal Included Overall Height: 18.51 (470) Largest OD: 15.8 (401)	AF1907M  FILTER CLONE 128495, FC3R1001; 3830497 Bolt Seal Included Overall Height: 26.47 (672) Overall OD: 10.4 (264) End 2 ID: 0.9 (23) End 1 ID: 6.05 (154)	AF1920  LISTER PETTER 334402 Overall Height: 2.83 (72) Overall OD: 3.74 (95) End 1 ID: 1.93 (49)
AF1899M  MOTORCRAFT AFA107; Secondary air filter used with AF1898KM 3311624; Bolt Seal Included Overall Height: 17.14 (435) Overall OD: 8.26 (210) End 2 ID: 0.67 (17) End 1 ID: 7.1 (180)	AF1909  DONALDSON P900024; 3311624 Bolt Seal Included Overall Height: 14.38 (365) End 2 OD: 8.2 (208) End 1 ID: 7.1 (180)	AF1921M  KOMATSU 5610212330; Primary air filter used with AF1922M; 3830497 Bolt Seal Included Overall Height: 24.46 (621) Overall OD: 12.08 (307) End 2 ID: 0.9 (23) End 1 ID: 7.73 (196)
AF1900M  DONALDSON P123347; Air, Primary Overall Height: 12.02 (305) End 2 OD: 8.04 (204) End 2 ID: 6.05 (154)	AF1910M  CASE 71912C2; Primary air filter used with AF988 Overall Height: 15.38 (391) End 1 OD: 6.85 (174) End 2 ID: 3.48 (88)	AF1922M  KOMATSU 5610212320; Secondary air filter used with AF1921M; 3311624 Bolt Seal Included Overall Height: 23.53 (598) End 1 OD: 7.3 (185) End 2 ID: 6.19 (157) End 1 ID: 0.67 (17)
AF1901M  DONALDSON P128781; Air, Primary Overall Height: 23.5 (597) Overall OD: 12.77 (324) End 1 ID: 8.36 (212)	AF1914  BEDFORD 7972962 Overall Height: 14.55 (370) End 1 OD: 6.44 (164) End 2 ID: 3.9 (99)	AF1925K  HINO 178011720 Overall Height: 11.65 (296) End 2 OD: 7.87 (200) End 2 ID: 0.51 (13) End 1 ID: 3.94 (100) Fin Diameter: 9.09 (231)
AF1902M  KOMATSU 6001812350; Secondary air filter used with AF1903M; European version of AF4532; 256017 Bolt Seal Included; Replaces AF1902 Overall Height: 13.55 (344) Overall OD: 5.07 (129) End 2 ID: 0.65 (17) End 1 ID: 3.83 (97)	AF1916  FORD E3TZ9601H Overall Height: 2.17 (55) Overall OD: 9.92 (252) End 1 ID: 8.03 (204)	AF1927  E.R.F. 943042, LEYLAND ACU3994 Overall Height: 19.05 (484) End 2 OD: 8.66 (220) End 1 ID: 5.16 (131) Cover Diameter: 9.41 (239)
AF1903M  KOMATSU 6001812300; Primary air filter used with AF1902M; European version of AF4533; Replaces AF1903 Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 ID: 5.25 (133)	AF1917M  CASE A47137, JOHN DEERE AT39124; Primary air filter used with AF487; 3311624 Bolt Seal Included Overall Height: 12.5 (318) Overall OD: 9.21 (234) End 2 ID: 0.67 (17) End 1 ID: 4.86 (123)	AF1929  Primary air filter used with AF804M Overall Height: 16.37 (416) Overall OD: 9.21 (234) End 2 ID: 0.67 (17) End 1 ID: 4.86 (123)
AF1904M  KOMATSU 6001814212; Secondary air filter used with AF1905M Overall Height: 16.11 (409) End 2 OD: 6.4 (163) End 1 OD: 7.59 (193) End 2 ID: 0.67 (17) End 1 ID: 5.28 (134)	AF1918KM  ISUZU 9142151960; 250806 Bolt Seal Included Overall Height: 12.25 (311) End 2 OD: 6.08 (154) End 2 ID: 0.47 (12) End 1 ID: 3.48 (88) Fin Diameter: 7.8 (198)	AF1934M  CASE S238646; Primary air filter used with AF1935M; 3830497 Bolt Seal Included; Replaces AF4698, AF4902 Overall Height: 18.48 (469) Overall OD: 9.14 (232) End 2 ID: 0.9 (23) End 1 ID: 5.87 (149)

E. PRODUCT GUIDE

AF1935M



DONALDSON P124046;
Secondary air filter used with
AF1934M; 3311624 Bolt Seal
Included

Overall Height: 17.48 (444)
End 2 OD: 5.72 (145)
End 1 ID: 4.56 (116)

AF1943M



WHITE 220053202

Overall Height: 16.0 (406)
Overall OD: 12.08 (307)
End 1 ID: 7.73 (196)

AF1944



NELSON 83887N; Air, Panel

Height: 2.12 (54)
Length: 16.88 (429)
Width: 7.88 (200)

AF1945



COOPERS AZA251T

Overall Height: 14.49 (368)
End 2 OD: 6.46 (164)
End 1 OD: 7.48 (190)
End 2 ID: 3.84 (98)
End 1 ID: 0.65 (17)

AF1946M



CHAMP 1523443, LUBERFINER
1523443, MACK 57MD37M; Air,
Primary

Overall Height: 22.52 (572)
End 2 OD: 13.85 (352)
End 2 ID: 7.44 (189)

AF1947



GMC 2026736; 3311624 Bolt
Seal Included

Overall Height: 12.02 (305)
End 2 OD: 11.07 (281)
End 2 ID: 7.25 (184)
End 1 ID: 0.64 (16)
Cover Diameter: 11.87 (302)

AF1948



CASE 405716R1, 405716R2

Overall Height: 6.14 (156)
Overall OD: 4.2 (107)
End 1 ID: 2.0 (51)

AF1949



EUCLID 9023871

Overall Height: 3.62 (92)
Overall OD: 3.06 (78)
End 1 ID: 1.56 (40)

AF1950



EUCLID 9034697; Air, Panel

Height: 18.5 (470)
Length: 31.00 (787)
Width: 10.80 (274)

AF1951



TORIT S102235

Overall Height: 26.44 (672)
Overall OD: 12.76 (324)
End 2 ID: 0.55 (14)
End 1 ID: 8.43 (214)

AF1952



TOWMOTOR 358896

Overall Height: 3.97 (101)
End 2 OD: 2.94 (75)
End 1 OD: 3.25 (83)
End 1 ID: 2.0 (51)

AF1953



IVECO 1901601

Overall Height: 4.96 (126)
Overall OD: 6.34 (161)
End 1 ID: 4.49 (114)

AF1954



MASSEY-FERGUSON
1094056M1; Primary air filter
used with AF1687; 250806 Bolt
Seal Included

Overall Height: 10.87 (276)
Overall OD: 5.32 (135)
End 2 ID: 0.4 (10)
End 1 ID: 2.21 (56)

AF1955KM



GROVE 9304100072; 3311624
Bolt Seal Included

Overall Height: 18.55 (471)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)
End 1 ID: 0.67 (17)
Fin Diameter: 15.8 (401)

AF1956KM



MASSEY-FERGUSON
1043326M1; Primary air filter
used with AF1966; Gasket(s):
3301542; 3311624 Bolt Seal
Included

Overall Height: 11.43 (290)
End 2 OD: 5.24 (133)
End 2 ID: 2.71 (69)
End 1 ID: 0.67 (17)
Fin Diameter: 6.44 (164)

AF1960



MASSEY-FERGUSON
1698675M1; Primary air filter
used with AF1961

Overall Height: 9.45 (240)
End 2 OD: 4.25 (108)
End 1 OD: 4.53 (115)
End 2 ID: 2.64 (67)
End 1 ID: 0.39 (10)

AF1961



MASSEY-FERGUSON
1698676M1; Secondary air filter
used with AF1960

Overall Height: 8.23 (209)
End 1 OD: 2.6 (66)
End 2 ID: 0.34 (9)
End 1 ID: 1.61 (41)

AF1962



KOMATSU 6001812500; Primary
air filter used with AF1963

Overall Height: 13.15 (334)
Overall OD: 9.76 (248)
End 1 ID: 5.65 (144)

AF1963



KOMATSU 6001812461;
Secondary air filter used with
AF1962

Overall Height: 10.95 (278)
Overall OD: 5.51 (140)
End 2 ID: 0.63 (16)
End 1 ID: 4.23 (108)

AF1965M



MACK 2191P138427; Gasket(s):
3318734; 3317119 Wing Nut;
3311624 Bolt Seal Included

Overall Height: 15.55 (395)
End 2 OD: 8.66 (220)
End 1 OD: 9.83 (250)
End 2 ID: 5.21 (132)
End 1 ID: 0.67 (17)

AF1966



MASSEY-FERGUSON
1043327M91; Secondary air filter
used with AF1956KM, AF4887KM

Overall Height: 10.08 (256)
End 2 OD: 2.59 (66)
End 1 OD: 3.05 (77)
End 2 ID: 0.66 (17)
End 1 ID: 2.15 (55)

AF1967



NELSON A12871; 3830497 Bolt
Seal Included

Overall Height: 14.5 (368)
End 2 OD: 6.29 (160)
End 1 ID: 4.6 (117)

AF1968



DONALDSON P153551; Air,
Primary; To upgrade, use
AF1968M, AF26328

Overall Height: 22.4 (569)
End 2 OD: 10.59 (269)
End 1 OD: 11.67 (296)
End 2 ID: 6.71 (170)

AF1968M



DONALDSON P185053; Air,
Primary; Upgrade of AF1968; To
upgrade, use AF26328M

Overall Height: 22.4 (569)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)
Cover Diameter: 11.67 (296)

E. PRODUCT GUIDE

AF1969



DONALDSON P150695; Air, Primary; To upgrade, use AF1969M

Overall Height: 28.4 (721)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)
Cover Diameter: 11.67 (296)

AF1969M



DONALDSON P185047; Air, Primary; Upgrade of AF1969

Overall Height: 28.4 (721)
End 2 OD: 10.59 (269)
End 2 ID: 6.71 (170)
Cover Diameter: 11.67 (296)

AF1971



PERMATIC FA1068

Overall Height: 20.0 (508)
End 2 OD: 11.24 (286)
End 2 ID: 6.12 (156)
End 1 ID: 0.2 (5)
Cover Diameter: 16.57 (421)

AF1972



KOHLER 277138

Overall Height: 4.08 (104)
Overall OD: 6.07 (154)
End 1 ID: 4.68 (119)

AF1973



MOTORCRAFT FA1041; Air, Primary

Overall Height: 6.97 (177)
Overall OD: 11.71 (297)
End 1 ID: 8.33 (212)

AF1974



TOYOTA 178012200071

Overall Height: 3.5 (89)
Overall OD: 7.37 (187)
End 1 ID: 4.31 (110)

AF1975



TOYOTA 233013020571; Air, Primary

Overall Height: 5.7 (145)
Overall OD: 7.68 (195)
End 1 ID: 3.31 (84)

AF1977M



DONALDSON SMP181162; Air, Primary

Overall Height: 10.51 (267)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF1978



MANN & HUMMEL C1450; Replaces AF4020

Overall Height: 4.84 (123)
Overall OD: 5.51 (140)
End 1 ID: 3.07 (78)

AF1979



CATERPILLAR 9P5174; Air, Panel

Height: 0.88 (22)
Length: 13.25 (337)
Width: 12.00 (305)

AF1980



JOHN DEERE AT44378, NELSON 70515C; Secondary air filter used with AF4736, AF409K

Overall Height: 11.0 (279)
End 2 OD: 3.44 (87)
End 2 ID: 0.66 (17)
End 1 ID: 2.88 (73)
Flange Diameter: 4.07 (103)

AF1983



FORD E3TZ9601C; For element w/o foam wrap, use AF1731

Overall Height: 5.0 (127)
Overall OD: 12.51 (318)
End 1 ID: 8.28 (210)

AF1984K



HUBER-WARCO 104873; 3311624 Bolt Seal Included

Overall Height: 16.26 (413)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.7 (196)

AF1985



AC A644C; Same as AF1628 with foam pre-cleaner

Overall Height: 4.69 (119)
Overall OD: 14.88 (378)
End 1 ID: 11.62 (295)

AF1986



DONALDSON P105958; Air, Panel

Height: 2.75 (70)
Length: 10.00 (254)
Width: 10.00 (254)


AF4021



ROLLS ROYCE OE17616

Overall Height: 7.54 (192)
Overall OD: 8.07 (205)
End 2 ID: 0.43 (11)
End 1 ID: 5.77 (147)

AF4023



SCANIA 709457

Overall Height: 5.02 (128)
Overall OD: 5.63 (143)
End 1 ID: 3.44 (88)

AF4024



ROLLS ROYCE UE9813

Overall Height: 4.04 (103)
Overall OD: 8.27 (210)
End 1 ID: 5.88 (149)

AF4026



CUMMINS 701646; Air, Primary

Overall Height: 15.8 (401)
Overall OD: 11.54 (293)
End 1 ID: 7.41 (188)

AF4027



VOLVO 347436; Air, Primary

Overall Height: 10.43 (265)
Overall OD: 8.51 (216)
End 2 ID: 0.41 (10)
End 1 ID: 6.06 (154)

AF4028



CUMMINS 650931, LEYLAND 37H3737; 3311624 Bolt Seal Included

Overall Height: 13.56 (344)
Overall OD: 7.93 (201)
End 2 ID: 0.67 (17)
End 1 ID: 3.58 (91)

AF4039



VOLVO 347437

Overall Height: 10.95 (278)
Overall OD: 10.55 (268)
End 1 ID: 7.68 (195)

AF4041



PERKINS 26510167

Overall Height: 10.43 (265)
End 1 OD: 5.45 (138)
End 2 ID: 2.86 (73)


AF4044



GMC 7972972

Overall Height: 14.43 (366)
End 1 OD: 7.73 (196)
End 2 ID: 5.09 (129)

E. PRODUCT GUIDE

AF4046 COOPERS DU2065T Overall Height: 18.46 (469) End 2 OD: 5.24 (133) End 1 OD: 6.18 (157) End 2 ID: 2.72 (69)	AF4061 LEYLAND 37H6186; Air, Primary  Overall Height: 11.55 (293) End 2 OD: 5.24 (133) End 1 OD: 6.18 (157) End 2 ID: 2.81 (72)	AF4083 E.R.F. 932833, GARDNER MA410  Overall Height: 3.33 (85) End 2 OD: 3.31 (84) End 1 OD: 3.46 (88) End 1 ID: 1.5 (38)
AF4047 FIAT-ALLIS 78822161; 250806 Bolt Seal Included  Overall Height: 15.49 (394) End 2 OD: 4.48 (114) End 1 OD: 4.77 (121) End 2 ID: 0.35 (9) End 1 ID: 3.52 (89)	AF4064 J.C.B. 98800031  Overall Height: 11.2 (285) Overall OD: 4.76 (121) End 2 ID: 0.37 (10) End 1 ID: 2.13 (54)	AF4088 ATLAS COPCO 10300832  Overall Height: 4.33 (110) Overall OD: 11.97 (304) End 1 ID: 7.52 (191)
AF4049 GMC 7980474; Air, Panel  Height: 1.2 (31) Length: 4.86 (124) Width: 12.72 (323)	AF4065 LEYLAND 37H6187; Air, Primary  Overall Height: 15.55 (395) End 2 OD: 5.24 (133) End 1 OD: 6.18 (157) End 2 ID: 2.72 (69)	AF4100 VOLVO 823701  Overall Height: 28.03 (712) Overall OD: 7.72 (196) End 1 ID: 3.98 (101)
AF4050 COOPERS 8465T  Overall Height: 7.11 (181) Overall OD: 8.11 (206) End 1 ID: 4.25 (108)	AF4066 MANN & HUMMEL C11763; 250806 Bolt Seal Included  Overall Height: 8.93 (227) Overall OD: 4.35 (111) End 2 ID: 0.34 (9) End 1 ID: 1.97 (50)	AF4103 INGERSOLL-RAND 59155135, MASSEY-FERGUSON 1093683M91; Secondary air filter used with AF1733K, AF4748K, AF4853K, AF4892K, AF4856M, AF4059K, AF1733KM; Filter used with housing AH19066, AH19267; Inner Air on JCB applications; Bolt Seal Included; Replaces AF25594  Overall Height: 14.02 (356) End 2 OD: 3.35 (85) End 1 OD: 4.09 (104) End 2 ID: 0.67 (17) End 1 ID: 2.95 (75)
AF4057 MANN & HUMMEL C234402; Air, Primary  Overall Height: 11.57 (294) Overall OD: 8.98 (228) End 2 ID: 0.41 (10) End 1 ID: 4.58 (116)	AF4067 MANN & HUMMEL C131144; Primary air filter used with AF4521; 250806 Bolt Seal Included  Overall Height: 11.58 (294) Overall OD: 4.96 (126) End 2 ID: 0.34 (9) End 1 ID: 2.52 (64)	AF4106 LISTER PETTER ZPF356  Overall Height: 2.52 (64) Overall OD: 5.43 (138) End 1 ID: 3.13 (80)
AF4058 KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2165044; Primary air filter used with AF1842; 250806 Bolt Seal Included  Overall Height: 13.81 (351) Overall OD: 6.44 (164) End 2 ID: 0.34 (9) End 1 ID: 3.4 (86)	AF4073 GMC 7955307  Overall Height: 8.03 (204) Overall OD: 8.31 (211) End 1 ID: 6.02 (153)	AF4124 MERCEDES-BENZ 945804  Overall Height: 8.82 (224) Overall OD: 5.91 (150) End 1 ID: 3.46 (88)
AF4059K LEYLAND 37H3739; Primary air filter used with AF1680, AF4103; Filter used with housing AH19065, AH19066; 3311624 Bolt Seal Included  Overall Height: 15.35 (390) End 2 OD: 6.08 (154) End 2 ID: 0.67 (17) End 1 ID: 3.48 (88) Fin Diameter: 7.85 (200)	AF4074 FIAT-ALLIS 8322121  Overall Height: 6.85 (174) Overall OD: 5.35 (136) End 1 ID: 3.98 (101)	AF4125 LISTER PETTER AAF4996  Overall Height: 2.09 (53) Overall OD: 3.39 (86) End 1 ID: 1.91 (48)
AF4060 SCANIA 219517 Primary air filter used with AF1843  Overall Height: 19.53 (496) Overall OD: 9.55 (243) End 2 ID: 0.41 (11) End 1 ID: 5.2 (132)	AF4078 FIAT-ALLIS 8322122  Overall Height: 8.19 (208) Overall OD: 8.51 (216) End 1 ID: 6.06 (154)	AF4135 MANN & HUMMEL C151653; Primary air filter used with AF4522; 250806 Bolt Seal Included  Overall Height: 13.22 (336) Overall OD: 5.87 (149) End 2 ID: 0.34 (9) End 1 ID: 2.82 (72)

E. PRODUCT GUIDE

AF4137



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2311565, 2339813; Primary air filter used with AF25424, AF25490

Overall Height: 8.21 (209)
Overall OD: 6.44 (164)
End 1 ID: 3.39 (86)

AF4138



CASE 351585R91; 3311624 Bolt Seal Included

Overall Height: 9.06 (230)
End 1 OD: 6.85 (174)
End 2 ID: 4.23 (107)
End 1 ID: 0.67 (17)

AF4139



CUMMINS 105067

Overall Height: 12.17 (309)
Overall OD: 10.4 (264)
End 2 ID: 0.42 (11)
End 1 ID: 7.8 (198)

AF4149



SCANIA 261185

Overall Height: 18.72 (476)
End 2 OD: 11.88 (302)
End 2 ID: 7.55 (192)
End 1 ID: 0.41 (11)
Cover Diameter: 14.96 (380)

AF4150



DONALDSON P119778; Secondary air filter used with AF1735K, AF4643; Filter used with housing AH19269

Overall Height: 15.07 (383)
End 2 OD: 4.08 (104)
End 1 OD: 4.8 (122)
End 2 ID: 0.67 (17)
End 1 ID: 3.66 (93)

AF4152



LEYLAND 10906354; 3311624 Bolt Seal Included

Overall Height: 24.74 (628)
Overall OD: 7.98 (203)
End 2 ID: 0.63 (16)
End 1 ID: 4.64 (118)

AF4158



KOMATSU 6691817310; Secondary air filter used with AF4159; 3311624 Bolt Seal Included

Overall Height: 14.94 (380)
End 2 OD: 4.61 (117)
End 1 OD: 5.81 (148)
End 2 ID: 0.67 (17)
End 1 ID: 3.54 (90)

AF4159



KOMATSU 6691817210; Primary air filter used with AF4158; 3311624 Bolt Seal Included

Overall Height: 15.5 (394)
Overall OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (123)

AF4164K



DONALDSON P124164; Primary air filter used with AF4165; 3311624 Bolt Seal Included

Overall Height: 13.38 (340)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.8 (198)

AF4165



DONALDSON P124165; Secondary air filter used with AF4164K, AF25348K, AF25342

Overall Height: 12.04 (306)
End 2 OD: 3.35 (85)
End 1 OD: 3.74 (95)
End 2 ID: 0.67 (17)
End 1 ID: 2.95 (75)

AF4166

GMC 25945274

Overall Height: 2.91 (74)
Length: 13.0 (330)
Width: 9.5 (241)

AF4169

CHRYSLER 53034149AA

Overall Height: 4.38 (111)
Length: 10.96 (279)
Width: 9.95 (253)

AF4500



MASSEY-FERGUSON 1678295M1; Secondary air filter used with AF4501, AF4569

Overall Height: 11.5 (292)
Overall OD: 2.91 (74)
End 2 ID: 0.34 (9)
End 1 ID: 1.87 (48)

AF4501



MASSEY-FERGUSON 1678294M1; Primary air filter used with AF4500

Overall Height: 12.68 (322)
End 2 OD: 5.2 (132)
End 1 OD: 5.75 (146)
End 2 ID: 2.97 (76)
End 1 ID: 0.37 (10)

AF4502K



KUBOTA 1585211080

Overall Height: 7.2 (183)
End 2 ID: 1.79 (46)
End 1 ID: 0.44 (11)
Fin Diameter: 4.17 (106)
Cover Diameter: 4.9 (125)

AF4503



IVECO 1902129; For flame retardant version, use AF26325; Seal included

Overall Height: 18.72 (476)
End 1 OD: 11.88 (302)
End 2 ID: 0.41 (11)
End 1 ID: 7.55 (192)

AF4504M



FIAT HITACHI 76570088, KOMATSU 6001814400, NEW HOLLAND 76570088; Primary air filter used with AF1791; 3830497 Bolt Seal Included; Replaces AF962

Overall Height: 18.72 (475)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
End 1 ID: 0.93 (24)
Cover Diameter: 14.86 (378)

AF4505M



FORD D6HZ9601A 250806; Bolt Seal Included

Overall Height: 9.15 (232)
Overall OD: 9.21 (234)
End 2 ID: 4.85 (123)
End 1 ID: 0.54 (14)

AF4506M



KOMATSU 6001814200; Primary air filter used with AF471; 3317119 Wing Nut Included; 256017 Bolt Seal Included

Overall Height: 18.49 (470)
End 2 OD: 12.09 (307)
End 2 ID: 7.73 (196)

AF4509



TOYOTA 1780168020

Overall Height: 5.75 (146)
Overall OD: 8.58 (218)
End 1 ID: 4.29 (109)

AF4510



CASE E41535; Secondary air filter used with AF437K, AF437KM

Overall Height: 10.75 (273)
Overall OD: 2.6 (66)
End 2 ID: 0.34 (9)
End 1 ID: 2.2 (56)

AF4511



CASE E43789; Secondary air filter used with AF4557K

Overall Height: 10.2 (259)
End 2 OD: 2.83 (72)
End 1 OD: 2.91 (74)
End 2 ID: 1.85 (47)
End 1 ID: 0.34 (9)

AF4512



Replacement Element; For Kit To Convert CAT 2S1285, use With Bracket: AK00001; To Convert CAT 8N4901, use With Bracket AK00009; 3311624 Bolt Seal Included

Overall Height: 11.25 (286)
End 1 OD: 4.77 (121)
End 2 ID: 0.68 (17)
End 1 ID: 3.52 (89)

E. PRODUCT GUIDE

AF4513  Replacement Element; For Kit To Convert CAT 2S1286, use With Bracket AK00002; To Convert CAT 9S9972, use With Bracket AK00003; 3311624 Bolt Seal Included Overall Height: 12.25 (311) End 2 OD: 6.29 (160) End 1 ID: 4.6 (117)	AF4521  IHC 314080R1, KHD(KLOCKNER-HUMBOLDT-D EUTZ) 4144896; Secondary air filter used with AF4067 Overall Height: 11.2 (285) End 2 OD: 2.44 (62) End 1 OD: 2.76 (70) End 2 ID: 0.67 (17) End 1 ID: 1.87 (48)	AF4529  CROSLAND 9505; Same as AF354 w/gasket Overall Height: 9.43 (240) Overall OD: 10.4 (264) End 2 ID: 0.54 (14) End 1 ID: 6.05 (154)
AF4514  Replacement Element; For Kit To Convert CAT 1P7360 And 4S8340, use With Bracket AK00005; 3311624 Bolt Seal Included Overall Height: 12.25 (311) End 2 OD: 7.65 (194) End 1 ID: 5.71 (145)	AF4522  ATLAS COPCO 16195441, LIEBHERR 7002402; Secondary air filter used with AF4135 Overall Height: 12.85 (327) End 2 OD: 2.72 (69) End 1 OD: 3.19 (81) End 2 ID: 0.67 (17) End 1 ID: 2.15 (55)	AF4530  CASE 702642C1, MASSEY-FERGUSON 1613731M1; Secondary air filter used with AF4531; 3311624 Bolt Seal Included Overall Height: 16.02 (407) End 2 OD: 5.41 (137) End 1 ID: 4.1 (104)
AF4515  Replacement Element; For Kit To Convert CAT 6N6444, use With Bracket: AK00006; 3311624 Bolt Seal Included Overall Height: 11.25 (286) End 2 OD: 8.64 (219) End 1 ID: 6.69 (170)	AF4523  INGERSOLL-RAND 92035955; Secondary air filter used with AF1802 Overall Height: 18.5 (470) End 2 OD: 6.1 (155) End 1 OD: 6.38 (162) End 2 ID: 0.67 (17) End 1 ID: 5.53 (141)	AF4531  CASE 702641C1, MASSEY-FERGUSON 1613732M1; Primary air filter used with AF4530; 250806 Bolt Seal Included Overall Height: 17.56 (446) Overall OD: 10.02 (255) End 2 ID: 0.4 (10) End 1 ID: 5.48 (139)
AF4516  Replacement Element; For Kit To Convert CAT 1P8482, use With Bracket AK00007; To Convert CAT 3S4745, use With Bracket AK00008; 3311624 Bolt Seal Included; For Magnum Version, use AF4516M Overall Height: 14.23 (361) End 2 OD: 8.64 (219) End 1 ID: 6.69 (170)	AF4525  CROSLAND 9009 Overall Height: 2.76 (70) Overall OD: 3.84 (98) End 1 ID: 2.38 (61)	AF4532  KOMATSU 6001822500; Secondary air filter used with AF4533; For European version, use AF1902M; 256017 Bolt Seal Included Overall Height: 13.52 (343) End 2 OD: 5.09 (129) End 1 ID: 3.81 (97)
AF4516M  Replacement Element; For Kit To Convert CAT 7N1308, use With Bracket AK00007; Extended Life Version of AF4516; 3311624 Bolt Seal Included Overall Height: 14.23 (361) End 2 OD: 8.64 (219) End 1 ID: 6.69 (170)	AF4526  Replacement Element; For Kit To Convert CAT 2S1287, use With Bracket AK00004; To Convert CAT 8N-6883, use With Bracket AK00012; 3311624 Bolt Seal Included Overall Height: 14.23 (361) End 2 OD: 6.29 (160) End 2 ID: 0.68 (17) End 1 ID: 4.6 (117)	AF4533  KOMATSU 6001811320; Primary air filter used with AF4532; For European version, use AF1903M; Overall Height: 15.57 (395) Overall OD: 9.65 (245) End 1 ID: 5.25 (133)
AF4517  WHITE 7761170; Air, Panel Height: 2.19 (56) Length: 17.00 (432) Width: 15.00 (381)	AF4527M  SISU 1293400121 Overall Height: 28.87 (733) End 2 OD: 5.75 (146) End 1 OD: 8.66 (220) End 1 ID: 5.12 (130)	AF4534  FORD E6HZ9601A; Air, Primary Overall Height: 16.36 (416) Overall OD: 7.93 (201) End 2 ID: 0.67 (17) End 1 ID: 5.33 (135)
AF4518  MITSUBISHI ME0120389 Overall Height: 5.04 (128) End 2 OD: 8.86 (225) End 1 OD: 9.41 (239) End 2 ID: 5.59 (142) End 1 ID: 0.47 (12)	AF4528M  SISU 1293400192; Air, Primary Overall Height: 28.78 (731) End 2 OD: 7.51 (191) End 1 OD: 10.4 (264) End 1 ID: 6.95 (177)	AF4535M  GMC 15527863; Air, Primary Overall Height: 20.37 (518) End 2 OD: 10.59 (269) End 2 ID: 6.71 (170) Cover Diameter: 11.73 (298)
		AF4536  CATERPILLAR 2W4246; Air, Primary Overall Height: 5.52 (140) Overall OD: 6.83 (174) End 1 ID: 4.23 (107)

E. PRODUCT GUIDE

AF4539



NELSON 70456N; w/Foam Pre-cleaner

Overall Height: 10.9 (277)
Overall OD: 8.0 (203)
End 1 ID: 5.38 (137)

AF4540



RENAULT V.I. 5000802163

Overall Height: 16.59 (422)
End 2 OD: 7.11 (181)
End 1 OD: 9.36 (238)
End 2 ID: 4.16 (106)
End 1 ID: 0.36 (9)

AF4541KM



JOHN DEERE AT43870; Primary air filter used with AF487; 3311624 Bolt Seal Included

Overall Height: 12.5 (318)
End 2 OD: 7.93 (201)
End 2 ID: 0.67 (17)
End 1 ID: 5.33 (135)
Fin Diameter: 10.7 (272)

AF4545K



TOYOTA 177522054071; Same as AF437K with flame retardant paper; 3311624 Bolt Seal Included

Overall Height: 11.42 (290)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 6.34 (161)

AF4548



CASE 573640C1

Overall Height: 22.5 (572)
End 2 OD: 7.49 (190)
End 1 OD: 10.4 (264)
End 1 ID: 6.95 (177)

AF4549



VOLVO 6897063; Primary air filter used with AF4551

Overall Height: 22.87 (581)
End 2 OD: 10.59 (269)
End 1 OD: 10.63 (270)
End 2 ID: 7.28 (185)
End 1 ID: 0.67 (17)

AF4550



VOLVO 1660376; Primary air filter used with AF4552

Overall Height: 22.87 (581)
End 2 OD: 10.59 (269)
End 1 OD: 10.63 (270)
End 2 ID: 7.28 (185)
End 1 ID: 0.41 (10)

AF4551



VOLVO 6897064; Secondary air filter used with AF4549

Overall Height: 21.56 (548)
End 2 OD: 7.07 (180)
End 1 OD: 7.11 (181)
End 2 ID: 5.51 (140)
End 1 ID: 0.67 (17)

AF4552



VOLVO 1660377; Secondary air filter used with AF4550

Overall Height: 21.44 (545)
End 1 OD: 6.73 (171)
End 2 ID: 5.51 (140)
End 1 ID: 0.41 (10)

AF4553M



ONAN 1401654; Primary air filter used with AF4554M; Filter used with housing 71686A, AH19073, AH19074; 3830497 Bolt Seal Included

Overall Height: 20.71 (526)
End 2 OD: 13.83 (351)
End 1 OD: 14.6 (371)
End 2 ID: 9.48 (241)
End 1 ID: 0.9 (23)

AF4554M



ONAN 1404655; Secondary air filter used with AF4553M; Filter used with housing AH19074; 3830497 Bolt Seal Included

Overall Height: 18.5 (470)
End 2 OD: 8.63 (219)
End 1 ID: 7.11 (181)

AF4555M



CHRYSLER 4428308; Air, Primary

Overall Height: 9.76 (248)
Overall OD: 7.98 (203)
End 2 ID: 0.37 (10)
End 1 ID: 4.64 (118)

AF4557K



CASE E43790; Primary air filter used with AF4511

Overall Height: 11.43 (290)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.95 (75)
Fin Diameter: 6.34 (161)

AF4558



VOLVO 16606004; Secondary air filter used with AF4559, AF25294

Overall Height: 19.89 (505)
End 2 OD: 6.08 (155)
End 1 OD: 6.12 (156)
End 2 ID: 4.91 (125)
End 1 ID: 0.41 (10)

AF4559



VOLVO 16606606; Primary air filter used with AF4558

Overall Height: 21.41 (544)
End 1 OD: 10.16 (258)
End 2 ID: 6.34 (161)
End 1 ID: 0.41 (10)

AF4560



VOLVO 1544449; Primary air filter used with AF4746

Overall Height: 14.43 (366)
End 1 OD: 13.78 (350)
End 2 ID: 8.31 (211)
End 1 ID: 0.41 (10)

AF4562M



DONALDSON P150693; For element w/o attached cover, use AF1850

Overall Height: 28.4 (721)
End 2 OD: 8.66 (220)
End 2 ID: 5.21 (132)
Cover Diameter: 9.72 (247)

AF4563M



FORD E7HZ9601A; Air, Primary

Overall Height: 23.52 (597)
End 1 OD: 7.35 (187)
End 2 ID: 5.4 (137)
End 1 ID: 0.41 (10)

AF4564KM



JOHN DEERE AL30394; Primary air filter used with AF4626; 3830160 Wing Nut Included; 3311624 Bolt Seal Included

Overall Height: 14.7 (373)
End 2 ID: 3.48 (88)
End 1 ID: 0.67 (17)
Fin Diameter: 7.8 (198)
Cover Diameter: 8.44 (214)

AF4565



RENAULT V.I. 7701027436; Primary air filter used with AF4566

Overall Height: 14.53 (369)
End 2 OD: 8.31 (211)
End 1 OD: 8.98 (228)
End 2 ID: 5.33 (136)
End 1 ID: 0.39 (10)

AF4566



RENAULT V.I. 7701027437; Secondary air filter used with AF4565

Overall Height: 13.54 (344)
Overall OD: 5.2 (132)
End 2 ID: 0.34 (9)
End 1 ID: 4.05 (103)

AF4567



HITACHI 4129907; Primary air filter used with AF490M; single element

Overall Height: 15.32 (389)
End 2 OD: 7.38 (188)
End 2 ID: 4.74 (121)
End 1 ID: 0.67 (17)
Cover Diameter: 9.29 (236)

AF4568



MASSEY-FERGUSON 1806088M91

Overall Height: 10.93 (278)
End 2 OD: 4.48 (114)
End 1 OD: 5.04 (128)
End 2 ID: 2.24 (57)

E. PRODUCT GUIDE

AF4569  MASSEY-FERGUSON 1678308M91; Primary air filter used with AF4500 Overall Height: 12.64 (321) End 1 OD: 5.43 (138) End 2 ID: 2.97 (76) End 1 ID: 0.37 (10)	AF4579  CASE 530778C1, CATERPILLAR 8N5006; 3311624 Bolt Seal Included Overall Height: 9.78 (248) End 1 OD: 5.97 (152) End 1 ID: 4.83 (123)	AF4593  MOTORCRAFT FA1043 Air, Panel Height: 1.15 (29) Length: 11.24 (286) Width: 6.18 (157)
AF4570K  J.C.B. 32206002; Primary air filter used with AF4571 Overall Height: 13.92 (354) End 2 ID: 2.81 (72) Fin Diameter: 6.34 (161) Cover Diameter: 7.05 (179)	AF4581  VOLVO 842280 Overall Height: 12.4 (315) Overall OD: 7.72 (196) End 1 ID: 3.98 (101)	AF4594  HONDA 17232PD2660 Overall Height: 2.54 (65) Overall OD: 10.0 (254) End 1 ID: 8.5 (216)
AF4571  J.C.B. 32206003; Secondary air filter used with AF4570K Overall Height: 12.04 (306) End 2 OD: 2.76 (70) End 1 OD: 3.27 (83) End 2 ID: 0.67 (17) End 1 ID: 2.4 (61)	AF4583M  DONALDSON XLP772523, ROLLS ROYCE CV9686; Primary air filter used with AF820M Overall Height: 16.68 (424) End 1 OD: 12.08 (307) End 2 ID: 0.67 (17) End 1 ID: 7.73 (196)	AF4597  CHRYSLER 4241042, 4342800; Air, Panel Height: 1.65 (42) Length: 10.68 (271) Width: 5.26 (134)
AF4573K  NISSAN 1654651760 Overall Height: 9.43 (240) End 2 OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.95 (75) Fin Diameter: 6.34 (161)	AF4586  COOPERS AZA413T Overall Height: 19.61 (498) End 2 OD: 10.39 (264) End 1 OD: 11.5 (292) End 2 ID: 0.67 (17) End 1 ID: 6.54 (166)	AF4602  GMC 25043119 Overall Height: 4.93 (125) Overall OD: 5.64 (143) End 1 ID: 3.57 (91)
AF4574  BRIGGS & STRATTON 393957 Overall Height: 3.81 (97) Overall OD: 4.28 (109) End 1 ID: 1.96 (50)	AF4587  MERCEDES-BENZ 10947404 Overall Height: 9.06 (230) End 2 OD: 11.88 (302) End 2 ID: 6.58 (167) End 1 ID: 0.41 (11) Cover Diameter: 14.96 (380)	AF4604  GMC 5646510; Replaces AF392 Overall Height: 3.01 (76) Overall OD: 9.5 (241) End 1 ID: 8.0 (203)
AF4575  MERCEDES-BENZ 20947304 Overall Height: 10.07 (256) Overall OD: 7.78 (198) End 2 ID: 0.34 (9) End 1 ID: 4.08 (104)	AF4588M  DONALDSON P522293; Air, Primary; Gasket(s): 3831817 Overall Height: 28.9 (734) End 2 OD: 7.49 (190) End 1 OD: 10.4 (264) End 2 ID: 5.45 (138) End 1 ID: 6.95 (177)	AF4605M  CATERPILLAR 4W5228; Primary air filter used with AF1604 Overall Height: 24.6 (625) End 2 OD: 14.69 (373) End 1 OD: 15.7 (399) End 2 ID: 10.3 (262) End 1 ID: 0.88 (22)
AF4576M  DONALDSON P521055, FREIGHTLINER FLC112; 3830497 Bolt Seal Included Overall Height: 16.5 (419) Overall OD: 12.08 (307) End 2 ID: 0.9 (23) End 1 ID: 7.73 (196)	AF4589  JOHN DEERE T46317; Secondary air filter used with AF4893M, AF4894KM, AF4905M, AF434KM; 3834340 Wing Nut Included; 3311624 Bolt Seal Included; Replaces AF1911 Overall Height: 15.37 (391) Overall OD: 4.61 (117) End 1 ID: 3.56 (90)	AF4606M  CATERPILLAR 4W5716; Primary air filter used with AF883M; Exact match w/diff gasket of AF851M; Replaces AF4606 Overall Height: 18.6 (473) Overall OD: 13.83 (351) End 1 ID: 9.48 (241)
AF4578  IHC 117210C1 Overall Height: 1.81 (46) Overall OD: 7.0 (178) End 1 ID: 5.57 (141)	AF4592  GMC 25095333 Air, Panel Height: 1.64 (42) Length: 7.61 (193) Width: 6.00 (152)	AF4607  TOYOTA 1780148011 Overall Height: 5.75 (146) Overall OD: 7.6 (193) End 1 ID: 3.35 (85)
		AF4608  VOLVO 4771477 Cab Air Height: 1.5 (38)

E. PRODUCT GUIDE

AF4609

CATERPILLAR 8N6309; Uses service part(s) AF26169



Overall Height: 10.34 (263)
Overall OD: 19.35 (492)
End 1 ID: 12.93 (329)

AF4610

FIAT-ALLIS 74835378; Air Breather



Overall Height: 3.8 (96)
Largest OD: 3.69 (94)
Thread Size: 3/4-14 NPSI

AF4611K

DONALDSON P900509; Part available in Australia only



Overall Height: 14.56 (370)
Largest OD: 15.5 (394)

AF4613

FORD E6SE9601BA; Air, Panel



Height: 1.55 (39)
Length: 11.22 (285)
Width: 8.90 (226)

AF4615

DONGFENG MOTOR CORPORATION,LTD
1654674500, NISSAN
16546V0100; Air, Panel



Height: 1.24 (32)
Length: 10.88 (276)
Width: 6.55 (166)

AF4616

TOYOTA 1780154010



Overall Height: 4.94 (125)
Overall OD: 7.31 (186)
End 1 ID: 3.0 (76)

AF4619

FORD E5TE9601AB; Air, Panel



Height: 1.83 (47)
Length: 1.27 (286)
Width: 7.57 (192)

AF4621

MAZDA 859923603



Overall Height: 4.37 (111)
Overall OD: 7.37 (187)
End 1 ID: 4.87 (124)

AF4623

HONDA 17220PC6660; Rectangular Shaped



Overall Height: 2.73 (69)
End 1 ID: 2.9 (74)

AF4624

FORD E7TE9601AC; Air, Panel



Height: 1.7 (43)
Length: 12.96 (329)
Width: 5.94 (151)

AF4626

JOHN DEERE AL30395; Secondary air filter used with AF4564KM



Overall Height: 13.06 (332)
End 2 OD: 3.34 (85)
End 1 OD: 3.75 (95)
End 2 ID: 0.66 (17)
End 1 ID: 2.98 (76)

AF4627KM

CASE 3244397R1; 3311624 Bolt Seal Included



Overall Height: 15.52 (394)
Largest OD: 10.7 (272)

AF4628M

CASE A45694; Primary air filter used with AF937; 3834340 Wing Nut Included



Overall Height: 18.59 (472)
Overall OD: 10.4 (264)
End 1 ID: 6.05 (154)

AF4631

SCANIA 365729



Overall Height: 18.72 (476)
End 2 OD: 11.88 (302)
End 2 ID: 7.55 (192)
End 1 ID: 0.41 (11)
Cover Diameter: 14.96 (380)

AF4633

FORD HOUSINGS E7TZ9600A



Overall Height: 5.0 (127)
Overall OD: 11.56 (294)
End 1 ID: 8.28 (210)

AF4634

CLARK 965169; Air, Panel



Height: 2.62 (67)
Length: 17.94 (456)
Width: 7.94 (202)

AF4636

CASE A47145; Primary air filter used with AF905



Overall Height: 12.5 (318)
Overall OD: 10.4 (264)
End 2 ID: 0.9 (23)
End 1 ID: 6.05 (154)

AF4637

MANN & HUMMEL C17160; Primary air filter used with AF25424



Overall Height: 8.36 (212)
Overall OD: 6.44 (164)
End 1 ID: 3.4 (86)

AF4638

VOLVO 6792554



Overall Height: 23.29 (592)
End 2 OD: 7.36 (187)
End 2 ID: 4.57 (116)
End 1 ID: 0.41 (10)
Cover Diameter: 8.15 (207)

AF4639

CATERPILLAR 8N4901; Secondary air filter used with AF344M



Overall Height: 12.0 (305)
End 2 OD: 4.78 (121)
End 1 ID: 3.59 (91)
Flange Diameter: 7.3 (185)

AF4641M

VOLVO 1660375; Replaces AF1608M



Overall Height: 22.73 (577)
End 1 OD: 10.63 (270)
End 2 ID: 6.22 (158)
End 1 ID: 0.41 (10)

AF4642M

CASE K200379; Primary air filter used with AF4721; 3311624 Bolt Seal Included



Overall Height: 11.53 (293)
End 1 OD: 5.26 (134)
End 2 ID: 0.67 (17)
End 1 ID: 3.25 (83)

AF4643

LIEBHERR 7401179; Primary air filter used with AF4150; 3311624 Bolt Seal Included



Overall Height: 16.48 (418)
Overall OD: 7.63 (194)
End 2 ID: 0.67 (17)
End 1 ID: 4.28 (109)

AF4644

VOLVO 1544298; Secondary air filter used with AF4720; For Outer Air use AF4720 on Volvo application



Overall Height: 12.58 (320)
Overall OD: 7.76 (197)
End 2 ID: 0.41 (11)
End 1 ID: 6.93 (176)

AF4645

RENAULT V.I. 5000809894



Overall Height: 11.73 (298)
End 2 OD: 9.13 (232)
End 2 ID: 4.57 (116)
Cover Diameter: 10.2 (259)

E. PRODUCT GUIDE

AF4646M  DONALDSON P900405; Secondary air filter used with AF4647KM; 3311624 Bolt Seal Included Overall Height: 13.06 (332) End 2 OD: 6.41 (163) End 1 ID: 5.27 (134)	AF4657  RENAULT V.I. 5000814797; Primary air filter used with AF4658 with saving bands Overall Height: 15.34 (390) End 1 OD: 12.08 (307) End 2 ID: 0.67 (17) End 1 ID: 7.73 (196)	AF4669  AIR MAZE CD1219610826; Primary air filter used with AF4670; Filter used with housing AH1174 Overall Height: 17.5 (445) Overall OD: 10.0 (254) End 1 ID: 5.88 (149)
AF4647KM  DONALDSON P900408; Primary air filter used with AF4646M; 3830497 Seal Included Overall Height: 13.56 (344) End 2 OD: 11.08 (281) End 2 ID: 6.73 (171) End 1 ID: 0.9 (23) Fin Diameter: 13.8 (351)	AF4658  RENAULT V.I. 5000814798; Secondary air filter used with AF4657, AF25801 Overall Height: 14.44 (367) End 2 OD: 7.31 (186) End 1 OD: 8.43 (214) End 2 ID: 0.67 (17) End 1 ID: 6.23 (158)	AF4670  AIR MAZE CD1219610830; Secondary air filter used with AF4669; Filter used with housing AH1174 Overall Height: 15.98 (406) Overall OD: 5.71 (145) End 2 ID: 0.64 (16) End 1 ID: 5.0 (127)
AF4650K  DONALDSON P900690; Primary air filter used with AF4651; 3302302 Bolt Seal Included Overall Height: 14.62 (371) End 2 OD: 13.8 (351) End 2 ID: 9.48 (241) End 1 ID: 0.67 (17) Fin Diameter: 15.5 (394)	AF4660  COOPERS AZA353T; Secondary air filter used with AF435KM Overall Height: 9.06 (230) End 2 OD: 2.36 (60) End 1 OD: 2.76 (70) End 2 ID: 0.67 (17) End 1 ID: 1.97 (50)	AF4671  AIR MAZE CD1417610826; Primary air filter used with AF4672 Overall Height: 15.44 (392) Overall OD: 11.47 (291) End 2 ID: 0.37 (10) End 1 ID: 7.0 (178)
AF4651  DONALDSON P900691; Secondary air filter used with AF4650K; 3311624 Bolt Seal Included Overall Height: 13.44 (341) Overall OD: 8.26 (210) End 2 ID: 0.67 (17) End 1 ID: 7.1 (180)	AF4662  RENAULT V.I. 5000814944; Air, Primary Overall Height: 15.46 (393) End 2 OD: 9.92 (252) End 2 ID: 6.5 (165) End 1 ID: 0.63 (16) Cover Diameter: 14.33 (364)	AF4672  AIR MAZE CD1417610827; Secondary air filter used with AF4671 Overall Height: 13.94 (354) Overall OD: 6.88 (175) End 1 ID: 5.42 (138)
AF4652  TOYOTA 1780174010 Air, Panel Height: 1.66 (42) Length: 8.80 (224) Width: 6.58 (167)	AF4663  FENDT F198810140010; Cab Air Height: 2.16 (55) Length: 23.70 (602) Width: 4.33 (110)	AF4674  AIR MAZE CD1628610826; Primary air filter used with AF4675; Filter used with housing AH19324, AH19429 Overall Height: 27.06 (687) Overall OD: 12.56 (319) End 2 ID: 0.4 (10) End 1 ID: 7.5 (191)
AF4654  DONALDSON P770181, MASSEY-FERGUSON 3310355M91; Secondary air filter used with AF4891M, AF4655KM, AF25958K Overall Height: 10.06 (256) End 2 OD: 2.72 (69) End 1 OD: 3.62 (92) End 2 ID: 0.67 (17) End 1 ID: 2.42 (62)	AF4664  DONALDSON P521598; Air, Primary Overall Height: 25.0 (635) End 2 OD: 9.8 (249) End 1 OD: 11.82 (300) End 1 ID: 7.36 (187)	AF4675  AIR MAZE CD1628610827; Secondary air filter used with AF4674; Filter used with housing AH19324, AH19429 Overall Height: 25.38 (645) Overall OD: 7.38 (187) End 2 ID: 0.64 (16) End 1 ID: 6.12 (155)
AF4655KM  MASSEY-FERGUSON 3310358M1; Primary air filter used with AF4654; Wing Nut Included; Replaces AF4655K Overall Height: 11.97 (304) End 2 ID: 2.83 (72) Thread Size: 7/16-20 UNF-2B Cover Diameter: 7.22 (184) Fin Diameter: 6.3 (160)	AF4666  AIR MAZE CD0510610826; Air, Primary Overall Height: 9.09 (231) Overall OD: 5.53 (140) End 1 ID: 3.06 (78)	AF4676  AIR MAZE CD1830610826; Primary air filter used with AF4677 Overall Height: 29.5 (749) Overall OD: 13.9 (353) End 1 ID: 9.95 (253)
AF4656  PUROLATOR AF1624; Dust Collector Overall Height: 24.0 (610) Overall OD: 16.64 (423) End 1 ID: 11.99 (305)	AF4668  AIR MAZE CD1017610826; Primary air filter used with AF963 Overall Height: 15.4 (391) Overall OD: 8.53 (217) End 2 ID: 5.39 (137) End 1 ID: 0.42 (11)	AF4677  AIR MAZE CD1830610827; Secondary air filter used with AF4676 Overall Height: 28.27 (718) End 2 OD: 9.88 (251) End 1 ID: 8.05 (204)

E. PRODUCT GUIDE

AF4678



AIR MAZE CD1623610826;
Primary air filter used with
AF25218

Overall Height: 22.23 (565)
Overall OD: 12.56 (319)
End 2 ID: 0.4 (10)
End 1 ID: 7.5 (191)

AF4692



CATERPILLAR 7W9853; Primary
air filter used with AF4694;
Gasket(s): 3309167

Overall Height: 18.56 (472)
Overall OD: 14.26 (362)
End 1 ID: 9.89 (251)

AF4694



CATERPILLAR 7W9567;
Secondary air filter used with
AF4692

Overall Height: 18.12 (460)
End 2 OD: 9.81 (249)
End 1 OD: 12.1 (307)
End 1 ID: 8.13 (206)

AF4695



ISUZU 5142150300; Air, Primary

Overall Height: 10.75 (273)
Overall OD: 6.08 (154)
End 2 ID: 0.56 (14)
End 1 ID: 3.48 (88)

AF4696



ISUZU 8941042730; Air, Primary

Overall Height: 7.82 (199)
Overall OD: 6.08 (154)
End 2 ID: 0.56 (14)
End 1 ID: 3.48 (88)

AF4699



ISUZU 1142151180

Overall Height: 18.34 (466)
Overall OD: 7.29 (185)
End 2 ID: 0.75 (19)
End 1 ID: 6.17 (157)

AF4700K



mitsubishi MB120298; Wing
Nut Included; Replaces AF4700

Overall Height: 7.38 (187)
End 2 OD: 8.66 (220)
End 2 ID: 0.32 (8)
End 1 ID: 4.94 (125)
Fin Diameter: 10.0 (254)

AF4701



HINO 178011960

Overall Height: 9.69 (246)
Overall OD: 7.87 (200)
End 2 ID: 0.59 (15)
End 1 ID: 3.9 (99)

AF4705



HINO 178012200

Overall Height: 12.75 (324)
Overall OD: 8.5 (216)
End 2 ID: 0.88 (22)
End 1 ID: 5.39 (137)

AF4706



mitsubishi ME033603; For
European version, use AF4838

Overall Height: 18.0 (457)
End 2 OD: 8.7 (221)
End 2 ID: 5.34 (136)
End 1 ID: 0.94 (24)
Flange Diameter: 10.35 (263)

AF4709



ISUZU 8941017690; Air, Primary

Overall Height: 9.75 (248)
Overall OD: 6.08 (154)
End 2 ID: 0.56 (14)
End 1 ID: 3.48 (88)

AF4711



ISUZU 1142151160

Overall Height: 19.87 (505)
Overall OD: 12.06 (306)
End 1 ID: 2.38 (60)

AF4713



MANN & HUMMEL C301537;
Primary air filter used with
AF4898; Seal included; Replaces
AF1802M

Overall Height: 18.72 (476)
End 1 OD: 11.88 (302)
End 2 ID: 0.41 (11)
End 1 ID: 7.55 (192)

AF4714



CHAMP LAF4271, LUBERFINER
LAF4271, VOLVO 1661667;
Primary air filter used with
AF4719

Overall Height: 26.23 (666)
End 2 OD: 10.98 (279)
End 2 ID: 7.24 (184)
Cover Diameter: 13.33 (339)

AF4719



VOLVO 1661668; Secondary air
filter used with AF4714; Seal
included

Overall Height: 25.37 (645)
Overall OD: 6.97 (177)
End 2 ID: 0.41 (10)
End 1 ID: 5.29 (135)

AF4720



VOLVO 1660619; Primary air filter
used with AF4644; 250806 Bolt
Seal Included

Overall Height: 14.5 (368)
End 1 OD: 12.22 (311)
End 2 ID: 7.89 (201)
End 1 ID: 0.41 (10)

AF4721



CASE K200380; Secondary air
filter used with AF4642M

Overall Height: 9.94 (252)
End 2 OD: 2.88 (73)
End 1 OD: 2.97 (75)
End 2 ID: 1.86 (47)
End 1 ID: 0.44 (11)

AF4724



VOLVO 6778729; 250806 Bolt
Seal Included

Overall Height: 22.53 (572)
Overall OD: 7.89 (200)
End 2 ID: 0.45 (11)
End 1 ID: 4.52 (115)

AF4725



SCANIA 395776; Primary air filter
used with AF4726

Overall Height: 17.19 (437)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF4726



SCANIA 397814; Secondary air
filter used with AF4725

Overall Height: 15.72 (399)
End 2 OD: 6.4 (163)
End 1 OD: 7.59 (193)
End 2 ID: 0.67 (17)
End 1 ID: 5.28 (134)

AF4727



SCANIA 397813; Secondary air
filter used with AF25066,
AF25045M

Overall Height: 14.82 (377)
End 2 OD: 6.1 (155)
End 1 OD: 6.38 (162)
End 2 ID: 0.67 (17)
End 1 ID: 5.53 (141)

AF4728



EUCLID 9029495

Overall Height: 4.81 (122)
Overall OD: 4.25 (108)
End 1 ID: 1.56 (40)

AF4729



STEIGER 904203S1; Primary air
filter used with AF4734; 3830497
Bolt Seal Included

Overall Height: 21.5 (546)
Overall OD: 12.08 (307)
End 2 ID: 0.9 (23)
End 1 ID: 7.73 (196)

AF4730



CASE 935693C1; 3311624 Bolt
Seal Included

Overall Height: 14.35 (364)
End 2 OD: 5.97 (152)
End 1 ID: 4.83 (123)

E. PRODUCT GUIDE

AF4733  ISUZU 8941560520; 250806 Bolt Seal Included, Replaces AF25431, AF4702 Overall Height: 10.57 (268) Overall OD: 7.93 (201) End 2 ID: 0.86 (22) End 1 ID: 5.33 (135)	AF4744  KOMATSU 6001817360; Secondary air filter used with AF4743K, AF25432K; Seal included. Overall Height: 9.57 (243) Overall OD: 3.27 (83) End 2 ID: 0.65 (17) End 1 ID: 2.13 (54)	AF4754  STEIGER 906443T1; Primary air filter used with AF4755; Filter used with housing AH19272 Overall Height: 17.54 (445) End 1 OD: 9.21 (234) End 2 ID: 5.87 (149) End 1 ID: 0.67 (17)
AF4734  STEIGER 904204T1; Secondary air filter used with AF4729; 3311624 Bolt Seal Included Overall Height: 20.37 (518) End 2 OD: 7.65 (194) End 1 ID: 6.02 (153)	AF4746  VOLVO 1660903; Secondary air filter used with AF4560 Overall Height: 12.6 (320) Overall OD: 7.76 (197) End 2 ID: 0.39 (10) End 1 ID: 6.54 (166)	AF4755  STEIGER 906444T1; Secondary air filter used with AF4754; 3311624 Bolt Seal Included Overall Height: 15.61 (396) End 2 OD: 5.56 (141) End 1 ID: 4.41 (112)
AF4735  DONALDSON P150703; Air, Primary Overall Height: 13.48 (342) End 1 OD: 13.85 (352) End 1 ID: 7.44 (189)	AF4747  IVECO 107029, 107030; Primary air filter used with AF4970; Seal included Overall Height: 20.5 (521) End 1 OD: 12.08 (307) End 2 ID: 0.67 (17) End 1 ID: 7.73 (196)	AF4756  CASE A171255; Primary air filter used with AF4757; 3311624 Bolt Seal Included Overall Height: 16.55 (420) End 1 OD: 9.9 (251) End 2 ID: 6.07 (154)
AF4736  JOHN DEERE AT65296; Primary air filter used with AF1980; 3311624 Bolt Seal Included Overall Height: 12.48 (317) End 1 OD: 6.85 (174) End 2 ID: 3.48 (88) End 1 ID: 0.67 (17)	AF4748K  POCLAIN TI950555; Primary air filter used with AF4103; Wing Nut Included Overall Height: 15.51 (394) End 2 ID: 3.48 (89) Fin Diameter: 7.85 (200) Cover Diameter: 8.37 (213)	AF4757  CASE A171256; Secondary air filter used with AF4756 Overall Height: 14.5 (368) End 2 OD: 5.97 (152) End 1 ID: 4.83 (123)
AF4737  SCANIA 370750 Overall Height: 20.38 (518) End 2 OD: 9.54 (242) End 2 ID: 5.21 (132) End 1 ID: 0.41 (11) Cover Diameter: 12.17 (309)	AF4750  QUINCY 234583; Quincy Compressor 250806; Bolt Seal Included Overall Height: 21.25 (540) Overall OD: 12.56 (319) End 2 ID: 0.4 (10) End 1 ID: 7.5 (191)	AF4758KM  KOMATSU 3EA0118130 3311624; Bolt Seal Included Overall Height: 10.56 (268) End 2 OD: 5.16 (131) End 2 ID: 2.56 (65) End 1 ID: 0.67 (17) Cover Diameter: 5.91 (150)
AF4738  MACK 57MD44M Overall Height: 28.38 (721) End 1 OD: 8.85 (225) End 2 ID: 5.82 (148)	AF4751  AIR MAZE CD1222610826; Primary air filter used with AF4752 Overall Height: 20.0 (508) Overall OD: 10.0 (254) End 2 ID: 5.88 (149) End 1 ID: 0.39 (10)	AF4759M  DONALDSON P150706 3311624; Bolt Seal Included Overall Height: 14.5 (368) End 1 OD: 6.85 (174) End 2 ID: 3.48 (88) End 1 ID: 0.67 (17)
AF4739  ISUZU 8944302500; 3830497 Bolt Seal Included; Replaces AF4697 Overall Height: 13.5 (343) End 2 OD: 8.7 (221) End 1 OD: 10.45 (265) End 2 ID: 5.33 (135) End 1 ID: 9.0 (229)	AF4752  AIR MAZE CD1222610830; Secondary air filter used with AF4751 Overall Height: 18.5 (470) Overall OD: 5.68 (144) End 1 ID: 4.94 (125)	AF4760  DONALDSON R804518 Overall Height: 9.15 (232) Overall OD: 2.46 (62) End 2 ID: 0.66 (17) End 1 ID: 1.94 (49)
AF4743K  KOMATSU 6001817260; Primary air filter used with AF4744 Overall Height: 11.42 (290) End 2 OD: 5.24 (133) End 1 ID: 3.35 (85) Fin Diameter: 6.34 (161)	AF4753M  LIEBHERR 7403953; Primary air filter used with AF4761M; 3834340 Wing Nut Included; 3311624 Bolt Seal Included Overall Height: 16.55 (420) End 2 OD: 10.4 (264) End 1 OD: 12.5 (318) End 2 ID: 6.05 (154) End 1 ID: 0.66 (17)	AF4761M  FRAM CA8859SY, LIEBHERR 7403951; Secondary air filter used with AF4753M, AF4980KM, AF4981M, AF25315K; 3311624 Bolt Seal Included Overall Height: 15.37 (391) End 1 OD: 5.96 (152) End 2 ID: 4.85 (123) End 1 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4762

FORD D7EF9D695AA Air



AF4763

TOYOTA 178022300071; Flame Retardant Media



Overall Height: 11.04 (281)
End 1 OD: 5.23 (133)
End 2 ID: 2.56 (65)
End 1 ID: 0.51 (13)

AF4764

TOYOTA 178012300071



Overall Height: 11.04 (281)
End 2 OD: 5.21 (132)
End 1 OD: 5.27 (134)
End 2 ID: 2.56 (65)
End 1 ID: 0.51 (13)

AF4765

FORD E7TE9D695BA



Height: 2.42 (61)
Length: 4.39 (112)
Width: 1.26 (32)

AF4767

FRANKLIN 1504917; Primary air filter used with AF25542



Overall Height: 13.58 (345)
End 2 OD: 9.01 (229)
End 1 OD: 9.62 (244)
End 2 ID: 5.71 (145)

AF4768

SULLAIR 250022888; Air, Primary



Overall Height: 11.43 (290)
Overall OD: 6.7 (170)
End 2 ID: 0.48 (12)
End 1 ID: 3.68 (93)

AF4769

CATERPILLAR 8N6883; Secondary air filter used with AF336M;; Fleetguard Airtkit Option AF4526 + AK00012



Overall Height: 16.13 (410)
End 2 OD: 6.28 (160)
End 1 ID: 4.59 (117)
Flange Diameter: 9.06 (230)

AF4771

Replacement element for kit to convert CAT 7W9567; Use w/ bracket AK00013; 3311624 Bolt Seal Included



Overall Height: 16.86 (428)
End 2 OD: 9.83 (250)
End 1 ID: 8.43 (214)

AF4772

FORD E7HZ9601B; Air, Primary



Overall Height: 16.55 (420)
Overall OD: 10.4 (264)
End 2 ID: 0.68 (17)
End 1 ID: 6.05 (154)

AF4773

DONALDSON P113330; Air, Panel



Height: 2.19 (56)
Length: 24.00 (610)
Width: 5.00 (127)

AF4775

IVECO 1901780; Seal included



Overall Height: 16.37 (416)
Overall OD: 12.08 (307)
End 2 ID: 0.87 (22)
End 1 ID: 7.73 (196)

AF4778

DONALDSON P125744; Air, Primary



Overall Height: 22.0 (559)
Overall OD: 12.75 (324)
End 1 ID: 8.37 (213)

AF4783

DONALDSON P151244; Air, Primary



Overall Height: 26.5 (673)
Overall OD: 12.77 (324)
End 1 ID: 8.36 (212)

AF4784

DONALDSON P153972; Air, Primary



Overall Height: 17.05 (433)
Overall OD: 13.83 (351)
End 1 ID: 9.48 (241)

AF4791

DONALDSON P129196



Overall Height: 16.5 (419)
Overall OD: 7.93 (201)
End 2 ID: 0.53 (13)
End 1 ID: 3.57 (91)

AF4793

DONALDSON P131912



Overall Height: 26.5 (673)
Overall OD: 12.75 (324)
End 2 ID: 0.53 (13)
End 1 ID: 8.38 (213)

AF4799

DONALDSON P145891; Air, Primary



Overall Height: 26.5 (673)
Overall OD: 12.77 (324)
End 2 ID: 0.53 (13)
End 1 ID: 8.36 (212)

AF4800K

DONALDSON P148586; Primary air filter used with AF1892



Overall Height: 15.38 (391)
End 2 OD: 5.25 (133)
End 2 ID: 0.68 (17)
End 1 ID: 3.26 (83)
Fin Diameter: 6.39 (162)

AF4801

DONALDSON SMP181073; Primary air filter used with AF4819



Overall Height: 19.5 (495)
Overall OD: 12.08 (307)
End 2 ID: 0.9 (23)
End 1 ID: 7.73 (196)

AF4802K

DONALDSON P101038



Overall Height: 12.25 (311)
End 2 OD: 7.93 (201)
End 2 ID: 0.53 (13)
End 1 ID: 3.57 (91)
Fin Diameter: 10.06 (256)

AF4804

DONALDSON P109531



Overall Height: 4.13 (105)
Overall OD: 13.84 (352)
End 2 ID: 0.53 (13)
End 1 ID: 9.47 (241)

AF4805

DONALDSON P110852



Overall Height: 18.5 (470)
Overall OD: 11.09 (282)
End 2 ID: 0.53 (13)
End 1 ID: 6.72 (171)

AF4806

DONALDSON P112059



Overall Height: 12.38 (314)
Overall OD: 6.85 (174)
End 2 ID: 0.68 (17)
End 1 ID: 4.23 (107)

AF4810

DONALDSON P117049; Cab Air



Height: 2.19 (56)
Length: 47.00 (1194)
Width: 7.00 (178)

E. PRODUCT GUIDE

AF4812  DONALDSON P118785 Overall Height: 8.39 (213) End 2 OD: 2.38 (60) End 2 ID: 0.41 (10) End 1 ID: 1.91 (49) Flange Diameter: 4.54 (115)	AF4827  DONALDSON P132939; Secondary air filter used with AF4826K Overall Height: 13.05 (332) End 2 OD: 4.1 (104) End 2 ID: 0.66 (17) End 1 ID: 3.65 (93) Flange Diameter: 4.84 (123)	AF4839  DONALDSON SMP181200 Overall Height: 10.5 (267) Overall OD: 10.41 (264) End 1 ID: 6.03 (153)
AF4813  DONALDSON P119791; Secondary air filter used with AF409K Overall Height: 11.52 (293) End 2 OD: 3.36 (85) End 1 OD: 3.74 (95) End 2 ID: 2.26 (57) End 1 ID: 2.93 (74)	AF4828  DONALDSON P133179; Air, Secondary Overall Height: 18.38 (467) Overall OD: 7.62 (194) End 2 ID: 0.66 (17) End 1 ID: 6.04 (153)	AF4840  DONALDSON P522451 Overall Height: 13.06 (332) Overall OD: 9.73 (247) End 2 ID: 0.66 (17) End 1 ID: 5.66 (144)
AF4817  JOHN DEERE AT68184; Secondary air filter used with AF818K Overall Height: 9.05 (230) End 2 OD: 2.95 (75) End 2 ID: 0.66 (17) End 1 ID: 2.4 (61) Flange Diameter: 3.64 (92)	AF4833  DONALDSON P158852 Overall Height: 16.5 (419) Overall OD: 7.93 (201) End 2 ID: 0.66 (17) End 1 ID: 5.32 (135)	AF4841  RENAULT V.I. 5010064371; Primary air filter used with AF4867; Seal included Overall Height: 15.6 (396) End 1 OD: 12.09 (307) End 2 ID: 0.67 (17) End 1 ID: 7.74 (197)
AF4818  DONALDSON P124767; Secondary air filter used with AF4835K Overall Height: 10.05 (255) End 2 OD: 3.36 (85) End 2 ID: 0.66 (17) End 1 ID: 2.26 (57) Flange Diameter: 4.12 (105)	AF4834  DONALDSON P158893; Air, Panel Height: 2.57 (65) Length: 30.00 (762) Width: 6.00 (152)	AF4842  MERCEDES-BENZ 30944204; Seal included Overall Height: 10.2 (259) Overall OD: 12.89 (328) End 2 ID: 0.41 (11) End 1 ID: 6.34 (161)
AF4819  DONALDSON P127313; Secondary air filter used with AF4801 Overall Height: 18.48 (469) End 1 OD: 7.27 (185) End 1 ID: 6.19 (157)	AF4835K  DONALDSON SMP181093; Primary air filter used with AF4818 Air Overall Height: 11.5 (292) End 2 OD: 6.09 (155) End 2 ID: 0.66 (17) End 1 ID: 3.48 (88) Fin Diameter: 7.84 (199)	AF4843  CASE L32513; Secondary air filter used with AF4845K Overall Height: 9.06 (230) End 2 OD: 6.4 (163) End 1 ID: 5.27 (134)
AF4821  DONALDSON P128252 Overall Height: 14.5 (368) Overall OD: 10.4 (264) End 2 ID: 0.66 (17) End 1 ID: 6.04 (153)	AF4836  DONALDSON SMP181132 Overall Height: 9.5 (241) End 2 ID: 0.68 (17) End 1 OD: 4.23 (107)	AF4844KM  CLARK 2353816; Flame Retardant Media Seal included Overall Height: 10.43 (265) End 2 OD: 4.08 (104) End 2 ID: 0.67 (17) End 1 ID: 2.56 (65) Fin Diameter: 5.16 (131)
AF4823K  DONALDSON P131331 Overall Height: 15.43 (392) End 2 OD: 6.84 (174) End 2 ID: 0.66 (17) End 1 ID: 3.48 (88) Fin Diameter: 8.89 (226)	AF4837  DONALDSON SMP181149 Overall Height: 8.43 (214) Overall OD: 9.22 (234) End 2 ID: 0.66 (17) End 1 ID: 4.84 (123)	AF4845K  CASE L32512; Primary air filter used with AF4843 Overall Height: 9.56 (243) End 2 OD: 11.08 (281) End 2 ID: 6.73 (171) End 1 ID: 0.67 (17) Fin Diameter: 13.8 (351)
AF4826K  DONALDSON P132935, NELSON 70660B; Primary air filter used with AF4827 Overall Height: 14.56 (370) End 2 OD: 6.85 (174) End 2 ID: 0.67 (17) End 1 ID: 4.23 (108) Fin Diameter: 8.88 (226)	AF4838  DONALDSON SMP181191; Primary air filter used with AF4896; European version of AF4706 Overall Height: 17.9 (455) End 2 OD: 8.7 (221) End 1 OD: 10.45 (265) End 2 ID: 5.33 (135) End 1 ID: 0.9 (23)	AF4846  HINO 178012620; Primary air filter used with AF4847 Overall Height: 13.46 (342) End 2 OD: 7.37 (187) End 1 OD: 9.21 (234) End 2 ID: 4.71 (120) End 1 ID: 0.67 (17)

E. PRODUCT GUIDE

AF4847



HINO 178012610; Secondary air filter used with AF4846

Overall Height: 12.09 (307)
End 2 OD: 4.62 (117)
End 1 ID: 3.51 (89)

AF4848



DONALDSON P015839

Overall Height: 15.0 (381)
Overall OD: 10.4 (264)
End 1 ID: 7.79 (198)

AF4850



DONALDSON P120949; Secondary air filter used with AF435KM

Overall Height: 8.44 (214)
End 2 OD: 2.38 (60)
End 2 ID: 0.66 (17)
End 1 ID: 1.91 (49)
Flange Diameter: 4.54 (115)

AF4851



DONALDSON P124366; Secondary air filter used with AF4852

Overall Height: 14.5 (368)
Overall OD: 8.64 (219)
End 2 ID: 0.9 (23)
End 1 ID: 7.06 (179)

AF4853K



DONALDSON P148573; Primary air filter used with AF4103; Replaces AF4543K

Overall Height: 15.16 (385)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF4856M



JOHN DEERE DDX18911; Primary air filter used with AF4103; Wing nut included

AF4857KM



COOPERS AZA327T; Seal included

Overall Height: 16.58 (421)
End 2 OD: 7.93 (201)
End 2 ID: 0.67 (17)
End 1 ID: 5.33 (135)
Fin Diameter: 9.96 (253)

AF4858KM



CASE K306535; Seal included

Overall Height: 13.55 (344)
End 2 OD: 7.93 (201)
End 2 ID: 0.67 (17)
End 1 ID: 5.33 (135)
Fin Diameter: 9.96 (253)

AF4861M



DONALDSON P145328; Air, Primary

AF4862



TEREX 9054912; Secondary air filter used with AF935M

Overall Height: 18.09 (460)
Overall OD: 10.88 (276)
End 2 ID: 0.9 (23)
End 1 ID: 8.16 (207)

AF4865M



ISUZU 1142151580; Primary air filter used with AF1767

Overall Height: 13.47 (342)
Overall OD: 9.14 (232)
End 2 ID: 0.9 (23)
End 1 ID: 5.87 (149)

AF4866



ISUZU 1142151510; Air, Secondary

Overall Height: 14.26 (362)
End 2 OD: 6.41 (163)
End 1 ID: 5.27 (134)

AF4867



RENAULT V.I. 5010064372; Secondary air filter used with AF25249M, AF4841, AF4927, AF25284M, AF4582

Overall Height: 15.0 (381)
End 2 OD: 6.4 (163)
End 1 OD: 7.31 (186)
End 2 ID: 0.67 (17)
End 1 ID: 5.28 (134)

AF4868



ISUZU 1142151570; Secondary air filter used with AF4869

Overall Height: 10.07 (256)
End 2 OD: 4.62 (117)
End 1 ID: 3.51 (89)

AF4869



ISUZU 1142151560; Primary air filter used with AF4868

Overall Height: 11.25 (286)
End 2 OD: 7.37 (187)
End 1 OD: 9.21 (234)
End 2 ID: 4.71 (120)
End 1 ID: 0.67 (17)

AF4870M



FORD E8HT9600CB; Air, Primary

Overall Height: 7.68 (195)
Overall OD: 13.85 (352)
End 2 ID: 0.67 (17)
End 1 ID: 7.44 (189)

AF4871M



DONALDSON XLP182099; Air, Primary

Overall Height: 18.52 (470)
End 2 OD: 13.85 (352)
End 1 OD: 16.26 (413)
End 2 ID: 7.44 (189)
End 1 ID: 13.7 (348)

AF4872



GMC 8994542

Overall Height: 3.0 (76)
Overall OD: 7.94 (202)
End 1 ID: 4.13 (105)

AF4874



CATERPILLAR 8N2556

Overall Height: 10.31 (262)
End 2 OD: 12.78 (325)
End 1 ID: 10.14 (258)
Flange Diameter: 15.64 (397)

AF4877



NISSAN D654601D20; Air, Primary

Overall Height: 10.54 (268)
Overall OD: 7.93 (201)
End 2 ID: 0.9 (23)
End 1 ID: 5.33 (135)

AF4878



BLAW-KNOX 16480901, FORD F3HZ9601A; Primary air filter used with AF25215; Magnum RS Version; Replaces AF25220

Overall Height: 12.8 (325)
Overall OD: 9.29 (236)
End 1 ID: 5.2 (132)

AF4880



GMC 6422214

Height: 7.13 (181)
Length: 8.92 (227)
Width: 8.02 (204)

AF4881



J.C.B. 32903002; Secondary air filter used with AF4890

Overall Height: 9.08 (231)
End 2 OD: 2.72 (69)
End 1 OD: 3.54 (90)
End 2 ID: 0.67 (17)
End 1 ID: 2.44 (62)

AF4882



J.C.B. 32903202; Secondary air filter used with AF25509K, AF25311, AF1861K

Overall Height: 10.04 (255)
End 2 OD: 3.35 (85)
End 1 OD: 4.09 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.95 (75)

AF4883



J.C.B. 32205703; Secondary air filter used with AF4888K

Overall Height: 13.96 (355)
End 2 OD: 2.72 (69)
End 1 OD: 3.54 (90)
End 2 ID: 0.67 (17)
End 1 ID: 2.44 (62)

AF4884



SCHROEDER ABF310; Air Breather with 3/4" NPT Adaptor

Overall Height: 3.2 (81)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16 UN-2B

AF4884A



STAUFF SGB9010P; Air Breather w/o adaptor

Overall Height: 3.2 (81)
Largest OD: 3.69 (94)
Thread Size: 1 1/8-16 UN-2B

AF4886



CATERPILLAR 7W6754E; Secondary air filter used with AF1890M

Overall Height: 5.24 (133)
End 2 OD: 3.95 (100)
End 1 ID: 2.36 (60)
Flange Diameter: 6.69 (170)

AF4887KM



KOMATSU 3EC0111630; Primary air filter used with AF1966

Overall Height: 11.5 (292)
End 2 OD: 7.14 (181)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 8.03 (204)

AF4888K



J.C.B. 32205702; Primary air filter used with AF1892, AF4883; Seal included

Overall Height: 15.46 (393)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 3.17 (81)
Fin Diameter: 6.34 (161)

AF4890



J.C.B. 32903001; Primary air filter used with AF4881

Overall Height: 10.35 (263)
End 2 OD: 5.87 (149)
End 2 ID: 2.79 (71)
Cover Diameter: 6.89 (175)

AF4891M



DONALDSON P772552, JOHN DEERE RE35523, ORENSTEIN & KOPPEL 101158, SAME 242292001; Primary air filter used with AF4654

AF4892K



J.C.B. 32903601; Primary air filter used with AF4103; Is Long version of AF25509K; Wing nut Included

Overall Height: 15.51 (394)
End 2 ID: 3.48 (89)
Fin Diameter: 7.85 (200)
Cover Diameter: 8.37 (213)

AF4893M



DONALDSON P772530; Primary air filter used with AF4589

Overall Height: 16.46 (418)
End 2 OD: 9.21 (234)
End 2 ID: 5.0 (127)
Cover Diameter: 11.02 (280)

AF4894KM



FIATAGRI 71415282; Primary air filter used with AF4589

Overall Height: 16.46 (418)
End 2 ID: 5.33 (135)
Fin Diameter: 10.08 (256)
Cover Diameter: 11.02 (280)

AF4895



VOLVO 15868821; Replaces AF1989

Overall Height: 3.64 (93)
End 2 OD: 3.31 (84)
End 1 OD: 3.46 (88)
End 1 ID: 0.83 (21)

AF4896



mitsubishi ME033839; Secondary air filter used with AF4838, AF25060KM

Overall Height: 16.25 (413)
End 2 OD: 5.21 (132)
End 1 ID: 4.16 (106)

AF4897



DONALDSON P117370; Air, Primary

Overall Height: 18.5 (470)
Overall OD: 10.4 (264)
End 2 ID: 0.9 (23)
End 1 ID: 6.05 (154)

AF4898



MERCEDES-BENZ 30941604; Secondary air filter used with AF4713; Seal included

Overall Height: 17.78 (452)
Overall OD: 7.11 (181)
End 2 ID: 0.67 (17)
End 1 ID: 5.99 (152)

AF4899



STEIGER 906017S1; Wing Nut Included

Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 2 ID: 0.9 (23)
End 1 ID: 7.73 (196)

AF4901



LISTER PETTER 38207903

Overall Height: 13.82 (351)
End 2 OD: 5.51 (140)
End 2 ID: 2.83 (72)
Cover Diameter: 7.24 (184)

AF4903



ISUZU 1142151810

Overall Height: 15.5 (394)
Overall OD: 10.87 (276)
End 2 ID: 0.92 (23)
End 1 ID: 6.5 (165)

AF4905M



LIEBHERR 7405233, POCLAIN M2150534; Primary air filter used with AF4589; Wing nut and seal included

Overall Height: 16.26 (413)
End 2 OD: 10.0 (254)
End 2 ID: 4.88 (124)
Cover Diameter: 11.02 (280)

AF4906



IVECO 1902457

Overall Height: 7.16 (182)
Overall OD: 6.3 (160)
End 1 ID: 3.94 (100)

AF4907



IVECO 1902486

Overall Height: 9.29 (236)
Overall OD: 6.3 (160)
End 1 ID: 3.94 (100)

AF4909K



MANITOU 177130; Primary air filter used with AF25321; Seal included

Overall Height: 12.05 (306)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF4910



RENAULT V.I. 5001000878

Overall Height: 12.17 (309)
Overall OD: 4.92 (125)
End 1 ID: 3.35 (85)

AF4911



MITSUBISHI 9126108200; Seal included

Overall Height: 10.16 (258)
Overall OD: 5.24 (133)
End 2 ID: 0.49 (13)
End 1 ID: 3.17 (81)

E. PRODUCT GUIDE

AF4912 DONALDSON P900438



AF4913 DONALDSON P900442



AF4915 MERCEDES-BENZ 20949204; Air, Panel



Height: 2.42 (62)
Length: 6.77 (172)
Width: 23.47 (596)

AF4916 MERCEDES-BENZ 20949304; Air, Panel



Height: 3.17 (80)
Length: 23.47 (596)
Width: 6.77 (172)

AF4917 MERCEDES-BENZ 30943904



Overall Height: 9.0 (229)
Overall OD: 5.87 (149)
End 2 ID: 0.41 (11)
End 1 ID: 2.79 (71)

AF4919 VOLVO 47714738; Air, Panel



Height: 1.5 (38)
Length: 6.48 (165)
Width: 13.19 (335)

AF4920 IVECO 1905710, MANN & HUMMEL C331476



Overall Height: 18.72 (476)
Overall OD: 12.89 (327)
End 2 ID: 0.41 (11)
End 1 ID: 8.58 (218)

AF4923K NISSAN 1654600H10, 1654605H10; Replaces AF4923



Overall Height: 8.03 (204)
End 2 OD: 4.09 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.52 (64)
Fin Diameter: 5.2 (132)

AF4926 DONALDSON P103988; Air, Primary



Overall Height: 14.86 (377)
Overall OD: 11.69 (297)
End 1 ID: 5.51 (140)

AF4927 DONALDSON P103988; Primary air filter used with AF4867; Seal included



Overall Height: 15.41 (392)
Overall OD: 11.08 (281)
End 2 ID: 0.67 (17)
End 1 ID: 6.73 (171)

AF4928 IMPCO F115; Filter for Impco LP Gas conversion kits for S-10 Chevy and Ford pickups



Overall Height: 6.62 (168)
Overall OD: 6.75 (171)
End 1 ID: 5.0 (127)

AF4929 IMPCO F15; Filter for Impco LP Gas conversion kits for S-10 Chevy and Ford pickups



Overall Height: 2.12 (54)
Overall OD: 6.75 (171)
End 1 ID: 5.0 (127)

AF4930 MITSUBISHI ME033773; Air, Secondary



Overall Height: 11.88 (302)
End 2 OD: 5.21 (132)
End 1 ID: 4.16 (106)

AF4937 TOWMOTOR 369136



Overall Height: 10.5 (267)
Overall OD: 4.31 (110)
End 1 ID: 2.18 (55)

AF4939 KOMATSU 3EB0125830



Overall Height: 10.35 (263)
End 2 OD: 4.08 (104)
End 2 ID: 2.56 (65)
End 1 ID: 0.3 (8)
Cover Diameter: 5.75 (146)

AF4940 CATERPILLAR 2N7003; Replacement blanket for AF4128



Height: 0.5 (13)

AF4941K Flame Retardant version of AF409K; 331624 Bolt Seal Included



Overall Height: 12.43 (316)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF4942 VOLVO 1080918; Primary air filter used with AF25084



Overall Height: 23.56 (599)
End 2 OD: 10.59 (269)
End 2 ID: 6.22 (158)

AF4945 MOTORCRAFT FA1048



Overall Length: 10.72 (272)

AF4946 AC A1129C; Air, Panel



Height: 1.65 (42)
Length: 11.57 (294)
Width: 7.09 (180)

AF4949 AC A1096C; Air, Panel



Height: 1.7 (43)
Length: 10.62 (270)
Width: 7.94 (202)

AF4952 MITSUBISHI MD604880



Overall Height: 2.5 (64)
Overall OD: 10.5 (267)
End 1 ID: 7.94 (202)

AF4954 HONDA 17220PT2000; Air, Panel



Height: 1.57 (40)
Length: 9.59 (244)
Width: 5.45 (138)

AF4955 AC A925C



Overall Height: 5.94 (151)
Overall OD: 5.75 (146)
End 1 ID: 3.62 (92)

AF4956 TOYOTA 1780170020; Replaces AF4947



Overall Height: 2.81 (71)
End 2 OD: 7.55 (192)
End 1 OD: 8.67 (220)
End 2 ID: 1.35 (34)

AF4957  VOLVO 463505; Air, Panel Height: 1.44 (37) Length: 13.16 (334) Width: 6.38 (162)	AF4973K  GMC 25177164; Seal included Overall Height: 7.89 (201) End 2 OD: 4.08 (104) End 2 ID: 0.67 (17) End 1 ID: 2.56 (65) Fin Diameter: 5.16 (131)	AF4988  FARR 498805; Air, Panel Height: 1.87 (48) Length: 23.38 (594) Width: 23.38 (594)
AF4958  HONDA 17220PH3000; Air, Panel Height: 1.3 (33) Length: 11.15 (283) Width: 7.36 (187)	AF4977  TOYOTA 1780135020; Air, Panel Height: 2.05 (52) Length: 9.76 (248) Width: 6.65 (169)	AF4989  LEYLAND ABU6154; Seal included Overall Height: 16.58 (421) Overall OD: 9.21 (234) End 2 ID: 0.67 (17) End 1 ID: 4.86 (123)
AF4959  TOYOTA 1780174020; Air, Panel; Replaces AF4969 Height: 1.65 (42) Length: 12.25 (311) Width: 6.19 (157)	AF4978  SUZUKI 1378083000 Overall Height: 4.37 (111) Overall OD: 7.24 (184) End 1 ID: 4.65 (118)	AF4990  VOLVO V1115700 Overall Height: 16.75 (425) Overall OD: 12.74 (324) End 1 ID: 8.36 (212)
AF4965  CHRYSLER 53004583; Air, Panel Height: 1.57 (40) Length: 13.50 (343) Width: 6.62 (168)	AF4980KM  BENFRA 40199, DONALDSON P772531; Primary air filter used with AF4761M; Wing nut and seal included Overall Height: 16.42 (417) End 2 OD: 10.39 (264) End 2 ID: 6.02 (153) Fin Diameter: 11.61 (295) Cover Diameter: 12.5 (318)	AF4991  KUBOTA 1735111080 Overall Height: 11.54 (293) End 2 OD: 5.24 (133) End 2 ID: 2.83 (72) End 1 ID: 0.53 (14) Cover Diameter: 7.05 (179)
AF4966  VOLVO 10823680; Air breather on vehicles with air suspension; Is a longer version of AF4895 Overall Height: 5.2 (132) End 2 OD: 3.31 (84) End 1 OD: 3.46 (88) End 1 ID: 0.83 (21)	AF4981M  FORD 452529, MASSEY-FERGUSON 3389793M2; Primary air filter used with AF4761M; Wing nut and seal included Overall Height: 16.46 (418) End 2 OD: 9.76 (248) End 2 ID: 6.06 (154) Cover Diameter: 12.48 (317)	AF4992  LEYLAND 192720; Seal included Overall Height: 11.4 (290) Overall OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.71 (69)
AF4967  MOTORCRAFT FA1116 Overall Height: 13.88 (353) Overall OD: 7.37 (187) End 2 ID: 0.39 (10) End 1 ID: 5.37 (137)	AF4983  DONALDSON P770207, FIATAGRI 1930537; Secondary air filter used with AF25002M; Seal included Overall Height: 12.07 (307) End 2 OD: 2.76 (70) End 1 OD: 3.62 (92) End 2 ID: 0.67 (17) End 1 ID: 2.44 (62)	AF4993  DAF 192057; Seal included Overall Height: 8.64 (220) Overall OD: 5.24 (133) End 2 ID: 0.67 (17) End 1 ID: 2.81 (72)
AF4968  DAF 393561; Seal included Overall Height: 14.81 (376) Overall OD: 9.54 (242) End 2 ID: 0.41 (11) End 1 ID: 5.21 (132)	AF4984  RENAULT V.I. 5000814696; Primary air filter used with AF25061; Seal included Overall Height: 16.45 (418) End 2 OD: 11.69 (297) End 2 ID: 7.46 (190) Cover Diameter: 14.73 (374)	AF4994  FIATAGRI 1930175; Secondary air filter used with AF25057, AF25331; Seal included Overall Height: 12.43 (316) Overall OD: 4.61 (117) End 2 ID: 0.67 (17) End 1 ID: 3.56 (90)
AF4970  IVECO 107030; Secondary air filter used with AF4747; Seal included Overall Height: 19.21 (488) End 2 OD: 7.26 (185) End 1 OD: 8.43 (214) End 2 ID: 0.67 (17) End 1 ID: 6.24 (159)	AF4985  HEAVY DUTY AIR A0337; For use on MCI bus coaches; 2556017 Bolt Seal Included Overall Height: 16.02 (407) End 2 OD: 15.11 (384) End 1 OD: 15.8 (401) End 2 ID: 8.21 (208) End 1 ID: 0.9 (23)	AF4995K  FURUKAWA 1129111C1; Primary air filter used with AF4996; Seal included Overall Height: 15.5 (394) End 2 OD: 6.85 (174) End 2 ID: 0.67 (17) End 1 ID: 4.23 (108) Fin Diameter: 8.88 (226)

E. PRODUCT GUIDE

AF4996



FURUKAWA 1129112C1;
Secondary air filter used with
AF4995K; Seal included

Overall Height: 14.37 (365)
Overall OD: 4.08 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.94 (75)

AF4999



FARR 52711000; Air, Panel

Height: 5.25 (133)
Length: 19.50 (495)
Width: 19.50 (495)

AF25000



AWD 91112964; Seal Included

Overall Height: 14.39 (366)
End 2 OD: 7.72 (196)
End 1 OD: 8.94 (227)
End 2 ID: 5.06 (129)
End 1 ID: 0.63 (16)

AF25002M



DONALDSON P772565,
FIATAGRI 1930536; Primary air
filter used with AF4983; Wing Nut
Included

Overall Height: 13.82 (351)
End 2 OD: 5.43 (138)
End 2 ID: 2.83 (72)
Cover Diameter: 7.24 (184)

AF25005



FARR 49880006; Air, Panel; Uses
service part(s) 3847372S

Height: 1.87 (48)
Length: 23.38 (594)
Width: 11.38 (289)

AF25006K



MANITOU 177129, SOFILTRA
123607; Primary air filter used
with AF25753; Seal included

Overall Height: 11.12 (283)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.71 (69)
Fin Diameter: 6.34 (161)

AF25007



VOLVO 6888848

Overall Height: 16.69 (424)
Overall OD: 14.38 (365)
End 2 ID: 0.4 (10)
End 1 ID: 8.27 (210)

AF25008



HITACHI 4247974; Secondary air
filter used with AF25009; Seal
included

Overall Height: 9.63 (245)
Overall OD: 5.16 (131)
End 2 ID: 0.67 (17)
End 1 ID: 4.05 (103)

AF25009



HITACHI 4206098; Primary air
filter used with AF25008;
Gasket(s): 3830497; Seal
Included

Overall Height: 10.93 (278)
End 2 OD: 7.93 (201)
End 2 ID: 5.33 (135)
End 1 ID: 0.87 (22)
Cover Diameter: 9.92 (252)

AF25014



CHRYSLER 4300787

Overall Height: 3.06 (78)
End 2 OD: 9.12 (232)
End 1 OD: 13.0 (330)
End 2 ID: 5.94 (151)
End 1 ID: 9.81 (249)

AF25017



AC A1138C; Air, Panel

Height: 1.7 (43)
Length: 10.11 (257)
Width: 8.24 (209)

AF25022



MERCEDES-BENZ 30947004;
Seal included

Overall Height: 18.95 (481)
Overall OD: 12.89 (327)
End 2 ID: 0.41 (11)
End 1 ID: 7.66 (195)

AF25023



MOPAR 4713953; Gasket(s):
3895660; Magnum RS Version

Overall Height: 9.7 (246)
End 1 OD: 8.16 (207)
End 1 ID: 4.26 (108)

AF25024



FARR 49880012; Air, Panel

Height: 1.87 (48)
Length: 23.50 (597)
Width: 19.50 (495)

AF25027K



DONALDSON P900247

AF25029



NEW HOLLAND 1930349

Overall Height: 13.47 (342)
End 2 OD: 10.0 (254)
End 2 ID: 4.82 (122)
Cover Diameter: 10.75 (273)

AF25031



KOMATSU 6001819460; Wing
nut included; AF25444 is the same
element without wing nut

Overall Height: 12.44 (316)
End 2 OD: 6.08 (154)
End 2 ID: 3.48 (88)
Cover Diameter: 7.6 (193)

AF25033M



CASE 2005895C1; Primary air
filter used with AF25430

Overall Height: 18.58 (472)
Overall OD: 12.85 (326)
End 1 ID: 6.77 (172)

AF25040



DONALDSON P526678; Magnum
RS Version

Overall Height: 15.02 (381)
Overall OD: 9.26 (235)
End 1 ID: 5.26 (134)

AF25041



NISSAN 1654606N00; Flame
Retardant Media

Overall Height: 11.44 (291)
End 2 OD: 5.24 (133)
End 1 OD: 5.36 (136)
End 2 ID: 2.81 (72)

AF25042K



TOYOTA 178062380071

Overall Height: 11.54 (293)
End 2 ID: 2.72 (69)
End 1 ID: 0.47 (12)
Fin Diameter: 6.34 (161)
Cover Diameter: 7.76 (197)

AF25043M



DAF 112294; Primary air filter
used with AF1841; Replaces
AF4069

Overall Height: 15.03 (382)
Overall OD: 8.96 (228)
End 2 ID: 0.41 (11)
End 1 ID: 4.61 (117)

AF25044M



DAF 265045; Primary air filter
used with AF1840; Replaces
AF4040

Overall Height: 14.81 (376)
Overall OD: 7.78 (198)
End 2 ID: 0.34 (9)
End 1 ID: 4.08 (104)

AF25045M



DAF 667078; Primary air filter
used with AF4727; Replaces
AF4630

Overall Height: 14.81 (376)
End 2 OD: 11.84 (301)
End 1 OD: 11.88 (302)
End 2 ID: 0.41 (11)
End 1 ID: 7.55 (192)

E. PRODUCT GUIDE

AF25046



KOMATSU 6001818210; Primary air filter used with AF25047

Overall Height: 16.75 (425)
Overall OD: 8.48 (215)
End 2 ID: 0.63 (16)
End 1 ID: 4.16 (106)

AF25047



KOMATSU 6001818310; Secondary air filter used with AF25046

Overall Height: 15.5 (394)
End 2 OD: 4.1 (104)
End 1 ID: 2.92 (74)

AF25048



KOMATSU 6675817231

Overall Height: 8.85 (225)
Overall OD: 9.65 (245)
End 1 ID: 5.25 (133)

AF25055



LEYLAND ACU8498; Seal included.

Overall Height: 15.54 (395)
Overall OD: 9.21 (234)
End 2 ID: 0.67 (17)
End 1 ID: 4.86 (124)

AF25056K



CROSLAND 9668K, LEYLAND RTC3478; Seal included

Overall Height: 8.64 (220)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.72 (69)
Fin Diameter: 6.34 (161)

AF25057



FIATAGRI 1930174, 1930349; Primary air filter used with AF4994

Overall Height: 13.35 (339)
End 2 OD: 10.0 (254)
End 2 ID: 4.88 (124)
Cover Diameter: 10.95 (278)

AF25058



JOHN DEERE AT762159

Overall Height: 13.38 (340)
Overall OD: 7.31 (186)
End 2 ID: 0.38 (10)
End 1 ID: 4.0 (102)

AF25060KM



KOMATSU 2050173750; Primary air filter used with AF25318, AF4896; Replaces AF4904K

Overall Height: 17.74 (451)
End 2 ID: 5.33 (135)
Fin Diameter: 10.08 (256)
Cover Diameter: 11.02 (280)

AF25061



RENAULT V.I. 5000814947; Secondary air filter used with AF4984

Overall Height: 14.76 (375)
Overall OD: 7.4 (188)
End 2 ID: 0.57 (15)
End 1 ID: 6.3 (160)

AF25062



M.A.N. 81084016082; Primary air filter used with AF25230; For flame retardant version, use AF26279; Seal included

Overall Height: 24.35 (618)
End 1 OD: 12.91 (328)
End 2 ID: 0.41 (11)
End 1 ID: 8.56 (218)

AF25063



CHAUMECA CH4S

Overall Height: 10.55 (268)
Overall OD: 8.27 (210)
End 1 ID: 5.51 (140)

AF25064



SCANIA 218989; Primary air filter used with AF1840; Replaces AF4040

Overall Height: 14.81 (376)
Overall OD: 7.78 (198)
End 2 ID: 0.34 (9)
End 1 ID: 4.08 (104)

AF25065



MERCEDES-BENZ 10944704; Primary air filter used with AF1841; Replaces AF4069

Overall Height: 15.03 (382)
Overall OD: 8.96 (228)
End 2 ID: 0.41 (11)
End 1 ID: 4.61 (117)

AF25066



SCANIA 395773; Primary air filter used with AF4727 except for Daf-use AF25045M; Seal included; Replaces AF4630

Overall Height: 14.94 (379)
End 1 OD: 11.89 (302)
End 2 ID: 0.41 (11)
End 1 ID: 7.56 (192)

AF25067



CASE 7825516

Overall Height: 3.22 (82)
Largest OD: 3.31 (84)
Thread Size: 3/4-16 UNF-2B

AF25069



MERCEDES-BENZ 30945104; Half housing attached

Overall Height: 13.11 (333)
End 2 OD: 6.18 (157)
End 1 OD: 7.48 (190)
End 1 ID: 2.76 (70)

AF25070K



NISSAN 1654602N00; Seal included

Overall Height: 11.4 (290)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 2.81 (72)
Fin Diameter: 6.34 (161)

AF25075



VOLKSWAGEN 2VC129619; VW buses & trucks 8, 17 & 24 tons

Overall Height: 15.43 (392)
Overall OD: 6.59 (167)
End 1 ID: 4.11 (104)

AF25084



VOLVO 1080920; Secondary air filter used with AF4942

Overall Height: 22.87 (581)
End 2 OD: 5.83 (148)
End 1 OD: 6.81 (173)
End 2 ID: 0.45 (12)
End 1 ID: 5.43 (138)

AF25086



Ford Cargo

AF25087



LEYLAND ACU8456; Seal included

Overall Height: 14.54 (369)
Overall OD: 11.08 (281)
End 2 ID: 0.67 (17)
End 1 ID: 6.73 (171)

AF25088



KOMATSU 6675817021

Overall Height: 9.85 (250)
Overall OD: 9.65 (245)
End 1 ID: 5.25 (133)

AF25091



CUMMINS 3040098

Overall Height: 6.0 (152)
Overall OD: 11.5 (292)
End 1 ID: 9.5 (241)

AF25092M



Kenworth T8000 and Reyton IT-3700 Applications

Overall Height: 24.3 (617)
Overall OD: 8.14 (207)
End 2 ID: 8.09 (205)

E. PRODUCT GUIDE

AF25111M  CATERPILLAR 6I2499; Primary air filter used with AF25112M; Magnum RS Version of AF344M; Replaces AF25036M Overall Height: 12.32 (313) End 2 OD: 9.06 (230) End 1 OD: 9.19 (234) End 1 ID: 4.63 (118)	AF25135M  CATERPILLAR 6I2505; Primary air filter used with AF25136M; Magnum RS Version; Replaces AF25011M Overall Height: 15.37 (391) End 2 OD: 12.36 (314) End 1 OD: 12.48 (317) End 1 ID: 8.21 (209)	AF25218  AIR MAZE CD1623610827; Secondary air filter used with AF4678; Replaces AF4673 Overall Height: 20.75 (527) Overall OD: 7.38 (187) End 2 ID: 0.64 (16) End 1 ID: 6.12 (155)
AF25112M  CATERPILLAR 6I2500; Secondary air filter used with AF25111M; Magnum RS Version of AF343M; Replaces AF25037 Overall Height: 11.58 (294) End 2 OD: 4.49 (114) End 1 OD: 4.68 (119) End 1 ID: 3.19 (81)	AF25136M  CATERPILLAR 6I2506; Secondary air filter used with AF25135M; Magnum RS Version; Replaces AF25012 Overall Height: 15.32 (389) End 2 OD: 7.83 (199) End 1 OD: 8.27 (210) End 1 ID: 6.14 (156)	AF25219  DONALDSON P531026; Air, Primary Magnum RS Overall Height: 23.51 (597) End 2 OD: 9.27 (235) End 1 OD: 9.38 (238) End 1 ID: 5.98 (152)
AF25125M  CATERPILLAR 6I2501; Primary air filter used with AF25126M; Magnum RS Version; Replaces AF25025M Overall Height: 13.23 (336) End 2 OD: 10.97 (279) End 1 OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25137M  CATERPILLAR 6I2509; Primary air filter used with AF25138M; Magnum RS Version; Replaces AF25034M This part must be used with the Fleetguard Secondary Air; it may not be used with any other Secondary Air Overall Height: 18.86 (479) End 1 OD: 12.4 (315) End 1 ID: 8.21 (209)	AF25221  KUBOTA 1142011180 Overall Height: 1.99 (51) End 2 OD: 4.41 (112) End 1 OD: 4.72 (120) End 2 ID: 2.09 (53)
AF25126M  CATERPILLAR 6I2502; Secondary air filter used with AF25125M; Magnum RS Version; Replaces AF25026 Overall Height: 12.44 (316) End 2 OD: 5.59 (142) End 1 OD: 5.92 (151) End 1 ID: 4.27 (109)	AF25138M  CATERPILLAR 6I2510; Secondary air filter used with AF25137M; Magnum RS version; Replaces AF25035 This part must be used with the Fleetguard Primary Air; it may not be used with any other Primary Air Overall Height: 18.98 (482) End 2 OD: 7.44 (189) End 1 OD: 8.27 (210) End 1 ID: 6.14 (156)	AF25222  M.A.N. 81082040072; Seal included Overall Height: 13.36 (339) End 1 OD: 11.88 (302) End 2 ID: 0.41 (11) End 1 ID: 7.55 (192)
AF25129M  CATERPILLAR 6I2503; Primary air filter used with AF25130M; Magnum RS; Replaces AF25038M Overall Height: 16.28 (414) End 2 OD: 10.97 (279) End 1 OD: 11.06 (281) End 1 ID: 5.91 (150)	AF25139M  DONALDSON P527682; Primary air filter used with AF25345; Magnum RS version; Replaces AF4908 Overall Height: 15.35 (390) End 2 OD: 13.06 (332) End 1 OD: 13.13 (333) End 1 ID: 6.81 (173)	AF25224K  LEYLAND ACU8916; Seal included Overall Height: 15.54 (395) End 2 OD: 7.93 (201) End 1 ID: 5.33 (135) Fin Diameter: 9.96 (253) Boot Diameter: 0.67 (17)
AF25130M  CATERPILLAR 6I2504; Secondary air filter used with AF25129M; Magnum RS Version; Replaces AF25039 Overall Height: 15.67 (398) End 2 OD: 5.59 (142) End 1 OD: 5.92 (151) End 1 ID: 4.27 (109)	AF25200K  HITACHI 4294845; Seal included; Replaces AF25200 Overall Height: 7.5 (191) End 2 OD: 3.23 (82) End 2 ID: 1.69 (43) End 1 ID: 0.41 (11) Cover Diameter: 4.98 (127) Fin Diameter: 4.33 (110)	AF25226  FORD F1UZ9601A V8 Engine Overall Height: 4.4 (112) Overall OD: 11.56 (294) End 1 ID: 8.28 (210)
AF25131M  CATERPILLAR 6I0273; Primary air filter used with AF25132M; Magnum RS Version of AF875M; Replaces AF25019M Overall Height: 13.33 (339) End 2 OD: 11.34 (288) End 1 OD: 11.48 (292) End 1 ID: 7.18 (183)	AF25215  FORD F3HZ9602A; Secondary air filter used with AF4878; Magnum RS Overall Height: 12.01 (305) End 2 OD: 4.96 (126) End 1 OD: 5.2 (132) End 1 ID: 3.7 (94)	AF25227  MOTORCRAFT FA1605 Height: 2.34 (59)
AF25132M  CATERPILLAR 6I0274; Secondary air filter used with AF25131M; Magnum RS Version; Replaces AF25020 Overall Height: 13.15 (334) End 2 OD: 6.89 (175) End 1 OD: 7.26 (185) End 1 ID: 5.2 (132)		AF25228M  JOHN DEERE AZ45868; Primary air filter used with AF25229M; Seal included Overall Height: 22.51 (572) End 1 OD: 12.09 (307) End 2 ID: 0.67 (17) End 1 ID: 7.74 (197)

E. PRODUCT GUIDE

AF25229M



JOHN DEERE AZ45867;
Secondary air filter used with
AF25228M; Seal included

Overall Height: 21.57 (548)
End 2 OD: 7.26 (185)
End 1 OD: 8.43 (214)
End 2 ID: 0.67 (17)
End 1 ID: 6.23 (158)

AF25230



M.A.N. 81083040066; Secondary
air filter used with AF25062

Overall Height: 23.98 (609)
End 2 OD: 7.95 (202)
End 1 OD: 8.31 (211)
End 2 ID: 0.67 (17)
End 1 ID: 7.48 (190)

AF25231



HINO 178012440

Overall Height: 11.02 (280)
Overall OD: 7.48 (190)
End 1 ID: 0.89 (23)

AF25232



SUZUKI 1378078100

Overall Height: 1.79 (45)
Overall OD: 8.37 (213)
End 1 ID: 6.3 (160)

AF25234



FARR 119303005; Air, Panel

Height: 0.75 (19)
Length: 23.50 (597)
Width: 23.50 (597)

AF25235



IVECO 1907695; For flame
retardant version, use AF26296

Overall Height: 20.27 (515)
Overall OD: 12.89 (327)
End 2 ID: 0.41 (11)
End 1 ID: 8.58 (218)

AF25237



DAF 754718; Magnum RS
version

Overall Height: 16.55 (420)
End 2 OD: 9.53 (242)
End 1 OD: 9.65 (245)
End 1 ID: 4.98 (127)

AF25238



VOLVO 1665898; Primary air filter
used with AF25317; Magnum RS
version

Overall Height: 16.61 (422)
End 2 OD: 12.91 (328)
End 2 ID: 7.83 (199)
Cover Diameter: 15.95 (405)

AF25239



VOLVO 16659088; Primary air
filter used with AF25317; Magnum
RS version

Overall Height: 16.52 (420)
End 2 OD: 13.78 (350)
End 2 ID: 7.79 (198)
Cover Diameter: 16.89 (429)

AF25240



CHRYSLER MD604952

Overall Height: 2.15 (55)
End 2 OD: 9.06 (230)
End 1 OD: 12.91 (328)
End 2 ID: 6.02 (153)
End 1 ID: 9.92 (252)

AF25241



NISSAN 1654697002

Overall Height: 15.93 (405)
Overall OD: 6.02 (153)
End 1 ID: 4.76 (121)

AF25242



NISSAN 1654697001

Overall Height: 16.46 (418)
Overall OD: 8.98 (228)
End 1 ID: 6.26 (159)

AF25243



HONDA 17220PE3601

Overall Height: 2.48 (63)
Overall OD: 10.24 (260)
End 1 ID: 7.64 (194)

AF25246



IVECO 1908234; Air, Primary

Overall Height: 9.88 (251)
Overall OD: 6.1 (155)
End 1 ID: 3.07 (78)

AF25247



Is Long version of AF25858;
Magnum RS version;
Gasket(s): 3309167

Overall Height: 23.71 (602)
Overall OD: 11.35 (288)
End 1 ID: 6.76 (172)

AF25248



DONALDSON P534925; Magnum
RS version; Peterbilt Model 379

Overall Height: 25.76 (654)
Overall OD: 12.99 (330)
End 1 ID: 7.43 (189)

AF25249M



RENAULT V.I. 5010066304;
Primary air filter used with
AF4867, AF820M; Replaces
AF4582

Overall Height: 18.49 (470)
End 1 OD: 12.09 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.74 (197)

AF25250



RENAULT V.I. 5000814957;
Secondary air filter used with
AF25285

Overall Height: 13.23 (336)
Overall OD: 7.4 (188)
End 2 ID: 6.3 (160)
End 1 ID: 0.56 (14)

AF25251



RENAULT V.I. 5000814950;
Secondary air filter used with
AF25285

Overall Height: 12.76 (324)
Overall OD: 7.01 (178)
End 1 ID: 6.1 (155)

AF25254



FORD F57X9601A

Overall Height: 7.9 (201)
End 2 OD: 5.04 (128)
End 1 OD: 6.09 (155)
End 1 ID: 3.3 (84)

AF25255



FORD F5TZ9601A,
MOTORCRAFT FA1617

Height: 6.02 (153)
Length: 12.93 (328)
Width: 6.19 (157)

AF25256



AC A1163C, GMC 25098463

Height: 1.65 (42)
Length: 11.52 (293)
Width: 6.01 (153)

AF25257



STEIGER 604452T2; Cab Air

Height: 1.27 (32)

AF25258



GMC 15998574; Magnum RS
version

Overall Height: 10.65 (271)
Overall OD: 6.49 (165)
End 1 ID: 3.58 (91)

AF25259



GMC 15986275; Magnum RS
version

Overall Height: 10.65 (271)
Overall OD: 7.24 (184)
End 1 ID: 3.58 (91)

E. PRODUCT GUIDE

AF25260

IVECO 1908233; Air, Primary



Overall Height: 13.5 (343)
Overall OD: 6.1 (155)
End 1 ID: 3.19 (81)

AF25261

Gardner Denver Compressors



Overall Height: 11.71 (297)
Overall OD: 9.61 (244)
End 1 ID: 5.14 (131)

AF25262

CATERPILLAR 1063969, FRAM CA8492; Primary air filter used with AF25263; Magnum RS version



Overall Height: 18.02 (458)
End 2 OD: 14.15 (359)
End 1 OD: 14.27 (363)
End 1 ID: 9.09 (231)

AF25263

CATERPILLAR 1063973; Secondary air filter used with AF25262; Magnum RS Version



Overall Height: 17.72 (450)
End 2 OD: 8.66 (220)
End 1 OD: 9.06 (230)
End 1 ID: 7.01 (178)

AF25264

M.A.N. 81083040083; Primary air filter used with AF25615; Magnum RS Version



Overall Height: 19.0 (483)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF25266

DONGFENG MOTOR CORPORATION,LTD 1109D5030; Air, Primary



AF25267

DONGFENG MOTOR CORPORATION,LTD 11092D030; Air, Primary



Overall Height: 12.99 (330)
Overall OD: 7.09 (180)
End 1 ID: 3.94 (100)

AF25268

DONGFENG MOTOR CORPORATION,LTD 11096B020; Primary air filter used with AF25269; Filter used with housing AH8854; Is included in AA2955



AF25269

DONGFENG MOTOR CORPORATION,LTD 11096B030; Secondary air filter used with AF25268; Filter used with housing AH8854; Part of kit AA2955

Cannot be sold separately

AF25270

DONGFENG MOTOR CORPORATION,LTD 1109N020; Primary air filter used with AF25271



AF25271

DONGFENG MOTOR CORPORATION,LTD 1109N030; Secondary air filter used with AF25270; Part of kit AA2956

Cannot be sold separately

AF25276

DONGFENG MOTOR CORPORATION,LTD 1109N12020; Primary air filter used with AF25277; Filter used with housing AH19351; Is included in AA2948



Overall Height: 18.82 (478)
Overall OD: 11.81 (300)
End 2 ID: 0.35 (9)
End 1 ID: 7.87 (200)

AF25277

DONGFENG MOTOR CORPORATION,LTD 1109N12030 Secondary air filter used with AF25276; Filter used with housing AH19351; Part of kit AA2948.

Cannot be sold separately.

AF25278

CUMMINS 3630778; Filter used with housing AH19036



Overall Height: 18.26 (464)
End 2 OD: 13.83 (351)
End 2 ID: 9.48 (241)
Cover Diameter: 16.41 (417)

AF25279

CATERPILLAR 6I1450; Primary air filter used with AF25280; Magnum RS



Overall Height: 6.62 (168)
End 2 OD: 8.13 (207)
End 1 OD: 8.21 (209)
End 1 ID: 4.26 (108)

AF25280

CATERPILLAR 6I1451; Secondary air filter used with AF25279; Magnum RS Version



Overall Height: 5.83 (148)
End 2 OD: 4.02 (102)
End 1 OD: 4.25 (108)
End 1 ID: 2.6 (66)

AF25281

CATERPILLAR 1029388; Primary air filter used with AF25282; Air, Primary Magnum RS



Overall Height: 7.49 (190)
End 2 OD: 8.13 (207)
End 1 OD: 8.21 (209)
End 1 ID: 4.26 (108)

AF25282

CATERPILLAR 1029387; Secondary air filter used with AF25281; Magnum RS version



Overall Height: 6.69 (170)
End 2 OD: 4.02 (102)
End 1 OD: 4.25 (108)
End 1 ID: 2.6 (66)

AF25284M

RENAULT V.I. 5010317060; Primary air filter used with AF4867, AF820M



Overall Height: 18.73 (476)
End 1 OD: 12.09 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.74 (197)

AF25285

RENAULT V.I. 5000814945; Primary air filter used with AF25250, AF25251



Overall Height: 14.68 (373)
End 2 OD: 11.02 (280)
End 2 ID: 7.48 (190)
End 1 ID: 0.63 (16)
Cover Diameter: 14.33 (364)

AF25286

RENAULT V.I. 5000814946; Air, Primary



Overall Height: 16.26 (413)
End 2 OD: 8.66 (220)
End 2 ID: 3.7 (94)
Cover Diameter: 9.92 (252)

AF25287K

MAZDA 101600; Primary air filter used with AF922



Overall Height: 12.29 (312)
End 2 OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF25288M

CATERPILLAR 6I2507; Primary air filter used with AF25289M; Magnum RS Version



Overall Height: 15.02 (382)
Overall OD: 12.5 (318)
End 1 ID: 8.2 (208)

AF25289M

CATERPILLAR 6I2508; Secondary air filter used with AF25288M; Magnum RS version



Overall Height: 11.77 (299)
End 2 OD: 7.44 (189)
End 1 OD: 8.27 (210)
End 1 ID: 6.14 (156)

AF25290



FIATAGRI 1930591; Primary air filter used with AF25434; Air, Primary Magnum RS

Overall Height: 11.58 (294)
Overall OD: 4.11 (105)
End 1 ID: 2.38 (61)

AF25291



FIATAGRI 1930587 Is a Primary Air Filter for AF25484 Primary air filter used with AF25484 Magnum RS Version

Overall Height: 12.78 (325)
Overall OD: 5.59 (142)
End 1 ID: 3.25 (83)

AF25292



FIATAGRI 1930589, OMNIQUIP PARTS WORLDWIDE 8035098; Magnum RS version; Outer body is made of perforated metal, with 2 non-perforated sections in the body

Overall Height: 13.78 (350)
Overall OD: 6.5 (165)
End 1 ID: 3.64 (93)

AF25293M



PEGASO 171686; Air, Primary

Overall Height: 20.5 (521)
End 1 OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF25294



VOLVO 16655631; Primary air filter used with AF4558; Replaces AF4885

Overall Height: 21.64 (550)
End 2 OD: 10.12 (257)
End 2 ID: 6.34 (161)
Cover Diameter: 12.32 (313)

AF25295



TOYOTA 1780154080; Air, Primary

Overall Height: 7.79 (198)
Overall OD: 6.04 (153)
End 1 ID: 3.52 (89)

AF25296



PEUGEOT 1444A0; Air, Primary

Overall Height: 11.26 (286)
Overall OD: 6.65 (169)
End 1 ID: 3.19 (81)

AF25299



DONALDSON P531138

Overall Height: 13.95 (354)
Overall OD: 19.3 (490)
End 1 ID: 12.9 (328)

AF25300



JOHN DEERE AL78223; Primary air filter used with AF25301

Overall Height: 12.21 (310)
End 2 OD: 7.28 (185)
End 1 ID: 3.6 (92)
Fin Diameter: 9.29 (236)

AF25301



JOHN DEERE AL78224; Secondary air filter used with AF25300

Overall Height: 5.08 (129)
End 2 OD: 5.02 (128)
End 1 ID: 3.64 (93)
Cover Diameter: 7.83 (199)

AF25302



FORD E9NN9B618BA; Primary air filter used with AF25303; Used on Ford 4700K series tractor - Kubota Engine

Overall Height: 13.12 (333)
End 2 OD: 7.44 (189)
End 1 OD: 8.05 (204)
End 2 ID: 3.75 (95)
End 1 ID: 0.56 (14)

AF25303



FORD FINISCODE 1869555, NEW HOLLAND 82008601; Secondary air filter used with AF25302; Used on Ford 4700K series tractor - Kubota engine

Overall Height: 11.48 (292)
End 2 OD: 3.62 (92)
End 1 OD: 4.34 (110)
End 2 ID: 0.56 (14)
End 1 ID: 3.0 (76)

AF25304



FORD F4T29D695A

Height: 1.26 (32)
Length: 4.37 (111)
Width: 2.64 (67)

AF25305



VOLVO 8143691; Cab Air

Height: 1.93 (49)
Length: 8.27 (210)
Width: 8.27 (210)

AF25306



MERCEDES-BENZ 30947504; Air, Panel

Height: 2.76 (70)
Length: 12.60 (320)
Width: 10.95 (278)

AF25307



THERMO-KING 117234; Air, Panel

Height: 1.14 (29)
Length: 6.02 (153)
Width: 7.60 (193)

AF25308



TOYOTA 17741U210071; Flame Retardant Media

Overall Height: 12.31 (313)
Overall OD: 5.08 (129)
End 1 ID: 3.2 (81)

AF25309

DONGFENG MOTOR CORPORATION,LTD 1109QA020; Air, Primary

Overall Height: 5.08 (129)
Largest Diameter: 5.98 (152)
Largest ID: 3.11 (79)
Type Seal: Axial

AF25311



J.C.B. 32903201; Primary air filter used with AF4882

Overall Height: 11.54 (293)
End 2 OD: 6.08 (155)
End 2 ID: 3.48 (89)
Cover Diameter: 8.37 (213)

AF25312



VOLVO PENTA 865152; Air, Primary

Overall Height: 27.64 (702)
End 2 OD: 9.92 (252)
End 1 OD: 10.04 (255)
End 1 ID: 4.53 (115)

AF25313



SCANIA 1335678; Primary air filter used with AF25969; For flame retardant version, use AF27711; Magnum RS version

Overall Height: 20.67 (525)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF25314



SCANIA 1335679; For flame retardant version, use AF27708; Magnum RS Version

Overall Height: 17.46 (444)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF25315K



FIAT-ALLIS 1930604; Primary air filter used with AF4761M

Overall Height: 16.46 (418)
End 2 OD: 9.66 (246)
End 2 ID: 0.63 (16)
End 1 ID: 6.06 (154)
Fin Diameter: 11.73 (298)

AF25316



GMC 25042562

Height: 1.67 (42)
Length: 16.00 (406)
Width: 7.91 (201)

E. PRODUCT GUIDE

AF25317



VOLVO 1665937; Secondary air filter used with AF25238, AF25239, AF25632; On Volvo Model FH12, use AF25238; On Volvo Model FH16, use AF25239

Overall Height: 17.64 (448)
End 2 OD: 7.68 (195)
End 1 OD: 7.97 (203)
End 1 ID: 6.69 (170)

AF25318



KOMATSU 20501K1480; Secondary air filter used with AF25060KM

Overall Height: 16.42 (417)
Overall OD: 4.61 (117)
End 2 ID: 0.67 (17)
End 1 ID: 3.56 (90)

AF25319



MERCEDES-BENZ 30948304; Air, Panel

Height: 3.19 (81)
Length: 12.60 (320)
Width: 10.95 (278)

AF25320



VOLKSWAGEN 44129620; Air, Primary

Overall Height: 9.33 (237)
Overall OD: 6.42 (163)
End 1 ID: 3.66 (93)

AF25321



MANITOU 177179; Secondary air filter used with AF4909K

Overall Height: 11.24 (286)
End 2 OD: 3.37 (85)
End 1 OD: 3.76 (96)
End 2 ID: 0.35 (9)
End 1 ID: 2.93 (75)

AF25322



HATZ 952900; Air, Primary

Overall Height: 3.66 (93)
Overall OD: 9.65 (245)
End 1 ID: 5.51 (140)

AF25323



MASSEY-FERGUSON 3595500M1; Primary air filter used with AF25356

Overall Height: 10.99 (279)
End 2 OD: 6.08 (155)
End 2 ID: 3.48 (89)
Cover Diameter: 8.37 (213)

AF25324K



MASSEY-FERGUSON 3515586M1; Primary air filter used with AF25356

Overall Height: 10.99 (279)
End 2 ID: 3.48 (89)
Fin Diameter: 7.85 (200)
Cover Diameter: 8.37 (213)

AF25325



FORD E6NN9B618B, VAPORMATIC CPD7042

Overall Height: 16.57 (421)
End 2 OD: 9.0 (229)
End 1 OD: 9.01 (229)
End 1 ID: 5.71 (145)

AF25326



PERLINI 350088A; Secondary air filter used with AF25335

Overall Height: 23.37 (594)
End 2 OD: 7.26 (185)
End 1 OD: 8.43 (214)
End 2 ID: 0.67 (17)
End 1 ID: 6.24 (159)

AF25330



FARR T529DR; Air, Panel

Height: 5.25 (133)
Length: 29.50 (749)
Width: 19.00 (483)

AF25331



MASSEY-FERGUSON 3385733M1; Primary air filter used with AF4994

Overall Height: 13.49 (343)
End 2 OD: 9.21 (234)
End 2 ID: 5.0 (127)
Cover Diameter: 11.02 (280)

AF25332



LISTER PETTER 60131350; Air, Primary

Overall Height: 4.15 (106)
Overall OD: 3.66 (93)
End 1 ID: 2.2 (56)

AF25333



RENAULT V.I. 5010230841; Primary air filter used with AF25634; For flame retardant version, use AF26244; Magnum RS Version

Overall Height: 18.25 (464)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25334



JOHN DEERE AL78870; Secondary air filter used with AF25341

Overall Height: 5.08 (129)
End 2 OD: 6.36 (162)
End 1 ID: 4.66 (119)
Cover Diameter: 9.37 (238)

AF25335



PERLINI 350087A; Primary air filter used with AF25326

Overall Height: 24.54 (623)
End 1 OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF25336



FORD 9846495; Secondary air filter used with AF25368

Overall Height: 15.01 (381)
End 1 OD: 5.96 (152)
End 2 ID: 4.85 (123)
End 1 ID: 0.67 (17)

AF25337M



TOYOTA 177412360071, 177432360071; Primary air filter used with AF25483; Magnum RS Version; Replaces AF25337

Overall Height: 10.97 (279)
Overall OD: 5.43 (138)
End 1 ID: 3.29 (84)

AF25338



CATERPILLAR 1236855; Primary air filter used with AF25339; Magnum RS version

Overall Height: 15.45 (392)
End 2 OD: 14.15 (359)
End 1 OD: 14.27 (363)
End 1 ID: 9.09 (231)

AF25339



CATERPILLAR 1236856; Secondary air filter used with AF25338; Magnum RS

Overall Height: 15.16 (385)
End 2 OD: 8.66 (220)
End 1 OD: 9.06 (230)
End 1 ID: 7.01 (178)

AF25340



KOHLER 4708303

Overall Height: 2.55 (65)
Overall OD: 7.0 (178)
End 1 ID: 5.57 (141)

AF25341



JOHN DEERE AL78869; Primary air filter used with AF25334

Overall Height: 12.17 (309)
End 2 OD: 8.8 (224)
End 1 ID: 4.86 (124)
Fin Diameter: 11.22 (285)

AF25342



NEW HOLLAND 1930605; Primary air filter used with AF25978, AF4165

Overall Height: 13.49 (343)
End 2 OD: 6.08 (155)
End 2 ID: 3.48 (89)
Cover Diameter: 8.37 (213)

AF25343



MASSEY-FERGUSON 1644333M1; Primary air filter used with AF25344

Overall Height: 12.44 (316)
End 2 OD: 8.31 (211)
End 1 OD: 8.98 (228)
End 2 ID: 5.29 (135)
End 1 ID: 0.39 (10)

E. PRODUCT GUIDE

AF25344



MASSEY-FERGUSON
1644334M1; Secondary air filter
used with AF25343

Overall Height: 11.46 (291)
Overall OD: 5.2 (132)
End 2 ID: 0.34 (9)
End 1 ID: 4.05 (103)


AF25345



DONALDSON P527683;
Secondary air filter used with
AF25139M; Magnum RS Version

Overall Height: 14.45 (367)
End 2 OD: 6.5 (165)
End 1 OD: 6.89 (175)
End 1 ID: 5.28 (134)

AF25346



FARR 117780001, Farr RF-180
Series; (Baggie Style Air);
Replaces AF4740

Height: 6.38 (162)

AF25347



FARR 117780002, Farr RF-180
Series; (Baggie Style Air);
Replaces AF4741

Height: 5.12 (130)
Length: 19.50 (495)
Width: 22.12 (562)

AF25348K



FIAT HITACHI 71405431;
Primary air filter used with
AF25978, AF4165

Overall Height: 13.93 (354)
End 2 ID: 3.48 (89)
Fin Diameter: 7.85 (200)
Cover Diameter: 8.37 (213)

AF25349



RENAULT D.M.A. 7701028479;
Primary air filter used with
AF25357

Overall Height: 14.63 (372)
End 2 OD: 6.65 (169)
End 1 OD: 7.44 (189)
End 2 ID: 4.31 (110)
End 1 ID: 0.34 (9)

AF25351



FARYMANN 5410612; Air,
Primary

Overall Height: 6.87 (175)
Overall OD: 4.96 (126)
End 2 ID: 0.34 (9)
End 1 ID: 2.52 (64)

AF25353



NISSAN 165461G000; Air,
Primary

Overall Height: 9.23 (235)
Overall OD: 4.96 (126)
End 2 ID: 0.34 (9)
End 1 ID: 2.52 (64)

AF25354



DONALDSON P533930,
P536142; Primary air filter used
with AF25429; Used in
EPG13-0090 DON Housing;
Replaces AF25355

Overall Height: 15.64 (397)
Overall OD: 10.94 (278)
End 1 ID: 5.83 (148)

AF25356



MASSEY-FERGUSON
3595501M1; Secondary air filter
used with AF25323, AF25324K

Overall Height: 9.01 (229)
End 2 OD: 3.35 (85)
End 1 OD: 3.74 (95)
End 2 ID: 0.67 (17)
End 1 ID: 2.95 (75)

AF25357



RENAULT D.M.A. 6005002529;
Secondary air filter used with
AF25349, AF25501

Overall Height: 13.07 (332)
Overall OD: 4.23 (108)
End 2 ID: 0.34 (9)
End 1 ID: 3.17 (80)

AF25358



JOHN DEERE RE34966; Primary
air filter used with AF25361;
Magnum RS version

Overall Height: 15.67 (398)
Overall OD: 9.29 (236)
End 1 ID: 5.2 (132)

AF25359



JOHN DEERE RE51629; Primary
air filter used with AF25360;
Magnum RS Version

Overall Height: 15.75 (400)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF25360



JOHN DEERE RE51630;
Secondary air filter used with
AF25359, AF27826; Magnum RS
Version

Overall Height: 15.04 (382)
End 2 OD: 5.59 (142)
End 1 OD: 5.92 (151)
End 1 ID: 4.27 (109)

AF25361



JOHN DEERE RE34967;
Secondary air filter used with
AF25358; Magnum RS version

Overall Height: 14.96 (380)
End 2 OD: 4.96 (126)
End 1 OD: 5.2 (132)
End 1 ID: 3.7 (94)

AF25362



DONGFENG MOTOR
CORPORATION,LTD
1109QE020; Air, Primary

Overall Height: 7.44 (189)
End 2 OD: 8.29 (211)
End 1 ID: 5.17 (131)
Type Seal: Axial

AF25365



CHAMP LAF5783, LUBERFINER
LAF5783, MITSUBISHI
ME073821; Primary air filter used
with AF25640; Magnum RS
Version

Overall Height: 16.33 (415)
Overall OD: 9.26 (235)
End 1 ID: 5.26 (134)

AF25366



NISSAN 1654606J11

Overall Height: 6.04 (154)
Overall OD: 6.04 (153)
End 1 ID: 3.52 (89)

AF25368



NEW HOLLAND 89846494;
Primary air filter used with
AF25336

Overall Height: 16.05 (408)
Overall OD: 9.92 (252)
End 2 ID: 0.67 (17)
End 1 ID: 6.1 (155)

AF25371



NEW HOLLAND 82008606;
Primary air filter used with
AF25457

Overall Height: 15.55 (395)
End 2 OD: 8.35 (212)
End 1 OD: 9.09 (231)
End 2 ID: 4.84 (123)
End 1 ID: 0.45 (12)

AF25372



ISUZU 8943349060; Air, Primary

Overall Height: 5.87 (149)
Overall OD: 5.98 (152)
End 1 ID: 3.49 (89)

AF25373K



MITSUBISHI MD620109

Overall Height: 6.15 (156)
Overall OD: 6.04 (153)
End 1 ID: 3.52 (89)

AF25374



KOMATSU 4210712312; Cab Air

Height: 2.2 (56)

AF25376



HATZ 40084500

Overall Height: 3.66 (93)
Overall OD: 6.5 (165)
End 1 ID: 3.5 (89)

E. PRODUCT GUIDE

AF25379  NISSAN 1654606500, 165460650001, 1654606J00, 1654606J0001 AF25380  TOYOTA 1780154100 Overall Height: 11.02 (280) Overall OD: 5.28 (134) End 1 ID: 3.05 (78) AF25382  RENAULT V.I. 5010230916; Primary air filter used with AF25439; For flame retardant version, use AF26272; Magnum RS Version Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180) AF25383  NISSAN D6546Z9100; Primary air filter used with AF25561; Magnum RS Version Overall Height: 14.73 (374) Overall OD: 10.85 (276) End 1 ID: 6.83 (173) AF25384  HITACHI 4283861; Primary air filter used with AF25413; Magnum RS Overall Height: 14.56 (370) End 2 OD: 8.09 (205) End 1 OD: 8.21 (209) End 1 ID: 4.95 (126) AF25385K  DAIHATSU 1780187304 Overall Height: 8.11 (206) End 1 OD: 6.03 (153) End 1 ID: 3.51 (89) AF25386  KOMATSU 1654674200, NISSAN 1654674200 Overall Height: 5.0 (127) Overall OD: 6.37 (162) End 1 ID: 3.69 (94) AF25392  NISSAN 165460T006; Air, Cartridge Overall Height: 7.99 (203) End 1 OD: 7.95 (202) End 1 ID: 4.94 (126)	AF25398  HINO 178012900 Overall Height: 12.29 (312) Overall OD: 6.33 (161) End 1 ID: 5.22 (133) AF25399  TOYOTA 1780135030 Overall Height: 5.67 (144) Overall OD: 6.2 (158) End 1 ID: 3.01 (77) AF25402  KOMATSU 6001815440; Primary air filter used with AF25403 Overall Height: 24.51 (623) End 2 OD: 13.79 (350) End 1 OD: 15.85 (403) End 2 ID: 0.85 (22) End 1 ID: 9.53 (242) AF25403  KOMATSU 6001815450; Secondary air filter used with AF25402 Overall Height: 22.72 (577) Overall OD: 8.59 (218) End 2 ID: 0.68 (17) End 1 ID: 7.15 (182) AF25408  MITSUBISHI ME073252 Overall Height: 17.64 (448) AF25409M  Rogers Machinery Gen Set Overall Height: 12.67 (322) Overall OD: 13.83 (351) End 2 ID: 0.9 (23) End 1 ID: 9.48 (241) AF25410M  TORIT 8PP2537000; Flame retardant media Overall Height: 22.5 (572) Overall OD: 13.83 (351) End 1 ID: 9.48 (241) AF25412  DONALDSON P821963; Secondary air filter used with AF25414; Magnum RS Overall Height: 13.65 (347) End 2 OD: 4.98 (126) End 1 OD: 5.3 (135) End 1 ID: 4.43 (113)	AF25413  HITACHI 4287060; Secondary air filter used with AF25384; Air, Secondary Magnum RS Overall Height: 13.78 (350) Overall OD: 4.95 (126) End 1 ID: 4.1 (104) AF25414  HITACHI 4286128; Primary air filter used with AF25412; Air, Primary Magnum RS Overall Height: 14.69 (373) Overall OD: 9.29 (236) End 1 ID: 5.2 (132) AF25415  HINO 178012810; Air, Primary Magnum RS Overall Height: 18.49 (470) Overall OD: 9.21 (234) End 2 ID: 0.67 (17) End 1 ID: 4.86 (123) AF25416  HINO 178013000; Air, Primary Magnum RS; Primary air filter used with AF25638 Overall Height: 13.57 (345) Overall OD: 9.26 (235) End 1 ID: 5.26 (134) AF25417  HITACHI 4206099 Overall Height: 12.35 (314) Overall OD: 6.08 (154) End 2 ID: 0.65 (17) End 1 ID: 4.06 (103) AF25418  HITACHI 4285623; Air, Primary Overall Height: 12.92 (328) End 2 OD: 3.17 (81) End 1 OD: 6.06 (154) End 2 ID: 5.98 (152) End 1 ID: 4.18 (106) AF25419  HITACHI 4247975 Overall Height: 11.58 (294) End 2 OD: 3.93 (100) End 1 OD: 3.1 (79) End 2 ID: 2.95 (75) End 1 ID: 4.02 (102) AF25423  FORD F5UZ9601A Height: 1.63 (41) Length: 11.28 (286) Width: 6.57 (167)
--	---	---