

AF25424	KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2243521; Secondary air filter used with AF4137, AF4637, AF990
	
	Overall Height: 7.52 (191) End 2 OD: 3.23 (82) End 1 OD: 3.31 (84) End 2 ID: 0.34 (9) End 1 ID: 2.87 (73)

AF25425	KHD(KLOCKNER-HUMBOLDT-D EUTZ) 2243522; Secondary air filter used with AF991
	
	Overall Height: 12.24 (311) End 2 OD: 3.23 (82) End 1 OD: 3.31 (84) End 2 ID: 0.34 (9) End 1 ID: 2.87 (73)

AF25426	DAF 1317409; Magnum RS Version
	
	Overall Height: 19.03 (484) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)

AF25427	MERCEDES-BENZ 30949104; Air, Primary
	
	Overall Height: 12.53 (318) End 1 OD: 16.53 (420) End 2 ID: 0.41 (11) End 1 ID: 10.02 (255)

AF25428	MERCEDES-BENZ 30949204; Air, Primary
	
	Overall Height: 10.3 (262) End 1 OD: 16.53 (420) End 2 ID: 0.41 (11) End 1 ID: 10.02 (255)

AF25429	DONALDSON P533890; Secondary air filter used with AF25354; Used in EPG13-0077 Donaldson Housing
	
	Overall Height: 14.84 (377) End 2 OD: 5.6 (142) End 1 OD: 5.94 (151) End 1 ID: 5.05 (128)

AF25430	Secondary air filter used with AF25033M; Magnum RS
	
	Overall Height: 17.76 (451) End 2 OD: 6.52 (166) End 1 OD: 6.89 (175) End 1 ID: 5.89 (150)

AF25432K	TOYOTA 178072380071; Primary air filter used with AF4744
	
	Overall Height: 11.54 (293) End 2 ID: 3.35 (85) End 1 ID: 0.47 (12) Fin Diameter: 6.34 (161) Cover Diameter: 7.76 (197)

AF25433	FARYMANN 5410522; Air, Primary Magnum RS
	
	Overall Height: 5.35 (136) Overall OD: 3.9 (99) End 1 ID: 1.44 (37)

AF25434	FIATAGRI 1930592; Secondary air filter used with AF25290, AF25539; Magnum RS
	
	Overall Height: 11.28 (287) End 2 OD: 2.24 (57) End 1 OD: 2.36 (60) End 1 ID: 1.65 (42)

AF25435	VOLVO 8076195; Air, Primary Magnum RS; Gasket(s): 256464
	
	Overall Height: 16.5 (419) Overall OD: 13.09 (332) End 1 ID: 7.69 (195)

AF25437	DAF 1295090, INGERSOLL-RAND 85400737; Primary air filter used with AF25523; Magnum RS version
	
	Overall Height: 20.67 (525) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)

AF25438	MITSUBISHI ME017242; Magnum RS Version
	
	Overall Height: 9.69 (246) Overall OD: 7.09 (180) End 1 ID: 3.7 (94)

AF25439	RENAULT V.I. 5010269584; Secondary air filter used with AF25382, AF26272; Magnum RS version
	
	Overall Height: 21.06 (535) End 2 OD: 6.81 (173) End 1 OD: 7.05 (179) End 1 ID: 5.39 (137)

AF25440K	KUBOTA 1497111180; Air, Primary Magnum RS
	
	Overall Height: 4.02 (102) End 2 OD: 3.37 (85) End 1 OD: 4.17 (106) End 2 ID: 1.22 (31) End 1 ID: 1.24 (32)

AF25441	HITACHI 4285619
	
	Overall Height: 10.94 (278) End 2 OD: 7.91 (201) End 1 OD: 5.23 (133) End 2 ID: 7.83 (199) End 1 ID: 5.37 (136)

AF25442	MITSUBISHI 9126106700
	

AF25443	KOMATSU 6001816340
	
	Overall Height: 10.2 (259) End 2 OD: 4.96 (126) End 1 ID: 3.05 (77)

AF25444	KOMATSU 6001819470; No wing nut included
	
	Overall Height: 12.43 (316) End 2 OD: 5.96 (151) End 1 ID: 3.56 (90)

AF25446	NISSAN 1654665000
	
	Overall Height: 2.68 (68) Overall OD: 14.33 (364) End 1 ID: 11.73 (298)

AF25450	HINO 178012830, 178012910
	
	Overall Height: 14.45 (367) Overall OD: 10.91 (277) End 1 ID: 6.5 (165)

AF25450M	DONALDSON P830524
	
	Overall Height: 14.31 (364) End 2 OD: 6.02 (153) End 1 OD: 10.57 (268) End 2 ID: 0.9 (23) End 1 ID: 6.47 (164)

AF25451	HINO 178012730, 178012820
	
	Overall Height: 13.39 (340) Overall OD: 9.06 (230) End 1 ID: 4.76 (121)

AF25452	DONGFENG-NISSAN DIESEL MOTOR CO.,LTD 1654696064; Primary air filter used with AF25453; Is included in AA2957
	
	Overall Height: 20.24 (514) Overall OD: 10.89 (277) End 2 ID: 6.55 (166) End 1 ID: 0.71 (18)

E. PRODUCT GUIDE

AF25453 DONGFENG-NISSAN DIESEL MOTOR CO.LTD 1654699416; Secondary air filter used with AF25452; Is included in AA2957; Part of kit AA2957; Cannot be sold separately Overall Height: 19.05 (484) End 2 OD: 6.42 (163) End 1 OD: 6.38 (162) End 2 ID: 5.29 (135) End 1 ID: 0.71 (18)	AF25467M CASE 908301T1; Secondary air filter used with AF25466M; Magnum RS Version  Overall Height: 20.75 (527) End 2 OD: 7.83 (199) End 1 OD: 8.27 (210) End 1 ID: 6.14 (156)	AF25475 HINO 178012410; Air, Cartridge  Overall Height: 9.29 (236) Overall OD: 7.48 (190) End 1 ID: 4.13 (105)
AF25454 INGERSOLL-RAND 85401339; Terex 15270188; Primary air filter used with AF25468; Magnum RS Version  Overall Height: 20.63 (524) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF25468 TEREX 15270189; Secondary air filter used with AF25454, AF25627; Magnum RS  Overall Height: 20.04 (509) End 2 OD: 6.81 (173) End 1 OD: 7.05 (179) End 1 ID: 5.39 (137)	AF25476 MERCEDES-BENZ 40940204; Primary Air-Magnum RS Version  Overall Height: 16.12 (410) End 2 OD: 10.98 (279) End 1 OD: 13.58 (345) End 2 ID: 4.92 (125)
AF25456K CASE 1265510C1, NELSON 70908N  Overall Height: 11.5 (292) End 2 OD: 5.25 (133) End 2 ID: 0.66 (17) End 1 ID: 3.25 (83) Fin Diameter: 6.41 (163)	AF25469 DONALDSON P533938; Primary air filter used with AF25470; Magnum RS Version  Overall Height: 17.23 (438) Overall OD: 13.5 (343) End 1 ID: 8.2 (208)	AF25477 MITSUBISHI 9136113300  Overall Height: 8.92 (227) End 2 OD: 4.26 (108) End 1 ID: 2.46 (63)
AF25457 NEW HOLLAND 82008607; Secondary air filter used with AF25371  Overall Height: 13.92 (354) End 2 OD: 4.72 (120) End 1 OD: 5.98 (152) End 2 ID: 0.43 (11) End 1 ID: 3.94 (100)	AF25470 DONALDSON P533946; Secondary air filter used with AF25469; Magnum RS Version  Overall Height: 16.84 (428) End 2 OD: 7.89 (200) End 1 OD: 8.32 (211) End 1 ID: 6.12 (155)	AF25478 LEYLAND ACHD040; Magnum RS Version  Overall Height: 20.75 (527) Overall OD: 8.19 (208) End 1 ID: 4.17 (106)
AF25460M CASE 132151A1; Primary air filter used with AF25461M; Magnum RS Version  Overall Height: 21.36 (543) Overall OD: 10.94 (278) End 1 ID: 5.83 (148)	AF25471 HONDA 17210ZE0505, 17210ZE0822; Air, Primary  Overall Height: 2.01 (51) End 1 ID: 0.87 (22)	AF25479 VAN HOOL 10591354; Primary air filter used with AF25620; Magnum RS  Overall Height: 22.95 (583) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)
AF25461M CASE 132149A1; Secondary air filter used with AF25460M; Magnum RS Version  Overall Height: 20.75 (527) End 2 OD: 5.59 (142) End 1 OD: 5.92 (151) End 1 ID: 4.27 (109)	AF25472 HONDA 17210ZB1822, 17210ZE1505; Air, Primary  Overall Height: 2.76 (70) End 1 ID: 0.87 (22)	AF25480 VORTOX VF120W; Air, Magnum RS  Overall Height: 19.05 (484) Overall OD: 10.98 (279) End 1 ID: 5.8 (147)
AF25466M STEIGER 908300T1; Primary air filter used with AF25467M; Magnum RS Version  Overall Height: 21.52 (547) Overall OD: 12.46 (317) End 1 ID: 8.24 (209)	AF25473 HONDA 17210ZE2505, 17210ZE2822; Air, Primary  Overall Height: 3.07 (78) End 1 ID: 0.87 (22)	AF25481 HATZ 4030100; Air, Primary  Overall Height: 3.31 (84) Overall OD: 5.53 (141) End 1 ID: 3.13 (80)
	AF25474 HONDA 17210ZE3505, 17210ZE3822; Air, Primary  Overall Height: 3.58 (91) End 1 ID: 0.87 (22)	AF25483 TOYOTA 177442360071; Secondary air filter used with AF25337M; Magnum RS Version  Overall Height: 10.41 (265) End 2 OD: 3.07 (78) End 1 OD: 3.31 (84) End 1 ID: 2.48 (63)

E. PRODUCT GUIDE

AF25484



FIATAGRI 1930588; Secondary air filter used with AF25291, AF25526, AF25588; European version of AF25556; Magnum RS Version

Overall Height: 12.5 (318)
End 2 OD: 3.07 (78)
End 1 OD: 3.31 (84)
End 1 ID: 2.48 (63)

AF25490



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 4308634; Secondary air filter used with AF4137

Overall Height: 7.85 (200)
End 2 OD: 2.64 (67)
End 1 OD: 3.15 (80)
End 2 ID: 0.35 (9)
End 1 ID: 2.28 (58)

AF25491



J.C.B. 32912902; Secondary air filter used with AF25492, AF25964; Magnum RS version

Overall Height: 15.93 (404)
End 2 OD: 4.05 (103)
End 1 OD: 4.29 (109)
End 1 ID: 3.46 (88)

AF25492



INGERSOLL-RAND 85400752, J.C.B. 32912901; Primary air filter used with AF25491; Magnum RS Version

Overall Height: 16.57 (421)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25493



TOYOTA 278011506083

Overall Height: 1.5 (38)
Overall OD: 9.84 (250)
End 1 ID: 2.56 (65)

AF25496



M.A.N. 81083040087, 81084050015; Magnum RS version

Overall Height: 15.04 (382)
Overall OD: 9.76 (248)
End 1 ID: 4.72 (120)

AF25497



BOBCAT 6666334, CATERPILLAR 1402337; Secondary air filter used with AF25436; European version of AF25554; Magnum RS version

Overall Height: 11.63 (296)
End 2 OD: 3.07 (78)
End 1 OD: 3.31 (84)
End 1 ID: 2.48 (63)

AF25498



NEW HOLLAND 82008596; Primary air filter used with AF25499

Overall Height: 12.36 (314)
End 2 OD: 8.35 (212)
End 1 OD: 9.13 (232)
End 2 ID: 4.84 (123)
End 1 ID: 0.45 (12)

AF25499



NEW HOLLAND 82008597; Secondary air filter used with AF25498

Overall Height: 10.81 (275)
End 2 OD: 4.72 (120)
End 1 OD: 5.98 (152)
End 2 ID: 0.43 (11)
End 1 ID: 3.94 (100)

AF25500K



MITSUBISHI MD620563; Air, Primary

Overall Height: 7.89 (201)
End 2 OD: 6.08 (154)
End 2 ID: 0.47 (12)
End 1 ID: 3.48 (88)
Fin Diameter: 7.85 (200)

AF25501



VALMET 836136409; Primary air filter used with AF25357

Overall Height: 13.7 (348)
End 2 OD: 6.44 (164)
End 2 ID: 4.63 (118)
End 1 ID: 0.34 (9)
Cover Diameter: 7.76 (197)

AF25502K



SAME 242493401; Primary air filter used with AF25503

Overall Height: 12.85 (327)
End 2 ID: 3.17 (80)
Fin Diameter: 6.26 (159)
Cover Diameter: 6.73 (171)

AF25503



SAME 242493402; Secondary air filter used with AF25502K

Overall Height: 11.14 (283)
End 2 OD: 2.01 (51)
End 1 OD: 3.66 (93)
End 2 ID: 0.65 (17)
End 1 ID: 2.42 (62)

AF25504



RENAULT AGRICULTURE 7700039509; Primary air filter used with AF25755; Magnum RS Version

Overall Height: 15.04 (382)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25506



FARR 55445011; Air, Panel

Height: 5.3 (135)
Length: 36.44 (926)
Width: 14.00 (356)

AF25507



CLARK AK2, GENERAL ELECTRIC 41A216205P1; Air, Panel

Overall Height: 12.15 (309)
Overall OD: 8.0 (203)
End 1 ID: 6.12 (156)

AF25509K



J.C.B. 32906801; Is Short version of AF4892K; Primary air filter used with AF4882

Overall Height: 11.54 (293)
End 2 ID: 3.48 (89)
Fin Diameter: 7.85 (200)
Cover Diameter: 8.37 (213)

AF25510



TOYOTA 1780154170; Air, Primary

Overall Height: 4.64 (118)
Overall OD: 8.48 (215)
End 1 ID: 4.25 (108)

AF25517



GENERAL ELECTRIC 1X6383; Air, Primary

Overall Height: 7.8 (198)
Overall OD: 5.6 (142)
End 1 ID: 2.81 (71)

AF25519



INGERSOLL-RAND 59144188; Air, Secondary; Magnum RS

Overall Height: 11.74 (298)
Overall OD: 3.32 (84)
End 1 ID: 2.55 (65)

AF25521



CASE 128782A1; Secondary air filter used with AF25524; Magnum RS type

Overall Height: 14.86 (378)
End 2 OD: 3.07 (78)
End 1 OD: 3.31 (84)
End 1 ID: 2.48 (63)

AF25522



KASSBOHRER 8319147187; Air, Primary Magnum RS

Overall Height: 18.5 (470)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF25523



VOLVO CONSTRUCTION EQUIPMENT 11110023; Secondary air filter used with AF25437, AF25756; John Deere 644H Wheel Loader

Overall Height: 19.72 (501)
End 2 OD: 5.59 (142)
End 1 OD: 5.92 (151)
End 1 ID: 4.27 (109)

AF25524



CASE 128781A1; Primary air filter used with AF25521; Air, Primary Magnum RS

Overall Height: 15.43 (392)
Overall OD: 5.43 (138)
End 1 ID: 3.29 (84)

E. PRODUCT GUIDE

AF25525



Is Short version of AF25952M;
Similar to AF25219 with Hot Melt
on Outside Only

Overall Height: 23.52 (597)
End 2 OD: 9.27 (235)
End 1 OD: 9.38 (238)
End 1 ID: 5.98 (152)

AF25526



ATLAS 2991546,
INGERSOLL-RAND 85400679;
Primary air filter used with
AF25484 Magnum RS type

Overall Height: 12.93 (329)
Overall OD: 5.59 (142)
End 1 ID: 3.25 (83)

AF25527



J.C.B. 32905302; Secondary air
filter used with AF25528K

Overall Height: 7.09 (180)
End 2 OD: 2.36 (60)
End 1 OD: 2.76 (70)
End 2 ID: 0.67 (17)
End 1 ID: 1.97 (50)

AF25528K



J.C.B. 32905301; Primary air filter
used with AF25527

Overall Height: 8.39 (213)
End 2 ID: 2.48 (63)
Fin Diameter: 5.16 (131)
Cover Diameter: 5.59 (142)

AF25529



J.C.B. 32905002; Secondary air
filter used with AF25540K

Overall Height: 7.01 (178)
End 2 OD: 2.74 (70)
End 1 OD: 3.64 (93)
End 2 ID: 0.67 (17)
End 1 ID: 2.42 (62)

AF25530



LISTER PETTER 36607188; Air,
Primary

Overall Height: 2.91 (74)
Overall OD: 5.95 (151)
End 1 ID: 3.46 (88)

AF25539



ATLAS 2911788,
INGERSOLL-RAND 85400646;
Primary air filter used with
AF25434; Magnum RS Version

Overall Height: 11.81 (300)
Overall OD: 4.11 (105)
End 1 ID: 2.38 (61)

AF25540K



J.C.B. 32905001; Primary air filter
used with AF25529; Magnum RS

Overall Height: 8.47 (215)
End 2 ID: 2.81 (72)
Fin Diameter: 6.34 (161)
Cover Diameter: 7.05 (179)

AF25542



BALDWIN PA2607, FRAM
CA2551SY, FRANKLIN 1504918;
Secondary air filter used with
AF4767

Overall Height: 12.5 (318)
Overall OD: 5.56 (141)
End 2 ID: 0.42 (11)
End 1 ID: 4.5 (114)

AF25543K



NELSON 70757H; Filter used with
housing AH19108; Air, Cartridge

Overall Height: 10.38 (264)
End 2 OD: 4.09 (104)
End 2 ID: 0.66 (17)
End 1 ID: 2.47 (63)
Fin Diameter: 5.17 (131)

AF25544



NELSON 70781N; Primary air
filter used with AF25545; Filter
used with housing AH19075,
AH19076, AH208

Overall Height: 24.5 (622)
Overall OD: 15.12 (384)
End 1 ID: 10.0 (254)

AF25545



NELSON 70782N; Secondary air
filter used with AF25544; Filter
used with housing AH19076,
AH208

Overall Height: 23.5 (597)
Overall OD: 9.89 (251)
End 1 ID: 8.05 (204)

AF25546



NELSON 70469N; Filter used with
housing AH19077

Overall Height: 15.5 (394)
End 2 OD: 5.98 (152)
End 1 OD: 7.0 (178)
End 1 ID: 3.62 (92)

AF25547



NELSON 70470N; Filter used with
housing AH19078

Overall Height: 18.5 (470)
End 2 OD: 7.2 (183)
End 1 OD: 8.25 (210)
End 1 ID: 4.75 (121)

AF25548



NELSON 70471N; Filter used with
housing AH19079

Overall Height: 19.5 (495)
End 2 OD: 7.94 (202)
End 1 OD: 9.85 (250)
End 1 ID: 6.05 (154)

AF25549



NELSON 70472N; Filter used with
housing AH19080

Overall Height: 19.5 (495)
End 2 OD: 10.39 (264)
End 1 OD: 11.46 (291)
End 1 ID: 7.0 (178)

AF25550



MASSEY-FERGUSON
6191362M1, NELSON 870119N;
Primary air filter used with
AF25967; Filter used with housing
AH19081, AH19082; For
European version, use AF25538;
Air, Primary Magnum RS;
Replaces AF25538

Overall Height: 7.33 (186)
Overall OD: 3.5 (89)
End 1 ID: 1.87 (48)

AF25551



BOBCAT 6672467, NELSON
70954N; Primary air filter used
with AF25552; Filter used with
housing AH19083, AH19084,
AH19085, AH19086; For
European version, use AF25575;
Air, Primary Magnum RS

Overall Height: 10.8 (274)
Overall OD: 4.13 (105)
End 2 ID: 2.5 (64)


AF25552



NELSON 70955N; Secondary air
filter used with AF25551; Filter
used with housing AH19084,
AH19086; For European version,
use AF25576; Air, Secondary
Magnum RS; Replaces AF25576

Overall Height: 10.35 (263)
Overall OD: 2.39 (61)
End 1 ID: 1.81 (46)

AF25553



NELSON 87797N; Primary air
filter used with AF25554; Filter
used with housing AH19087,
AH19088, AH19089, AH19090;
For European version, use
AF25436; Air, Primary Magnum
RS; Replaces AF25436

Overall Height: 12.39 (315)
End 1 OD: 5.13 (130)
End 1 ID: 3.32 (84)

AF25554



NELSON 870012N; Secondary
air filter used with AF25553; Filter
used with housing AH19088,
AH19090; For European version,
use AF25497; Air, Secondary
Magnum RS

Overall Height: 11.87 (302)
End 2 OD: 2.99 (76)
End 1 OD: 3.32 (84)
End 1 ID: 2.59 (66)

AF25555



NELSON 870286N; Primary air
filter used with AF25556; Filter
used with housing AH19091,
AH19092, AH19093, AH19094;
For European version, use
AF25588; Air, Primary Magnum
RS; Replaces AF25588

Overall Height: 13.0 (330)
End 2 OD: 5.39 (137)
End 1 OD: 5.41 (137)
End 2 ID: 3.32 (84)

E. PRODUCT GUIDE

AF25556



NELSON 870287N; Secondary air filter used with AF25555; Filter used with housing AH19092, AH19094; For European version, use AF25484; Air, Secondary Magnum RS

Overall Height: 12.6 (320)
End 2 OD: 2.99 (76)
End 1 OD: 3.32 (84)
End 1 ID: 2.59 (66)

AF25557



NELSON 70956N; Primary air filter used with AF25558; Filter used with housing AH19095, AH19096, AH19097, AH19098; For European version, use AF25352; Air, Primary Magnum RS; Replaces AF25352

Overall Height: 13.99 (355)
Overall OD: 6.42 (163)
End 1 ID: 3.74 (95)

AF25558



INGERSOLL-RAND 59155127, NELSON 70957N, OMNIQUIP PARTS WORLDWIDE 8035099; Secondary air filter used with AF25557; Filter used with housing AH19096, AH19098; For European version, use AF25485; Air, Secondary Magnum RS; Replaces AF25485, AF25592

Overall Height: 13.16 (334)
End 1 ID: 2.75 (70)

AF25559

Is included in AA90130; Air, Primary

Overall Height: 18.82 (478)
End 2 OD: 11.81 (300)
End 1 ID: 7.87 (200)

AF25561



NISSAN 16546Z9101; Secondary air filter used with AF25383; Air, Secondary Magnum RS

Overall Height: 13.85 (352)
End 2 OD: 7.68 (195)
End 1 OD: 6.75 (171)
End 1 ID: 4.99 (127)

AF25567



TOYOTA 1780162010

Overall Height: 5.66 (144)
Overall OD: 7.72 (196)
End 1 ID: 3.35 (85)

AF25569



TOYOTA 1780123020; Outside/in flow

Overall Height: 4.13 (105)
Overall OD: 6.42 (163)
End 1 ID: 2.99 (76)

AF25570



JOHN DEERE RE46310; Primary air filter used with AF25571

Overall Height: 16.83 (427)
End 2 OD: 9.14 (232)
End 1 OD: 9.21 (234)
End 2 ID: 5.87 (149)
End 1 ID: 0.67 (17)

AF25571



JOHN DEERE RE46311; Secondary air filter used with AF25570

Overall Height: 15.15 (385)
End 2 OD: 5.56 (141)
End 1 ID: 4.41 (112)

AF25572



MOTORCRAFT FA1900

Overall Height: 2.36 (60)
End 2 OD: 9.84 (250)
End 1 OD: 8.19 (208)

AF25573



HITACHI 4234793; Air, Panel

Height: 2.0 (51)
Length: 8.88 (225)
Width: 10.75 (273)

AF25574



NEW HOLLAND 81868102; Cab Air

Height: 1.97 (50)
Length: 20.45 (520)
Width: 4.09 (104)

AF25578M



KUBOTA T00716323

Overall Height: 9.75 (248)
Overall OD: 4.0 (102)
End 1 ID: 2.5 (64)

AF25579KM



DONALDSON P900735

AF25580KM



DONALDSON P533597, NELSON 70750A, 70750N; Primary air filter used with AF25676; Replaces AF25673KM

Overall Height: 8.38 (213)
End 2 OD: 4.09 (104)
End 2 ID: 0.66 (17)
End 1 ID: 2.56 (65)
Fin Diameter: 5.17 (131)

AF25582M



MITSUBISHI AE073385

Overall Height: 16.42 (417)
Overall OD: 5.61 (142)
End 2 ID: 4.72 (120)
End 1 ID: 0.64 (16)

AF25584M



TOYOTA 1780167060; Air, Magnum RS

Overall Height: 5.66 (144)
Overall OD: 4.23 (107)
End 1 ID: 8.56 (217)

AF25589



CATERPILLAR 1318822; Primary air filter used with AF25624; Magnum RS

Overall Height: 13.47 (342)
Overall OD: 9.29 (236)
End 1 ID: 5.2 (132)

AF25590



CHAMP AF1615, MOTORCRAFT FA1634

Overall Height: 7.38 (187)
Overall OD: 8.13 (207)
End 1 ID: 4.27 (108)

AF25591



INGERSOLL-RAND 59155143, 5915543

Overall Height: 15.43 (392)
Overall OD: 6.09 (155)
End 2 ID: 0.66 (17)
End 1 ID: 3.48 (88)

AF25593



NELSON 64288P; Air, Primary; Filter used with housing AH19115

Overall Height: 23.73 (603)
End 2 OD: 12.08 (307)
End 2 ID: 7.73 (196)
Cover Diameter: 16.3 (414)

AF25595



CASE 243968A1; Primary air filter used with AF25596M

Overall Height: 22.24 (565)
Overall OD: 12.85 (326)
End 1 ID: 6.77 (172)

AF25596M



Secondary air filter used with AF25595; Air, Secondary Magnum RS

Overall Height: 21.5 (546)
End 2 OD: 6.75 (171)
End 1 OD: 6.89 (175)
End 1 ID: 5.28 (134)

E. PRODUCT GUIDE

AF25598



DONALDSON P542101; Air, Primary Magnum RS

Overall Height: 15.63 (397)
End 1 OD: 10.96 (278)
End 1 ID: 6.88 (175)

AF25599



ROVER ESR1445; Air, Panel

Height: 2.22 (56)
Length: 10.14 (258)
Width: 7.92 (201)

AF25601



CHRYSLER MD620048

Overall Height: 3.04 (77)
Overall OD: 9.2 (234)
End 1 ID: 6.63 (168)

AF25602



MITSUBISHI ME294850

Overall Height: 14.9 (378)
Overall OD: 11.0 (279)
End 1 ID: 5.73 (146)

AF25607



YANMAR 11425012580; Air, Primary

Overall Height: 1.79 (46)
End 2 OD: 3.94 (100)
End 1 OD: 4.13 (105)
End 2 ID: 0.24 (6)
End 1 ID: 2.05 (52)

AF25608



HONDA 17220PE0663

Overall Height: 1.69 (43)
Overall OD: 10.43 (265)
End 2 ID: 7.76 (197)

AF25610



DYNAPAC 909271; Secondary air filter used with AF25612; Air, Secondary Magnum RS

Overall Height: 19.82 (504)
End 2 OD: 4.05 (103)
End 1 OD: 4.29 (109)
End 1 ID: 3.46 (88)

AF25612



DYNAPAC 909270; Primary air filter used with AF25610; Air, Primary Magnum RS

Overall Height: 20.59 (523)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25614



SCANIA 1387549; Air, Primary Magnum RS

Overall Height: 17.46 (444)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25615



M.A.N. 81083040084; Secondary air filter used with AF25264, AF1001; Air, Secondary Magnum RS

Overall Height: 18.5 (470)
End 2 OD: 6.44 (164)
End 1 OD: 6.68 (170)
End 1 ID: 5.22 (133)

AF25616



SEDDON-ATKINSON 3308730R1; Air, Primary

Overall Height: 18.49 (470)
Overall OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.72 (196)

AF25617



CASE 187471A1; Primary air filter used with AF25618; Air, Primary Magnum RS

Overall Height: 15.53 (395)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25618



CASE 187472A2; Secondary air filter used with AF25617, AF25957; Magnum RS Version

Overall Height: 14.94 (380)
End 2 OD: 4.05 (103)
End 1 OD: 4.29 (109)
End 1 ID: 3.46 (88)

AF25619



VOLVO CONSTRUCTION EQUIPMENT 11033998; Primary air filter used with AF25620; Air, Primary Magnum RS

Overall Height: 22.95 (583)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25620



VOLVO CONSTRUCTION EQUIPMENT 110339991; Secondary air filter used with AF25619, AF25479; Magnum RS Version

Overall Height: 22.17 (563)
End 2 OD: 6.81 (173)
End 1 OD: 7.05 (179)
End 1 ID: 5.39 (137)

AF25621



MOTORCRAFT FA1675; Has foam pre-cleaner

Height: 2.32 (59)
Length: 13.48 (342)
Width: 7.09 (180)

AF25623



DAF 1353115; Flame Retardant Media

Overall Height: 19.96 (507)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF25624



CATERPILLAR 1318821; Secondary air filter used with AF25589; Air, Secondary Magnum RS

Overall Height: 12.72 (323)
End 2 OD: 4.96 (126)
End 1 OD: 5.2 (132)
End 1 ID: 3.7 (94)

AF25625M



LETOURNEAU-WESTINGHOUSE E 4219820; To be used on models L1400 & L1000

Overall Height: 22.48 (571)
Overall OD: 13.83 (351)
End 2 ID: 0.9 (23)
End 1 ID: 9.48 (241)

AF25626



KASSBOHRER 8319150192; Air, Primary Magnum RS

Overall Height: 13.05 (332)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF25627



SCANIA 1387548; Primary air filter used with AF25468; Primary Air Filter for AF25468 for Komatsu applications

Overall Height: 20.63 (524)
Overall OD: 12.21 (310)
End 1 ID: 7.07 (180)

AF25629



MOTORCRAFT FA1680; Air, Panel

Height: 2.29 (58)
Length: 13.35 (339)
Width: 7.23 (184)

AF25630



M.A.N. 81619100011; Cab Air

Height: 1.58 (40)
Length: 15.75 (400)
Width: 7.09 (180)

AF25631



VOLVO 8149064; Primary air filter used with AF26162; Air, Primary Magnum RS

Overall Height: 16.3 (414)
End 2 OD: 12.01 (305)
End 1 OD: 12.66 (322)
End 2 ID: 5.91 (150)

AF25632



VOLVO 8149961; Primary air filter used with AF25317; Air, Primary Magnum RS

Overall Height: 16.42 (417)
End 2 OD: 13.11 (333)
End 1 OD: 13.78 (350)
End 2 ID: 7.83 (199)

AF25634



RENAULT V.I. 5010317187; Secondary air filter used with AF25333, AF26244; Air, Secondary Magnum RS

Overall Height: 17.52 (445)
End 2 OD: 6.81 (173)
End 1 OD: 7.05 (179)
End 1 ID: 5.81 (148)

AF25635



LEYLAND ACHH325; Air, Primary Magnum RS

Overall Height: 14.19 (361)
Overall OD: 8.47 (215)
End 1 ID: 4.68 (119)

AF25636



AC A1518C; Air, Panel ;Upgrade of AF25757

Height: 2.31 (59)
Length: 12.31 (313)
Width: 9.75 (248)

AF25638



HINO 178013030A; Secondary air filter used with AF25416

Overall Height: 12.91 (328)
End 2 OD: 4.92 (125)
End 1 OD: 5.26 (134)
End 2 ID: 3.31 (84)

AF25640



MITSUBISHI ME291563; Secondary air filter used with AF25365

Overall Height: 15.75 (400)
End 2 OD: 4.92 (125)
End 1 OD: 5.25 (133)
End 1 ID: 4.36 (111)

AF25641

ISUZU 8970303250; This product is not available in all regions of the world

AF25648



TOYOTA 177022347071; Air, Primary Magnum RS

Overall Height: 11.06 (281)
Overall OD: 5.4 (137)
End 1 ID: 3.2 (81)

AF25653



MERCEDES-BENZ 30949604; Air, Primary Magnum RS

Overall Height: 13.76 (350)
End 2 OD: 10.98 (279)
End 1 OD: 13.58 (345)
End 2 ID: 4.92 (125)

AF25654



IVECO 1904581; Air, Primary

Overall Height: 13.09 (333)
Overall OD: 5.87 (149)
End 2 ID: 0.34 (9)
End 1 ID: 2.82 (72)

AF25667



DONALDSON P532966, NELSON 70986N; Primary air filter used with AF26114; Air, Primary Magnum RS; Replaces AF25223

Overall Height: 19.0 (483)
Overall OD: 9.3 (236)
End 1 ID: 5.17 (131)

AF25668



BALDWIN PA2839, MOTOR COACH 9G337

Overall Height: 15.87 (403)
End 2 OD: 15.09 (383)
End 2 ID: 8.26 (210)
Boot Diameter: 16.85 (428)

AF25670



BOBCAT 6647380; Air, Primary

Overall Height: 6.83 (174)
Overall OD: 3.66 (93)
End 2 ID: 0.34 (9)
End 1 ID: 1.71 (44)

AF25674



CASE K945043; Primary air filter used with AF25686

Overall Height: 10.75 (273)
Overall OD: 6.08 (155)
End 2 ID: 0.69 (18)
End 1 ID: 3.78 (96)

AF25675



CATERPILLAR 7R2258, DONALDSON P776490; Air, Panel

Height: 17.17 (436)
Length: 6.00 (152)
Width: 2.20 (56)

AF25676



JOHN DEERE AM108185, NELSON 70751A, 70751N; Secondary air filter used with AF25580KM

Overall Height: 7.0 (178)
End 2 OD: 2.3 (58)
End 2 ID: 0.66 (17)
End 1 ID: 2.07 (53)
Flange Diameter: 4.5 (114)

AF25680



BALDWIN PA3482, CATERPILLAR 2G1946; Air, Panel

Height: 0.81 (21)
Length: 13.25 (337)
Width: 11.94 (303)

AF25682



FORD F7CZ9601A, WIX 46406

Overall Height: 7.9 (201)
End 2 OD: 4.64 (118)
End 1 OD: 6.87 (174)
End 1 ID: 3.15 (80)

AF25683



CHAMP AF1641, FORD F67X9601AA, F67Z9601AA, MOTORCRAFT FA1641

Overall Height: 5.91 (150)
End 2 OD: 5.3 (135)
End 1 OD: 6.96 (177)
End 1 ID: 3.15 (80)

AF25684



CHAMP AF1658, FORD F77X9601AA, F77Z9601AA, MOTORCRAFT FA1658

Height: 2.26 (57)
Length: 8.75 (222)
Width: 7.52 (191)

AF25685



DONALDSON P922118; Navistar 9800 Series

Overall Height: 26.48 (673)
End 2 OD: 7.52 (191)
End 1 OD: 11.06 (281)
End 1 ID: 6.87 (175)

AF25686



MC CORMICK K952344; Secondary air filter used with AF25674

Overall Height: 9.57 (243)
Overall OD: 3.7 (94)
End 2 ID: 0.42 (11)
End 1 ID: 2.56 (65)

AF25687



MACK 57MD46M, NELSON 70990N

Overall Height: 25.5 (648)
Overall OD: 9.4 (239)
End 1 ID: 5.9 (150)

AF25688



CUMMINS 3351735

Overall Height: 16.38 (416)
End 2 OD: 11.1 (282)
End 1 OD: 15.11 (384)
End 2 ID: 6.64 (169)

E. PRODUCT GUIDE

AF25689K

CASE D56453, NELSON 70334S



Overall Height: 15.44 (392)
End 2 OD: 6.09 (155)
End 2 ID: 0.69 (17)
End 1 ID: 3.47 (88)
Fin Diameter: 7.81 (198)

AF25690

DONGFENG-NISSAN DIESEL MOTOR CO.,LTD 16546DB000; Secondary air filter used with AF25691; Filter used with housing AH19236

Part of kit AA2954; Cannot be sold separately

Overall Height: 14.12 (359)
End 2 OD: 6.42 (163)
End 1 ID: 5.2 (132)

AF25691

DONGFENG-NISSAN DIESEL MOTOR CO.,LTD 16546DB000; Primary air filter used with AF25690; Filter used with housing AH19236



AF25693

NELSON 870710A, 870710N; Air, Magnum RS; To upgrade, use AF26300



Overall Height: 22.3 (566)
End 2 OD: 7.79 (198)
End 1 OD: 10.41 (264)
End 2 ID: 3.14 (80)
End 1 ID: 5.8 (147)

AF25694

INTERNATIONAL TRUCKS 3507421C1



Overall Height: 23.5 (597)
End 2 OD: 9.25 (235)
End 1 OD: 9.65 (245)
End 2 ID: 5.13 (130)

AF25695

MERCEDES-BENZ 8301118; Cab Air



Height: 1.5 (38)

AF25696

RENAULT V.I. 7701044595; Air, Panel



Height: 1.69 (43)
Length: 12.40 (315)
Width: 10.32 (262)

AF25700

CASE 294292A1, IHC 294292A1; Primary air filter used with AF25701



Overall Height: 11.66 (296)
End 2 OD: 13.33 (339)
End 1 OD: 13.35 (339)
End 2 ID: 8.21 (208)

AF25701

CASE 294293A1; Secondary air filter used with AF25700



Overall Height: 10.72 (272)
End 2 OD: 7.69 (195)
End 1 OD: 8.11 (206)
End 1 ID: 5.94 (151)

AF25702

KUBOTA 6C04094250; Secondary air filter used with AF25703K



Overall Height: 6.22 (158)
End 2 OD: 2.01 (51)
End 1 OD: 2.16 (55)
End 2 ID: 0.67 (17)
End 1 ID: 1.57 (40)

AF25703K

KUBOTA 6C04094240; Primary air filter used with AF25702



Overall Height: 7.28 (185)
End 2 OD: 3.29 (84)
End 2 ID: 0.67 (17)
End 1 ID: 2.13 (54)
Fin Diameter: 4.25 (108)

AF25704

DAF 1385791; Air, Primary Magnum RS



Overall Height: 17.09 (434)
Overall OD: 9.61 (244)
End 1 ID: 4.92 (125)

AF25705

KOBELCO LQ11PU0001S002; Primary air filter used with AF25706



Overall Height: 14.75 (375)
Overall OD: 9.18 (233)
End 1 ID: 5.88 (149)

AF25706

KOBELCO LQ11PU0001S001; Secondary air filter used with AF25705



Overall Height: 12.88 (327)
Overall OD: 5.56 (141)
End 1 ID: 4.4 (112)

AF25707

INTERNATIONAL TRUCKS 3532799C1, NELSON 870726A; Primary air filter used with AF25732



Overall Height: 16.0 (406)
End 2 OD: 10.19 (259)
End 1 OD: 10.22 (260)
End 1 ID: 7.97 (202)

AF25708

NELSON 871148A; Air, Primary



Overall Height: 20.54 (522)
Overall OD: 11.02 (280)
End 2 ID: 7.93 (201)

AF25708M

NELSON 870904A, 870904N; OptiAir; Filter used with housing AH19257, AH19266, AH19273, AH19274



Overall Height: 20.5 (521)
Overall OD: 11.0 (279)
End 2 ID: 8.1 (206)

AF25709

FORD 6610580 Air, Panel



Height: 2.28 (58)
Length: 12.44 (316)
Width: 5.91 (150)

AF25710

CASE 367349A1; Primary air filter used with AF25711



Overall Height: 13.9 (353)
Overall OD: 12.09 (307)
End 1 ID: 8.21 (208)

AF25711

CASE 367350A1; Secondary air filter used with AF25710



Overall Height: 12.96 (329)
End 2 OD: 7.69 (195)
End 1 OD: 8.11 (206)
End 1 ID: 5.94 (151)

AF25719

MERCEDES-BENZ 6380900151; Air, Primary



Height: 2.70 (69)
Length: 13.07 (332)
Width: 10.32 (262)

AF25720K

TOYOTA 17803F980171; Primary air filter used with AF25741



Overall Height: 11.52 (293)
End 2 OD: 5.24 (133)
End 2 ID: 0.67 (17)
End 1 ID: 3.35 (85)
Fin Diameter: 6.34 (161)

AF25732

INTERNATIONAL TRUCKS 3532800C1, NELSON 870728N; Secondary air filter used with AF25707



Overall Height: 15.39 (391)
Overall OD: 8.09 (205)
End 1 ID: 5.28 (134)

AF25733

MERCEDES-BENZ 8356947; Cab Air



Height: 1.12 (29)
Length: 13.27 (337)
Width: 6.79 (173)

E. PRODUCT GUIDE

AF25734



CATERPILLAR 4P0710; Primary air filter used with AF26194; Element for AF26416

Overall Height: 14.38 (365)
Overall OD: 19.35 (492)
End 1 ID: 12.93 (329)

AF25735



FIAT HITACHI 1930601; Secondary air filter used with AF25740K

Overall Height: 11.95 (304)
End 1 OD: 5.96 (152)
End 2 ID: 4.85 (123)
End 1 ID: 0.67 (17)

AF25740K



FIAT HITACHI 1930600; Primary air filter used with AF25735

Overall Height: 13.47 (342)
End 2 OD: 9.66 (246)
End 2 ID: 0.63 (16)
End 1 ID: 6.06 (154)
Fin Diameter: 11.73 (298)

AF25741



TOYOTA 178042300071; Secondary air filter used with AF25720K

Overall Height: 10.37 (264)
Overall OD: 3.23 (82)
End 2 ID: 0.48 (12)
End 1 ID: 2.54 (65)

AF25742



GMC 25099849; Engine Application

Height: 2.08 (53)
Length: 15.93 (405)
Width: 7.90 (201)

AF25745



KUBOTA 6A10082632; Air, Primary Magnum RS

Overall Height: 6.99 (178)
Overall OD: 3.66 (93)
End 1 ID: 1.71 (44)

AF25746



NELSON 70991N; Primary air filter used with AF25747

Overall Height: 16.92 (430)
Overall OD: 8.82 (224)
End 1 ID: 5.12 (130)

AF25747



NELSON 70992N; Secondary air filter used with AF25746

Overall Height: 16.02 (407)
End 2 OD: 5.17 (131)
End 1 OD: 5.3 (135)
End 1 ID: 3.26 (83)

AF25748



RENAULT AGRICULTURE 7700050840; Primary air filter used with AF25749; Air, Primary Magnum RS

Overall Height: 18.66 (474)
Overall OD: 9.29 (236)
End 1 ID: 5.2 (132)

AF25749



RENAULT AGRICULTURE 7700050841; Secondary air filter used with AF25748; Air, Secondary Magnum RS

Overall Height: 17.72 (450)
End 2 OD: 4.96 (126)
End 1 OD: 5.2 (132)
End 1 ID: 3.7 (94)

AF25750



NELSON 871064N

Overall Height: 23.58 (599)
End 2 OD: 13.81 (351)
End 1 OD: 16.25 (413)
End 1 ID: 9.5 (241)

AF25751



NELSON 870178N

Overall Height: 19.3 (490)
Overall OD: 15.12 (384)
End 1 ID: 10.0 (254)

AF25752



NELSON 870179N

Overall Height: 18.3 (465)
End 1 OD: 9.89 (251)
End 1 ID: 8.05 (204)

AF25753



MANITOU 177178; Secondary air filter used with AF25006K

Overall Height: 10.12 (257)
End 2 OD: 2.62 (67)
End 1 OD: 3.07 (78)
End 2 ID: 0.34 (9)
End 1 ID: 2.2 (56)

AF25754



GMC 25099149

Height: 7.13 (181)
Length: 9.33 (237)
Width: 1.65 (42)

AF25755



RENAULT AGRICULTURE 7700039510; Secondary air filter used with AF25504; Air, Secondary Magnum RS

Overall Height: 14.35 (365)
End 2 OD: 4.05 (103)
End 1 OD: 4.29 (109)
End 1 ID: 3.46 (88)

AF25756



VOLVO CONSTRUCTION EQUIPMENT 11110022; Primary air filter used with AF25523; Air, Primary Magnum RS

Overall Height: 20.67 (525)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF25757



AC A1519C, GMC 25313348; To upgrade, use AF25636; Light Duty

Height: 9.65 (245)

AF25758M



GMC 2062062

Overall Height: 8.05 (204)
Overall OD: 12.08 (307)
End 1 ID: 6.69 (170)

AF25761



AIR REFINER ARM1510; Is a shorter version of AF953K without the fin

Overall Height: 9.68 (246)
Overall OD: 6.08 (154)
End 2 ID: 0.67 (17)
End 1 ID: 3.48 (88)

AF25762



JOHN DEERE AT69308; Is Short version of AF1828

Overall Height: 16.59 (421)
End 2 OD: 12.08 (307)
End 1 OD: 12.8 (325)
End 2 ID: 7.73 (196)
End 1 ID: 0.9 (23)

AF25763M



AIR REFINER ARM529241; Is Short version of AF975M; Primary air filter used with AF25764

Overall Height: 18.55 (471)
Overall OD: 10.86 (276)
End 2 ID: 0.92 (23)
End 1 ID: 6.5 (165)

AF25764



FRAM CA7106SY; Secondary air filter used with AF25763M; Is Short version of AF976

Overall Height: 17.43 (443)
End 1 OD: 6.41 (163)
End 2 ID: 5.27 (134)
End 1 ID: 0.67 (17)

AF25771



NELSON 70855N

Overall Height: 19.38 (492)
End 2 OD: 12.09 (307)
End 1 OD: 13.72 (348)
End 1 ID: 9.25 (235)

E. PRODUCT GUIDE

AF25772  TAMROCK 88021199; Dust Collector Overall Height: 24.21 (615) Overall OD: 4.53 (115) End 1 ID: 2.68 (68)	AF25803 CUMMINS 4055279; Secondary air filter used with AF25804 AF25804 CUMMINS 3237954; Primary air filter used with AF25803 AF25810 DONGFENG HONDA AUTO. CO.,LTD 1109R65020; Primary air filter used with AF25811; Is included in AA2961 	AF25827  CUMMINS 4013821; Applied on Cummins PowerGen Units / Landfill Equipment with QSV81/91 Liter Natural Gas
AF25773  CUMMINS 3430460 Height: 6.26 (159) Length: 18.70 (475) Width: 17.72 (450)	AF25811 DONGFENG HONDA AUTO. CO.,LTD 1109R65030; Secondary air filter used with AF25810; Is included in AA2961 Part of kit AA2961; Cannot be sold separately AF25812 Primary air filter used with AF25813; Is included in AA2958 	AF25829  SCANIA 1420197 Cab Air Height: 1.40 (36) Length: 9.17 (233)
AF25778  CRENLO 120621; Cab Air Height: 2.69 (68) Length: 26.97 (685) Width: 6.25 (159)	AF25813 Secondary air filter used with AF25812; Part of kit AA2958 Cannot be sold separately AF25815 CUMMINS 4055579; Secondary air filter used with AF25816; Filter used with housing AH19442 Overall Height: 17.91 (455) Overall OD: 8.24 (209) End 2 ID: 0.93 (24) End 1 ID: 7.12 (181)	AF25830  VOLVO CONSTRUCTION EQUIPMENT 11110217; Primary air filter used with AF25897; Air, Primary Magnum RS Overall Height: 19.47 (495) Overall OD: 14.15 (360) End 1 ID: 8.92 (227)
AF25794  MANITOU 563415; Secondary air filter used with AF25795; Air, Secondary Magnum RS Overall Height: 13.01 (331) End 2 OD: 3.42 (87) End 1 OD: 3.66 (93) End 1 ID: 2.83 (72)	AF25816 CUMMINS 4055580; Primary air filter used with AF25815; Filter used with housing AH19442 Overall Height: 15.41 (392) End 2 OD: 11.14 (283) End 1 ID: 6.65 (169) AF25817 Secondary air filter used with AF25818; Filter used with housing AH19459 Overall Height: 16.38 (416) End 2 OD: 4.02 (102) End 1 ID: 2.87 (73)	AF25840  DAF 1322255; Cab Air Height: 1.02 (26) Length: 12.60 (320) Weight: 9.27 (236)
AF25795  MANITOU 563416; Primary air filter used with AF25794; Air, Primary Magnum RS Overall Height: 13.6 (346) Overall OD: 6.38 (162) End 1 ID: 3.62 (92)	AF25818 CUMMINS 3237956; Primary air filter used with AF25817; Filter used with housing AH19459 Overall Height: 17.22 (438) End 2 OD: 8.48 (216) End 1 ID: 4.11 (105) AF25825  KHD(KLOCKNER-HUMBOLDT-D EUTZ) 12134578; Air, Panel Height: 2.87 (73) Length: 19.57 (497) Width: 19.57 (497)	AF25841  FORD 4041615; Air, Panel Height: 2.26 (58) Length: 10.95 (278) Width: 7.07 (180)
AF25797  RENAULT V.I. 5001847123; Air, Panel Height: 2.22 (57) Length: 12.40 (315) Width: 10.32 (262)		AF25848  Duramax Diesel Height: 2.31 (59) Length: 12.31 (313) Width: 9.75 (248)
AF25799  CUMMINS 3429703; Air, Panel Height: 6.26 (159) Length: 13.78 (350) Width: 17.72 (450)		AF25849  MASSEY-FERGUSON 3388840M2; Cab Air Height: 2.4 (61) Length: 34.65 (880) Weight: 5.32 (135)
AF25801  NISSAN 1654621566; Primary air filter used with AF4658 Overall Height: 15.34 (390) End 1 OD: 12.08 (307) End 2 ID: 0.67 (17) End 1 ID: 7.73 (196)		AF25852  INGERSOLL-RAND 39708466; For European version, use AF26170

E. PRODUCT GUIDE

AF25854

GMC 15153904; Chevrolet Van 5.7L Model 3500



Overall Height: 12.87 (327)
Overall OD: 5.44 (138)
End 1 ID: 3.2 (81)

AF25855

STIHL 42231410300; Air, Panel



Height: 1.85 (47)
Length: 5.32 (135)
Weight: 3.48 (89)

AF25856

NELSON 70988F, 70988N; Primary air filter used with AF25857; Used in Reytor housing RT1216M



Overall Height: 16.75 (425)
Overall OD: 9.3 (236)
End 1 ID: 4.9 (124)

AF25857

NELSON 70989F, 70989N; Secondary air filter used with AF25856; Used in Reytor housing RT1216M



Overall Height: 15.5 (394)
End 2 OD: 4.9 (124)
End 1 OD: 5.1 (130)
End 1 ID: 4.1 (104)

AF25858

Is Short version of AF25247; Air, Magnum RS



Overall Height: 21.41 (544)
Overall OD: 11.35 (288)
End 1 ID: 6.76 (172)

AF25865

CUMMINS 4055583; Secondary air filter used with AF25866K; Filter used with housing AH19426

Overall Height: 15.08 (383)
End 2 OD: 5.51 (140)
End 1 ID: 3.43 (87)

AF25866K

CUMMINS 4055584; Primary air filter used with AF25865; Filter used with housing AH19426

AF25870

CUMMINS 3879074; Secondary air filter used with AF25871

Overall Height: 22.01 (559)
End 2 OD: 8.66 (220)
End 1 ID: 7.09 (180)

AF25871

CUMMINS 3879075; Primary air filter used with AF25870

Overall Height: 24.13 (613)
End 2 OD: 13.78 (350)
End 1 ID: 9.45 (240)

AF25872

DAF 1433690; Air, Primary Magnum RS



Overall Height: 13.23 (336)
Overall OD: 8.47 (215)
End 1 ID: 4.68 (119)

AF25873

DAF 1433697; Air, Primary Magnum RS



Overall Height: 16.38 (416)
Overall OD: 8.47 (215)
End 1 ID: 4.68 (119)

AF25875

IVECO 42471161; Flame Retardant Media



Overall Height: 13.15 (334)
Overall OD: 9.72 (247)
End 2 ID: 5.47 (139)

AF25876

IVECO 42471166; Flame Retardant Media



Overall Height: 15.43 (392)
Overall OD: 9.72 (247)
End 2 ID: 5.47 (139)

AF25877

ONAN 1402636; Primary air filter used with AF25878; Filter used with housing AH19323



Overall Height: 20.65 (525)
Overall OD: 11.54 (293)
End 2 ID: 0.39 (10)
End 1 ID: 7.01 (178)

AF25878

ONAN 1402638; Secondary air filter used with AF25877; Filter used with housing AH19323



Overall Height: 19.11 (486)
Overall OD: 6.85 (174)
End 2 ID: 0.62 (16)
End 1 ID: 5.41 (138)

AF25884

TATA 252509140134; Primary air filter used with AF25885; Filter used with housing AH19394

Overall Height: 14.33 (364)
Overall OD: 7.76 (197)
End 1 ID: 3.94 (100)

AF25885

TATA 252509140133; Secondary air filter used with AF25884; Filter used with housing AH19394

Overall Height: 14.69 (373)
Overall OD: 3.9 (99)
End 1 ID: 3.23 (82)

AF25886

CATERPILLAR 1080671; Primary air filter used with AF25887; Air, Primary Magnum RS



Overall Height: 11.59 (295)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25887

CATERPILLAR 1080672; Secondary air filter used with AF25886; Air, Secondary Magnum RS



Overall Height: 10.83 (275)
End 2 OD: 4.02 (102)
End 1 OD: 4.25 (108)
End 1 ID: 2.6 (66)

AF25888

CARRIER 300043022



Overall Height: 9.9 (252)
End 2 OD: 3.92 (100)
End 1 OD: 4.41 (112)
End 1 ID: 2.34 (60)

AF25889

DYNAPAC 380294; Secondary air filter used with AF25890; Air, Secondary Magnum RS



Overall Height: 9.11 (232)
End 2 OD: 3.07 (78)
End 1 OD: 3.31 (84)
End 1 ID: 2.48 (63)

AF25890

DYNAPAC 380295; Primary air filter used with AF25889; Air, Primary Magnum RS



Overall Height: 9.69 (246)
Overall OD: 4.96 (126)
End 1 ID: 3.21 (82)

AF25893


KALMAR 9238720542; Air, Primary



Overall Height: 18.39 (467)
Overall OD: 13.83 (351)
End 2 ID: 0.54 (14)
End 1 ID: 9.48 (241)

AF25894

M.A.N. 81084050016; Primary air filter used with AF25896; Flame Retardant Media



Overall Height: 20.08 (510)
Overall OD: 10.51 (267)
End 2 ID: 6.69 (170)




AF25895

IVECO 500339085; Air, Spin-On



Overall Height: 2.42 (62)
Largest OD: 3.17 (80)
Thread Size: M16X1.5

E. PRODUCT GUIDE

AF25896  M.A.N. 81084050017; Secondary air filter used with AF25894, AF26353 Overall Height: 17.97 (457) End 1 OD: 6.14 (156)	AF25910  CUMMINS 3814695; Air, Primary; Filter used with housing AH19388 Overall Height: 12.03 (306) Overall OD: 7.78 (198) End 2 ID: 0.34 (9) End 1 ID: 4.33 (110)	AF25952M  Is Long version of AF25525 Overall Height: 25.52 (648) End 2 OD: 9.27 (235) End 1 OD: 9.32 (237) End 1 ID: 5.77 (147)
AF25897  VOLVO 11110218, VOLVO CONSTRUCTION EQUIPMENT 11110218; Secondary air filter used with AF25830; Air, Secondary Magnum RS Overall Height: 19.03 (484) End 2 OD: 8.66 (220) End 1 OD: 9.06 (230) End 1 ID: 7.01 (178)	AF25911  CUMMINS 3814696; Air, Secondary; Filter used with housing AH19388 Overall Height: 10.87 (276) Overall OD: 4.09 (104) End 2 ID: 0.66 (17) End 1 ID: 3.58 (91)	AF25953  VOLVO-BM 11007848; Cab Air Height: 2.76 (70) Length: 15.55 (395) Width: 12.99 (330)
AF25898  RENAULT V.I. 5010315990; For flame retardant version, use AF26415; Air, Primary Magnum RS Overall Height: 14.59 (371) End 2 OD: 9.61 (244) End 1 OD: 9.65 (245) End 1 ID: 4.98 (127)	AF25913  CUMMINS 3815068; Air, Primary Overall Height: 12.34 (314) Overall OD: 9.09 (231) End 2 ID: 0.39 (10) End 1 ID: 4.78 (122)	AF25954  VOLVO-BM 11007847; Cab Air Height: 0.59 (15) Length: 18.11 (460) Width: 15.67 (398)
AF25899  M.A.N. 81083040093; Air, Primary Overall Height: 19.61 (498) Overall OD: 9.76 (248) End 1 ID: 4.72 (120)	AF25914  CUMMINS 3815069; Air, Secondary Overall Height: 9.31 (237) Overall OD: 4.72 (120) End 2 ID: 0.64 (16) End 1 ID: 3.98 (101)	AF25955  MACK 57MD318 Overall Height: 21.61 (549) Overall OD: 12.99 (330) End 1 ID: 7.43 (189)
AF25900  WAGNER 520049954 Overall Height: 7.95 (202) Largest OD: 6.68 (170)	AF25921  Primary air filter used with AF25930	AF25956  MERCEDES-BENZ 8303318; Cab Air Height: 1.1 (28) Length: 14.92 (379) Width: 6.54 (166)
AF25904  CUMMINS 4071693; Air, Primary; Filter used with housing AH19387, AH19468 Overall Height: 9.71 (247) Overall OD: 5.12 (130) End 2 ID: 0.43 (11) End 1 ID: 2.76 (70)	AF25928  TATA 278609139911; Secondary air filter used with AF25919	AF25957  FENDT H411201090100; Primary air filter used with AF25618; Air, Primary Magnum RS Overall Height: 15.53 (395) Overall OD: 7.24 (184) End 1 ID: 4.13 (105)
AF25906  CUMMINS 4055592; Air, Primary Overall Height: 24.49 (622) Overall OD: 14.25 (362) End 2 ID: 0.93 (24) End 1 ID: 9.88 (251)	AF25930  Secondary air filter used with AF25921	AF25958K  J.C.B. 32913601; Primary air filter used with AF4654 Overall Height: 12.05 (306) End 2 ID: 2.81 (72) Fin Diameter: 6.34 (161) Cover Diameter: 7.13 (181)
AF25907  CUMMINS 4055591; Air, Secondary Overall Height: 22.26 (566) Overall OD: 9.8 (249) End 2 ID: 0.9 (23) End 1 ID: 8.68 (221)	AF25937  TATA 278609139908; Primary air filter used with AF25946	AF25959  Filter used with housing AH19330; Air, Primary Overall Height: 10.8 (274) Largest OD: 4.12 (105) End 1 ID: 3.0 (76)
AF25939  Primary air filter used with AF25948	AF25948  Secondary air filter used with AF25939 Overall Height: 15.98 (406) Largest OD: 5.71 (145) Largest ID: 5.0 (127)	AF25946  Secondary air filter used with AF25937

E. PRODUCT GUIDE

AF25960



8" OptiAir 800 Series; Primary air filter used with AF25961; Filter used with housing AH19260, AH19261, AH19331, AH19490, AH19491

Overall Height: 14.08 (358)
End 1 OD: 6.42 (163)
End 1 ID: 4.9 (124)

AF25961



OptiAir 800 Series; Secondary air filter used with AF25960; Filter used with housing AH19260, AH19331, AH19490

Overall Height: 13.16 (334)
End 2 OD: 3.39 (86)
End 1 OD: 5.02 (128)

AF25962



11" OptiAir 1100 Series; Primary air filter used with AF25963; Filter used with housing AH19333, AH19334, AH8741

Overall Height: 16.74 (425)
Overall OD: 8.89 (226)
End 1 ID: 4.85 (123)
Type Seal: Radial

AF25963



11" OptiAir 1100 Series; Secondary air filter used with AF25962, AF26483; Filter used with housing AH19334, AH8741, AH8851

Overall Height: 15.96 (406)
Overall OD: 7.27 (185)
End 1 ID: 3.6 (92)

AF25964



TIMBERJACK F434072; Primary air filter used with AF25491; Air, Primary Magnum RS

Overall Height: 16.57 (421)
Overall OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25966M



TOWMOTOR 690826; Flame Retardant Media

Overall Height: 9.02 (229)
End 1 OD: 6.85 (174)
End 2 ID: 4.23 (107)

AF25967



BOBCAT 6673753; Secondary air filter used with AF25550; Air, Secondary Magnum RS

Overall Height: 6.05 (154)
End 2 OD: 1.52 (39)
End 1 OD: 1.79 (45)
End 1 ID: 1.12 (29)

AF25968



MC CORMICK 334755A2; Cab Air

Height: 1.02 (26)
Length: 19.02 (483)
Width: 6.10 (155)

AF25969



SCANIA 1335680; Secondary air filter used with AF25313; Air, Secondary Magnum RS

Overall Height: 19.82 (504)
End 2 OD: 6.44 (164)
End 1 OD: 6.68 (170)
End 1 ID: 5.22 (133)

AF25972



IVECO 500387947; Cab Air

Height: 1.38 (35)
Length: 17.21 (437)
Width: 3.92 (100)

AF25974



MC CORMICK 372506A1; Air Conditioner

Height: 1.02 (26)
Length: 21.42 (544)
Width: 6.10 (155)

AF25975



DAF 1657523; Flame Retardant Media

Overall Height: 18.9 (480)
Overall OD: 10.51 (267)
End 1 ID: 6.69 (170)

AF25976



DAF 1657522; Flame Retardant Media

Overall Height: 16.53 (420)
Overall OD: 10.51 (267)
End 1 ID: 6.69 (170)

AF25978



NEW HOLLAND 1930825; Secondary air filter used with AF25342, AF25348K

Overall Height: 12.09 (307)
End 2 OD: 3.35 (85)
End 1 OD: 4.09 (104)
End 2 ID: 0.67 (17)
End 1 ID: 2.95 (75)

AF25997



REYTOR IT3050, VOLKSWAGEN 2S0129620; Primary air filter used with AF26211; Air, Primary Magnum RS

Overall Height: 16.09 (409)
End 2 OD: 10.24 (260)
End 1 OD: 10.35 (263)
End 1 ID: 5.87 (149)

AF26001

ASHOK LEYLAND X3962700

AF26005

ASHOK LEYLAND X3962800

AF26010

ASHOK LEYLAND X3973800; Air, Primary

Overall Height: 17.99 (457)
Overall OD: 12.01 (305)
End 1 ID: 7.58 (193)

AF26011

ASHOK LEYLAND X3973900; Air, Secondary; Filter used with housing AH19399

Overall Height: 17.62 (448)
Overall OD: 8.27 (210)
End 1 ID: 6.1 (155)

AF26033

Primary air filter used with AF26034

Overall Height: 12.03 (306)
Overall OD: 7.78 (198)
End 1 ID: 4.33 (110)

AF26034

Secondary air filter used with AF26033

Overall Height: 10.94 (278)
Overall OD: 4.09 (104)
End 1 ID: 3.58 (91)

AF26044



CUMMINS POWER GENERATION LTD 1404157

AF26046M

TATA 253409130241; Air, Primary

AF26052

TATA 219309130204; Secondary air filter used with AF26053

Overall Height: 17.7 (450)
Overall OD: 6.38 (162)
End 1 ID: 5.22 (133)

AF26053

TATA 219309130203; Primary air filter used with AF26052

Overall Height: 19.35 (492)
Overall OD: 10.83 (275)
End 1 ID: 6.54 (166)

AF26056

TATA 219309130202; Secondary air filter used with AF26057, AF26063; Filter used with housing AH19464

Overall Height: 16.34 (415)
Overall OD: 6.54 (166)
End 1 ID: 5.41 (138)

AF26057

TATA 219309130201; Primary air filter used with AF26056

Overall Height: 19.19 (488)
Overall OD: 11.14 (283)
End 1 ID: 6.65 (169)

E. PRODUCT GUIDE

AF26058 TATA 252709130330; Secondary air filter used with AF26059; Filter used with housing AH19454 Overall Height: 10.71 (272) Overall OD: 4.09 (104) End 1 ID: 3.58 (91)	AF26076 CUMMINS 2868463 Overall Height: 16.13 (410) Largest OD: 9.09 (231) End 2 OD: 6.93 (176) Largest ID: 4.78 (121)	AF26094 CUMMINS A034P660; Primary air filter used with AF26093 
AF26059 TATA 252709130329; Primary air filter used with AF26058; Filter used with housing AH19454 Overall Height: 11.54 (293) Overall OD: 7.78 (198) End 1 ID: 4.33 (110)	AF26077 CUMMINS 2868348; Secondary air filter used with AF26078	AF26103 INTERNATIONAL TRUCKS 3551814C1; Primary air filter used with AF26268; 8600 & Prostar truck models  Overall Height: 16.1 (409) End 2 OD: 11.98 (304) End 2 ID: 9.93 (252)
AF26062 TATA 278809130114; Air, Primary	AF26078 CUMMINS 2868349; Primary air filter used with AF26077 Overall Height: 16.2 (412) End 2 OD: 10.04 (255) End 1 ID: 5.81 (148)	AF26105 REYTOR IT2015S  Overall Height: 16.19 (411) End 2 OD: 5.6 (142) End 1 OD: 6.07 (154)
AF26063 TATA 278609139931; Primary air filter used with AF26056; Filter used with housing AH19464 Overall Height: 18.7 (475) Overall OD: 11.14 (283) End 1 ID: 6.65 (169)	AF26079 CUMMINS 2868461; Secondary air filter used with AF26080	AF26107 INTERNATIONAL TRUCKS 3532799C1, NELSON 871243N; OptiAir replacement with flame retardant media  Overall Height: 16.0 (406) End 2 OD: 10.19 (259) End 1 OD: 10.22 (260) End 1 ID: 7.97 (202)
AF26069 ASHOK LEYLAND F8845900; Secondary air filter used with AF26070 Overall Height: 11.61 (295) Overall OD: 4.72 (120) End 1 ID: 3.98 (101)	AF26080 CUMMINS 2868462; Primary air filter used with AF26079 Overall Height: 12.02 (305) Largest OD: 7.78 (198) End 2 OD: 5.67 (144) Largest ID: 4.33 (110)	AF26108 KHD(KLOCKNER-HUMBOLDT-D EUTZ) 4411228; Cab Air  Height: 2.76 (70) Length: 21.97 (558) Width: 2.95 (75)
AF26070 LEYLAND F8845800; Primary air filter used with AF26069 Overall Height: 14.49 (368) Overall OD: 9.09 (231) End 1 ID: 4.78 (122)	AF26082 TATA 570809130108; Air, Primary	AF26109 Quincy Air Compressor Model 120382  Overall Height: 19.5 (495) End 2 OD: 7.36 (187) End 1 ID: 6.22 (158)
AF26072 TATA 286609139902; Secondary air filter used with AF26073 Overall Height: 19.11 (486) Overall OD: 6.97 (177) End 1 ID: 5.41 (138)	AF26085 Air, Secondary Overall Height: 12.32 (313) End 2 OD: 4.09 (104) End 1 ID: 3.58 (91)	AF26111M REYTOR IT2015; Air, Cartridge  Overall Height: 17.4 (442) Overall OD: 10.94 (278) End 1 ID: 5.83 (148)
AF26073 TATA 286609139901; Primary air filter used with AF26072 Overall Height: 20.65 (525) Overall OD: 11.54 (293) End 1 ID: 7.09 (180)	AF26086 Air Overall Height: 14.67 (373) End 2 OD: 7.42 (189) End 1 ID: 4.33 (110)	AF26112M FORD F6HZ9601BA  Overall Height: 17.29 (439) Overall OD: 12.85 (326) End 1 ID: 6.77 (172)
AF26074 TATA 253409130306; Air, Secondary Overall Height: 12.09 (307) Overall OD: 4.09 (104) End 1 ID: 3.58 (91)	AF26089 Air, Secondary Overall Height: 14.80 (376) Overall OD: 5.71 (145) End 1 ID: 5.00 (127)	
AF26075 Air, Primary Overall Height: 14.17 (360) Overall OD: 7.42 (189) End 1 ID: 4.33 (110)	AF26090 Air Overall Height: 16.32 (415) Overall OD: 10.04 (255) End 1 ID: 5.81 (148)	
	AF26093 CUMMINS A034P656; Secondary air filter used with AF26094 	

E. PRODUCT GUIDE

AF26113



CUMMINS 3683458; Filter used with 3941157 Cummins ISX and ISM Applications

Overall Height: 2.56 (65)
Largest OD: 3.02 (77)
End 1 ID: 0.59 (15)
Thread Size: 6MX1.5-6H

AF26114



CASE 249988A1; Secondary air filter used with AF25667; Freightliner Truck Class 7 Model FL70 & FL80 Class

Overall Height: 18.42 (468)
End 2 OD: 4.96 (126)
End 1 OD: 5.2 (132)
End 1 ID: 3.7 (94)

AF26116



4" OptiAir 400 Series; Primary air filter used with AF26350; Filter used with housing AH19474, AH19484, AH19485, AH19496

Overall Height: 7.08 (180)
End 1 OD: 3.55 (90)
End 1 ID: 2.38 (61)

AF26117



6" OptiAir 600 Series; Primary air filter used with AF26118; Filter used with housing AH19476, AH19477, AH19488, AH19489

Overall Height: 12.32 (313)
Largest OD: 5.08 (129)
End 2 OD: 5.12 (130)
End 1 ID: 3.68 (94)

AF26118



OptiAir 600 Series Secondary Element; Secondary air filter used with AF26117; Filter used with housing AH19477, AH19488

Overall Height: 11.13 (283)
Largest OD: 3.8 (97)
End 2 OD: 2.28 (58)
End 1 ID: 2.37 (60)

AF26119



MC CORMICK 248124A1; Cab Air

Height: 2.24 (57)
Length: 18.47 (469)
Width: 4.59 (117)

AF26120



10" OptiAir 1000 Series; Primary air filter used with AF26121; Filter used with housing AH19478, AH19479

Overall Height: 14.86 (377)
End 2 OD: 7.55 (192)
End 1 OD: 7.59 (193)
End 1 ID: 5.77 (147)

AF26121



10" OptiAir 1000 Series; Secondary air filter used with AF26120; Filter used with housing AH19479

Overall Height: 14.15 (360)
End 2 OD: 4.13 (105)
End 1 OD: 5.89 (150)
End 1 ID: 2.98 (76)

AF26124



OptiAir 1300 Series; Primary air filter used with AF26125; Filter used with housing AH19480, AH19481

Overall Height: 20.46 (520)
End 1 OD: 10.33 (262)
End 1 ID: 8.04 (204)

AF26125



OptiAir 1300 Series; Secondary air filter used with AF26124; Filter used with housing AH19481

Overall Height: 19.52 (496)
End 2 OD: 4.13 (105)
End 1 OD: 8.05 (204)
End 1 ID: 5.24 (133)

AF26131



FORD 4L3Z9601BA; Air, Panel

Height: 1.41 (36)
Length: 11.30 (287)
Width: 8.50 (216)

AF26139



FODEN 1322259; Cab Air

Height: 1.02 (26)
Length: 16.93 (430)
Width: 6.54 (166)

AF26140



MC CORMICK 3302666M92; Cab Air

Height: 2.36 (60)
Length: 23.03 (585)

AF26144



MERCEDES-BENZ 9738350147; Cab Air

Height: 1.85 (47)

AF26145



DAF 1362124; For carbon active media version, use AF26670

Height: 1.77 (45)

AF26146



IVECO 504024890; Cab Air

Height: 1.0 (26)
Length: 17.72 (450)
Height: 8.13 (207)

AF26147



ATLAS COPCO 3214623900; Dust Collector

Overall Height: 23.92 (608)
Overall OD: 4.72 (120)

AF26149K



CASE 87300211, NEW HOLLAND 87300210; CNH Class 4 Compact Tractors with ISM (Shibaura) engines; New Holland and Boomer Utility Tractors (48 and 55 Gross hp)

Overall Height: 11.5 (292)
End 2 OD: 5.25 (133)
End 2 ID: 0.66 (17)
End 1 ID: 3.25 (83)
Fin Diameter: 6.41 (163)

AF26150



CASE 87300209, NEW HOLLAND 87300208; CNH Class 4 Compact Tractors with ISM (Shibaura) Engines

Overall Height: 9.98 (253)
Largest OD: 2.92 (74)
End 2 ID: 0.44 (11)
End 1 ID: 2.38 (60)

AF26152



FORD 3C3Z9601BA

Height: 10.65 (271)
Length: 13.15 (334)
Width: 7.95 (202)

AF26154



DONALDSON P607955; Freightliner M2 Truck Applications

Overall Height: 8.0 (203)
Largest OD: 12.85 (326)

AF26155



JOHN DEERE AL150288; Secondary air filter used with AF26156, AF26157

AF26156



JOHN DEERE AL150285; Primary air filter used with AF26155

AF26157



JOHN DEERE AL119839; Primary air filter used with AF26155

AF26158



FORD 2U2J9601BA; Ford 7.3L PowerStroke Applications.

AF26161



CASE 87300190, NEW HOLLAND 87300189; CNH Class 1 Compact Tractors with ISM (Shibaura) Engine

Overall Height: 7.0 (178)
Largest OD: 3.5 (89)
End 1 ID: 1.87 (48)

E. PRODUCT GUIDE

AF26162



VOLVO 3979928; Secondary air filter used with AF25631; Air, Secondary Magnum RS

Overall Height: 17.36 (441)
End 2 OD: 5.63 (143)
End 1 OD: 6.63 (169)
End 1 ID: 5.37 (137)

AF26163M



VOLVO 20411815; Applied on Volvo Trucks with Cummins ISX engine; For use in primary-only filter applications; If AF26212 safety element is required, use AF26472M for the primary filter

Overall Height: 19.36 (492)
Overall OD: 13.03 (331)
End 1 ID: 9.26 (235)

AF26165



MERCEDES-BENZ 40942404

Overall Height: 13.66 (347)
End 2 OD: 15.93 (404)
End 1 ID: 8.75 (222)
Cover Diameter: 20.45 (520)

AF26168



5" OptiAir 500 Series; Primary air filter used with AF26351; Filter used with housing AH19482, AH19483, AH19486, AH19487

Overall Height: 10.72 (272)
Overall OD: 4.13 (105)
End 1 ID: 3.19 (81)

AF26169



CATERPILLAR 8N2555; Used with: AF4609 Foam Blanket

Overall Height: 9.5 (241)
Overall OD: 20.2 (513)
End 1 ID: 19.2 (488)

AF26170



INGERSOLL-RAND 39708466; European version of AF25852

Overall Height: 5.02 (128)
Overall OD: 10.24 (260)
End 1 ID: 6.1 (155)

AF26172



MERCEDES-BENZ 40941804, A0040941804; Air, Primary Magnum RS

Overall Height: 13.94 (354)
Overall OD: 7.24 (184)
End 1 ID: 4.13 (105)

AF26173



CUMMINS 4946497; Is included in 3948505

Overall Height: 16.3 (414)
End 2 OD: 12.01 (305)
End 1 OD: 12.66 (322)
End 2 ID: 5.91 (150)

AF26174



MERCEDES-BENZ A9408350047; Cab Air

Height: 1.18 (30)
Length: 17.68 (449)
Width: 7.78 (198)

AF26175



FENDT H311200090100; Air, Primary

Overall Height: 13.56 (345)
Overall OD: 7.48 (190)
End 1 ID: 3.74 (95)

AF26176



FENDT H311200090110; Air, Secondary Magnum RS

Overall Height: 13.29 (338)
End 2 OD: 3.42 (87)
End 1 OD: 3.9 (99)
End 1 ID: 2.83 (72)

AF26178



JOHN DEERE T168220; Applied on John Deere Wheel Loader 644H

Overall Height: 11.51 (292)
Overall OD: 6.42 (163)
End 1 ID: 3.74 (95)

AF26182



JOHN DEERE AT73529

Height: 2.69 (68)

AF26183



MC CORMICK 3233584R2; Cab Air

Height: 1.48 (38)
Length: 13.86 (352)
Width: 5.93 (151)

AF26185



CUMMINS POWER GENERATION LTD 1403828; Including Air filter + dedicated clamp for the right torque use

Cannot be sold separately

Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.36 (60)

AF26186



CUMMINS POWER GENERATION LTD 1403829; Including Air filter + dedicated clamp for the right torque use

cannot be sold separately

Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.36 (60)

AF26187



CUMMINS POWER GENERATION LTD 1403830; Including Air filter + dedicated clamp for the right torque use

cannot be sold separately

Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.36 (60)

AF26188



VOLVO 876069; Air Breather

Overall Height: 6.4 (163)
Overall OD: 3.39 (86)
End 1 ID: 1.61 (41)

AF26191



LINDE 9839000; Primary air filter used with AF26192; Air, Primary Magnum RS

Overall Height: 11.61 (295)
Overall OD: 5.2 (132)
End 1 ID: 2.56 (65)

AF26192



LINDE 9839001; Secondary air filter used with AF26191

Overall Height: 11.06 (281)
End 2 OD: 2.4 (61)
End 1 OD: 2.52 (64)
End 1 ID: 1.81 (46)

AF26193



NISSAN 16546FJ170; Flame Retardant Media; Nissan Forklifts

Overall Height: 10.78 (274)
Overall OD: 4.13 (105)
End 2 ID: 2.36 (60)

AF26194



CATERPILLAR 4P0711; Secondary air filter used with AF25734

Overall Height: 14.3 (363)
End 1 ID: 10.14 (258)
Flange Diameter: 15.63 (397)

AF26199



IVECO 2992388; Flame Retardant Media

Overall Height: 16.32 (415)
Overall OD: 9.13 (232)
End 1 ID: 5.47 (139)

AF26200



JOHN DEERE RE164839; Primary air filter used with AF26201; Air, Magnum RS

Overall Height: 11.59 (295)
Overall OD: 13.07 (332)
End 1 ID: 6.85 (174)

E. PRODUCT GUIDE

AF26201



JOHN DEERE RE172447;
Secondary air filter used with
AF26200; Air, Secondary
Magnum RS

Overall Height: 10.83 (275)
End 2 OD: 6.5 (165)
End 1 OD: 6.89 (175)
End 1 ID: 5.28 (134)

AF26202



IVECO 42537392; Air, Primary

Overall Height: 20.98 (533)
End 2 OD: 10.51 (267)
End 1 OD: 10.47 (266)
End 1 ID: 6.26 (159)

AF26203



FORD 1C3Z9601AA, GMC
2002268; Air, Panel

Height: 3.29 (84)
Width: 7.23 (184)

AF26204



IVECO 2992374; Primary air filter
used with AF26245; Flame
Retardant Media

Overall Height: 19.01 (483)
Overall OD: 12.89 (327)
End 2 ID: 0.41 (11)
End 1 ID: 8.58 (218)

AF26205



FENDT H916201091050; Primary
air filter used with AF26206; Air,
Primary Magnum RS

Overall Height: 18.19 (462)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF26206



FENDT H916201091060;
Secondary air filter used with
AF26205; Air, Secondary
Magnum RS

Overall Height: 17.24 (438)
End 2 OD: 5.59 (142)
End 1 OD: 5.92 (151)
End 1 ID: 4.27 (109)

AF26207



NEW HOLLAND 84432503;
Primary air filter used with
AF26208; Air, Primary Magnum
RS

Overall Height: 24.92 (633)
Overall OD: 14.15 (360)
End 1 ID: 8.92 (227)

AF26208



NEW HOLLAND 84432504;
Secondary air filter used with
AF26207; Air, Secondary
Magnum RS

Overall Height: 24.61 (625)
End 2 OD: 8.66 (220)
End 1 OD: 9.06 (230)
End 1 ID: 7.01 (178)

AF26209



TEREX 15273424; Primary air
filter used with AF26210; Air,
Primary Magnum RS

Overall Height: 20.51 (521)
Overall OD: 14.15 (360)
End 1 ID: 8.92 (227)

AF26210



TEREX 15273425; Secondary air
filter used with AF26209; Air,
Secondary Magnum RS

Overall Height: 20.28 (515)
End 2 OD: 8.66 (220)
End 1 OD: 9.06 (230)
End 1 ID: 7.01 (178)

AF26211



VOLKSWAGEN 2S0129620A;
Secondary air filter used with
AF25997; Air, Secondary

Overall Height: 16.63 (422)
End 2 OD: 5.21 (132)
End 1 OD: 5.63 (143)
End 1 ID: 4.54 (115)

AF26212



VOLVO 20411816; Secondary air
filter used with AF26472M; Air,
Secondary

Overall Height: 18.46 (469)
Overall OD: 8.38 (213)

AF26213



IVECO 500314688; Cab Air

Height: 1.22 (31)
Length: 11.30 (287)
Width: 6.32 (161)

AF26214



NEW HOLLAND 84072431;
Primary air filter used with
AF26215; Air, Primary Magnum
RS

Overall Height: 22.95 (583)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF26215



NEW HOLLAND 84072430;
Secondary air filter used with
AF26214; Air, Secondary
Magnum RS

Overall Height: 22.05 (560)
End 2 OD: 5.59 (142)
End 1 OD: 5.92 (151)
End 1 ID: 4.27 (109)

AF26223



OptiAir Primary Filter

Overall Height: 12.38 (315)
End 2 OD: 5.07 (129)
End 1 ID: 2.67 (68)
Type Seal: OptiAir

AF26226



M.A.N. 81779100012; Cab Air

Height: 1.18 (30)
Length: 18.23 (463)
Width: 9.43 (240)

AF26229



ISEKI 157210325000S; Air,
Cartridge

Overall Height: 10.41 (265)
End 2 OD: 4.08 (104)
End 2 ID: 2.56 (65)
End 1 ID: 0.53 (14)
Cover Diameter: 5.75 (146)

AF26230



KUBOTA 6798082632; Air,
Primary

Overall Height: 7.09 (180)
Overall OD: 3.27 (83)
End 1 ID: 1.81 (46)

AF26231



M.A.N. 85619500025; Cab Air

Height: 1.57 (40)
Length: 14.49 (368)
Width: 6.22 (158)

AF26232



CUMMINS POWER
GENERATION LTD 1403999; Air
Housing

Overall Height: 5.59 (142)
Overall OD: 4.96 (126)
End 1 ID: 2.13 (54)

AF26233



Is AF4084 w/o gasket; Special
PLALLOY Industrial Applications

Overall Height: 8.66 (220)
Overall OD: 13.15 (334)
End 1 ID: 8.13 (207)

AF26235



FREIGHTLINER 91559; Cab Air

Height: 0.98 (25)
Length: 10.63 (270)
Width: 10.63 (270)

AF26237



VOLVO PENTA 3827589; Air,
Cartridge

Overall Height: 17.3 (440)
End 2 OD: 8.43 (214)
End 1 OD: 9.45 (240)
End 1 ID: 4.68 (119)

E. PRODUCT GUIDE

AF26241  IVECO 41272124; Flame Retardant Media Overall Height: 18.15 (461) End 2 OD: 12.34 (314) End 1 OD: 12.3 (313) End 1 ID: 8.07 (205)	AF26251  JOHN DEERE AT311066 Inside Diameter: 7.69 (195) Outside Diameter: 12.13 (308) Overall Length: 20.72 (526) Type Seal: Axial	AF26275  J.C.B. 32210101; Primary air filter used with AF26335 Overall Height: 15.51 (394) Overall OD: 8.47 (215) End 1 ID: 4.68 (119)
AF26242  MERCEDES-BENZ 40943504, A0040943504; Primary air filter used with AF26678; Flame Retardant Media Overall Height: 20.98 (533) End 2 OD: 10.51 (267) End 1 OD: 10.47 (266) End 1 ID: 6.26 (159)	AF26252  JOHN DEERE AT311067 Overall Height: 19.9 (506) Overall OD: 7.17 (182) End 1 ID: 5.79 (147)	AF26279  IVECO 41272212; Flame retardant version of AF25062; Flame Retardant Media Overall Height: 24.35 (618) End 2 OD: 12.89 (328) End 1 OD: 12.91 (328) End 2 ID: 0.41 (11) End 1 ID: 8.56 (218)
AF26244  RENAULT TRUCKS 5001865723; Primary air filter used with AF25634; Flame retardant version of AF25333; Flame Retardant Media Overall Height: 18.25 (464) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF26253  NELSON 870408N; Air, Secondary Overall Height: 6.69 (170) End 2 OD: 1.7 (43) End 1 OD: 1.77 (45)	AF26284  CASE 47107867; Primary air filter used with AF26294; Air, Primary Magnum RS Overall Height: 15.04 (382) Overall OD: 8.19 (208) End 1 ID: 3.98 (101)
AF26245  IVECO 41214149; Secondary air filter used with AF26204 Overall Height: 18.19 (462) End 2 OD: 7.95 (202) End 1 OD: 8.27 (210) End 2 ID: 0.67 (17) End 1 ID: 7.52 (191)	AF26261  M.A.N. 81084050022; Air, Primary Overall Height: 16.34 (415) Overall OD: 9.13 (232) End 1 ID: 5.47 (139)	AF26285K  HYUNDAI 11EM21041; Primary air filter used with AF26286 Overall Height: 19.4 (493) End 2 OD: 7.93 (201) End 2 ID: 0.75 (19) End 1 ID: 5.33 (135) Boot Diameter: 10.08 (256)
AF26246  M.A.N. 81083040100; Air, Primary Overall Height: 18.9 (480) End 2 OD: 10.51 (267) End 1 OD: 10.47 (266) End 1 ID: 6.26 (159)	AF26262  M.A.N. 81084050023; Air, Primary Overall Height: 12.01 (305) Overall OD: 8.94 (227) End 1 ID: 4.68 (119)	AF26286  HYUNDAI 11EM21051; Secondary air filter used with AF26285K Overall Height: 19.37 (492) Overall OD: 5.16 (131) End 2 ID: 0.75 (19) End 1 ID: 4.05 (103)
AF26248  CATERPILLAR 2277449; Secondary air filter used with AF26247 Overall Height: 1.75 (45) End 2 OD: 5.54 (141) End 1 OD: 8.18 (208)	AF26267  VOLVO CONSTRUCTION EQUIPMENT 11703979; Cab Air Height: 1.73 (44) Length: 17.09 (434) Width: 4.80 (122)	AF26287M REYTOR IT2002, IT2004; Primary air filter used with AF26288; Not Available in all regions of the world
AF26249  VOLVO PENTA 3827643; Air, Cartridge Overall Height: 19.11 (486) Overall OD: 11.93 (303) End 1 ID: 7.24 (184)	AF26268  INTERNATIONAL TRUCKS 3551815C1; Secondary air filter used with AF26103; 8600 & Prostar Truck Models Overall Height: 15.44 (392) Largest OD: 9.96 (253) Smallest OD: 5.35 (136) Type Seal: OptiAir	AF26288 REYTOR IT2002S, IT2004S; Secondary air filter used with AF26287M; Not available in all regions of the world Overall Height: 15.48 (393) Overall OD: 5.49 (139) End 1 ID: 4.82 (122)
AF26250  KUBOTA T027016321; Air, Primary Overall Height: 9.63 (245) Overall OD: 4.29 (109) End 1 ID: 2.26 (58)	AF26272  RENAULT TRUCKS 5001865725; Primary air filter used with AF25439; Flame retardant version of AF25382; Flame Retardant Media Overall Height: 21.77 (553) Overall OD: 12.21 (310) End 1 ID: 7.07 (180)	AF26290  REYTOR IT3095S; Secondary air filter used with AF26358 Overall Height: 15.51 (394) End 1 OD: 6.25 (159) End 1 ID: 5.05 (128)

AF26294



CASE 47107868; Secondary air filter used with AF26284; Air, Secondary Magnum RS

Overall Height: 14.35 (365)
End 2 OD: 3.74 (95)
End 1 OD: 4.02 (102)
End 1 ID: 3.19 (81)

AF26296



IVECO 41272515; Flame retardant version of AF25235; Flame Retardant Media

Overall Height: 20.27 (515)
Overall OD: 12.89 (327)
End 2 ID: 0.41 (11)
End 1 ID: 8.58 (218)

AF26297



CATERPILLAR 1131578; Air, Cartridge

Overall Height: 18.41 (468)
Overall OD: 19.35 (492)
End 1 ID: 12.93 (329)

AF26298



CHRYSLER 53032404AA; Air, Panel

Height: 1.7 (43)
Length: 13.78 (350)
Width: 9.33 (237)

AF26299



GMC 97039002; This product is not available in all regions of the world

Height: 2.05 (52)
Length: 13.13 (308)
Width: 7.80 (198)

AF26301



CHRYSLER 4306393; This product is not available in all regions of the world

Overall Height: 2.72 (69)
Overall OD: 10.0 (254)
End 1 ID: 7.48 (190)

AF26302



GMC 93425428; This product is not available in all regions of the world

Overall Height: 3.44 (87)
Overall OD: 11.61 (295)
End 1 ID: 9.8 (249)

AF26303



FORD F50Y9601A; This product is not available in all regions of the world

Overall Height: 7.91 (201)
Overall OD: 8.15 (207)
End 1 ID: 4.25 (108)

AF26304



FORD D3ZZ9601A; This product is not available in all regions of the world

Overall Height: 1.97 (50)
Overall OD: 10.63 (270)
End 1 ID: 9.09 (231)

AF26305



GMC 25050385; This product is not available in all regions of the world

Overall Height: 2.26 (57)
Overall OD: 8.07 (205)
End 1 ID: 9.65 (245)

AF26306



FORD E7TZ9601B; This product is not available in all regions of the world

Height: 1.72 (44)
Length: 12.68 (322)
Width: 5.81 (148)

AF26307



CHRYSLER 53004383; Air, Panel

Height: 1.54 (39)
Length: 13.39 (340)
Width: 6.61 (168)

AF26308



GMC 25313348; This product is not available in all regions of the world

Height: 2.28 (58)
Length: 12.28 (312)
Width: 9.72 (247)

AF26309



GMC 25098463; This product is not available in all regions of the world

Height: 1.67 (42)
Length: 11.50 (292)
Width: 5.91 (150)

AF26310



FORD F57Z9601A; This product is not available in all regions of the world

Overall Height: 7.85 (199)
Overall OD: 8.93 (227)
End 1 ID: 3.11 (79)

AF26311



MOTORCRAFT FA1658, FORD F77Z9601AA; Air, Panel

Height: 2.2 (56)
Length: 8.77 (223)
Width: 7.56 (192)

AF26312



GMC 8991386; This product is not available in all regions of the world

Overall Height: 2.26 (57)
Overall OD: 8.07 (205)
End 1 ID: 9.69 (246)

AF26313



FORD E9SZ9601A; This product is not available in all regions of the world

Height: 1.46 (37)
Length: 9.57 (243)
Width: 9.57 (243)

AF26314



GMC 25042562; This product is not available in all regions of the world

Height: 1.74 (44)
Length: 16.00 (406)
Width: 7.95 (202)

AF26315



GMC 15998574; This product is not available in all regions of the world

Overall Height: 11.18 (284)
Overall OD: 6.48 (165)
End 1 ID: 3.6 (91)

AF26316



CHRYSLER 3614353; This product is not available in all regions of the world

Overall Height: 3.58 (91)
Overall OD: 10.51 (267)
End 1 ID: 8.86 (225)

AF26317



JEEP 948516; This product is not available in all regions of the world

Overall Height: 3.5 (89)
Overall OD: 9.76 (248)

AF26318



FORD XC3Z9601AA; This product is not available in all regions of the world

Height: 2.48 (63)
Length: 13.40 (340)
Width: 7.24 (184)

AF26319



GMC 25168082; This product is not available in all regions of the world

Overall Height: 11.14 (283)
Overall OD: 7.9 (201)
End 1 ID: 3.69 (94)

AF26320



NISSAN 1654618000; This product is not available in all regions of the world

Overall Height: 2.01 (51)
Overall OD: 8.88 (226)
End 1 ID: 6.93 (176)

AF26321



NISSAN 16546V0100; Mexico and Australia only

Height: 1.3 (33)
Length: 11.02 (280)
Width: 6.61 (168)

E. PRODUCT GUIDE

AF26322



NISSAN 16546VW600; This product is not available in all regions of the world

Overall Height: 11.51 (292)
Overall OD: 4.86 (123)
End 2 ID: 0.67 (17)
End 1 ID: 3.25 (83)

AF26323



NISSAN 1654686G00; This product is not available in all regions of the world

Overall Height: 2.33 (59)
Overall OD: 12.8 (325)

AF26324



CHRYSLER 53007386; Air, Panel

Height: 1.46 (37)
Length: 11.42 (290)
Width: 9.69 (246)

AF26325



IVECO 41272534; Flame retardant version of AF4503; Flame Retardant Media

Overall Height: 18.72 (475)
Overall OD: 11.88 (302)
End 2 ID: 0.41 (11)
End 1 ID: 7.55 (192)

AF26326



BALDWIN RS3982; Air, Primary

Overall Height: 21.71 (552)
Overall OD: 12.91 (328)
End 1 ID: 6.87 (175)

AF26327



M.A.N. 81084050018; Air, Primary

Overall Height: 17.89 (454)
Overall OD: 10.04 (255)
End 1 ID: 5.1 (130)

AF26328



Upgrade of AF1968; Used on Kenworth T800 Short Hood Chassis Trucks

Overall Height: 22.4 (569)
End 2 OD: 10.59 (269)
End 1 OD: 11.67 (296)
End 2 ID: 6.71 (170)

AF26328M



Upgrade of AF1968M; Used on Kenworth (Paccar) T800 Short Hood Chassis Trucks

Overall Height: 22.4 (569)
End 2 OD: 10.59 (269)
End 1 OD: 11.67 (296)
End 2 ID: 6.71 (170)

AF26330



DONALDSON P537355; Air, Primary Magnum RS

Overall Height: 24.61 (625)
End 2 OD: 9.33 (237)
End 1 OD: 9.64 (245)
End 1 ID: 5.15 (131)

AF26335



J.C.B. 32210102; Secondary air filter used with AF26275

Overall Height: 14.76 (375)
End 2 OD: 4.45 (113)
End 1 OD: 4.72 (120)
End 1 ID: 3.87 (98)

AF26336



JOHN DEERE RE210103; Secondary air filter used with AF26337

Overall Height: 11.73 (298)
End 2 OD: 7.11 (181)
End 1 OD: 7.17 (182)
End 1 ID: 5.79 (147)

AF26337



JOHN DEERE RE210102; Primary air filter used with AF26336

Overall Height: 12.67 (322)
Overall OD: 12.13 (308)
End 1 ID: 7.85 (199)

AF26339



TATA 571909130131; Secondary air filter used with AF26676; Filter used with housing AH19472, AH8798

Overall Height: 19.88 (505)
Overall OD: 8.69 (221)
End 1 ID: 6.04 (153)

AF26345



NEW HOLLAND 87741560; OptiAir; Primary air filter used with AF26346

Overall Height: 13.7 (348)
Overall OD: 12.13 (308)
End 1 ID: 7.69 (195)
Type Seal: Radial

AF26346



NEW HOLLAND 87741569; OptiAir; Secondary air filter used with AF26345

Overall Height: 6.77 (172)
Overall OD: 10.0 (254)
End 2 ID: 7.48 (190)
End 1 ID: 5.24 (133)

AF26347



HYUNDAI 28111332510; Air, Primary

Overall Height: 6.77 (172)
Overall OD: 10.0 (254)
End 2 ID: 7.48 (190)
End 1 ID: 5.24 (133)

AF26348



YANMAR 11465012591; Air, Cartridge

Overall Height: 2.89 (74)
Overall OD: 5.98 (152)
End 2 ID: 0.32 (8)
End 1 ID: 3.7 (94)

AF26349



NEW HOLLAND 82034433; Primary air filter used with AF26662

Overall Height: 17.13 (435)
Overall OD: 9.88 (251)
End 1 ID: 5.39 (137)

AF26350



OptiAir 400 Series; Secondary air filter used with AF26116; Filter used with housing AH19484, AH19496; Replaces AF26167

Overall Height: 6.51 (165)
Overall OD: 2.29 (58)
End 1 ID: 1.61 (41)

AF26351



BOBCAT 6690908; Secondary air filter used with AF26168; Filter used with housing AH19482, AH19486; Replaces AF26166

Overall Height: 10.19 (259)
Overall OD: 2.98 (76)
End 1 ID: 1.87 (48)

AF26353



PPM D6550518, TEREX D6550518; Primary air filter used with AF25896

Overall Height: 18.9 (480)
Overall OD: 9.88 (251)
End 1 ID: 6.26 (159)

AF26355



MERCEDES-BENZ 8358947, A0008358947; Air, Panel

Height: 0.39 (10)
Length: 13.33 (339)
Width: 4.96 (126)

AF26356



GENERAL MOTORS 90411732; Air, Panel

Height: 1.87 (48)
Length: 12.52 (318)
Width: 6.48 (165)

AF26357



JOHN DEERE RE187966; Cab Air

Height: 1.87 (48)
Length: 12.52 (318)
Width: 6.48 (165)

E. PRODUCT GUIDE

AF26358



REYTOR IT3095; Primary air filter used with AF26290; Air, Primary Magnum RS

AF26363



MACK 57MD320M

Overall Height: 25.06 (637)
Overall OD: 9.33 (237)
End 1 ID: 5.8 (147)

AF26364



BOBCAT 6698057; Primary air filter used with AF26365

Overall Height: 12.15 (309)
Overall OD: 6.49 (165)
End 1 ID: 3.39 (86)
Type Seal: Radial

AF26365



BOBCAT 6698058; Secondary air filter used with AF26364

Overall Height: 11.23 (285)
Overall OD: 4.96 (126)

AF26374



WIX 46807

Height: 3.32 (84)

AF26375



MANN & HUMMEL C4312, MOPAR 68013676AA; Air, Panel

Height: 10.43 (265)
Length: 13.98 (355)
Width: 2.28 (58)

AF26384



VOLVO CONSTRUCTION EQUIPMENT 11703980; Cab Air

Height: 2.42 (62)
Length: 19.80 (503)
Width: 11.26 (286)

AF26386



CLAAS 6000105759; Air, Cartridge

Overall Height: 13.9 (353)
Overall OD: 6.38 (162)
End 1 ID: 3.62 (92)

AF26387



ATLAS COPCO 2914930000; Primary air filter used with AF26388; Replaces AF25725

Overall Height: 9.96 (253)
Overall OD: 4.49 (114)
End 2 ID: 2.72 (69)

AF26388



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 1180868; Secondary air filter used with AF26387; Replaces AF25726

Overall Height: 9.25 (235)
End 2 OD: 2.14 (54)
End 1 OD: 2.24 (57)

AF26389



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 1319142; Primary air filter used with AF26390; Replaces AF25727

Overall Height: 12.6 (320)
Overall OD: 4.88 (124)
End 2 ID: 3.15 (80)

AF26390



DEUTZ AG 1180869; Secondary air filter used with AF26389; Replaces AF25728

Overall Height: 11.89 (302)
End 2 OD: 2.53 (64)
End 1 OD: 2.64 (67)

AF26391



COMPAIR 9826251261; Primary air filter used with AF26392; Replaces AF25565

Overall Height: 14.17 (360)
Overall OD: 5.79 (147)
End 2 ID: 3.5 (89)

AF26392



COMPAIR 9826251262; Secondary air filter used with AF26391; Replaces AF25566

Overall Height: 13.47 (342)
End 2 OD: 2.92 (74)
End 1 OD: 2.99 (76)

AF26393



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 4415905; Primary air filter used with AF26394; Replaces AF25721

Overall Height: 14.76 (375)
Overall OD: 6.18 (157)
End 2 ID: 3.9 (99)

AF26394



ATLAS COPCO 1615892700; Secondary air filter used with AF26393; Replaces AF25722

Overall Height: 14.06 (357)
End 2 OD: 3.32 (84)
End 1 OD: 3.42 (87)

AF26395



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 1180867; Primary air filter used with AF26396; Replaces AF25723

Overall Height: 15.75 (400)
Overall OD: 7.64 (194)
End 2 ID: 4.72 (120)

AF26396



KHD(KLOCKNER-HUMBOLDT-D EUTZ) 1180872; Secondary air filter used with AF26395; Replaces AF25724

Overall Height: 15.04 (382)
End 2 OD: 4.11 (104)
End 1 OD: 4.17 (106)

AF26397



BOMAG 5821149; Primary air filter used with AF26398; Replaces AF25729

Overall Height: 15.95 (405)
Overall OD: 8.7 (221)
End 2 ID: 5.08 (129)

AF26398



BOMAG 5821150; Secondary air filter used with AF26397; Replaces AF25730

Overall Height: 15.12 (384)
End 2 OD: 4.5 (114)
End 1 OD: 4.61 (117)

AF26399



Primary air filter used with AF26400; Replaces AF25767

Overall Height: 21.18 (538)
End 2 OD: 5.24 (133)
End 1 OD: 9.17 (233)
End 2 ID: 5.91 (150)

AF26400



MASSEY-FERGUSON 3902812M1; Secondary air filter used with AF26399; Replaces AF25768

Overall Height: 20.43 (519)
End 2 OD: 5.3 (135)
End 1 OD: 5.41 (138)

AF26401



CLAAS 7984940; Primary air filter used with AF26402; Replaces AF25769

Overall Height: 23.15 (588)
Overall OD: 11.38 (289)
End 2 ID: 8.19 (208)


AF26402



ATLAS COPCO 2914501800; Secondary air filter used with AF26401; Replaces AF25770

Overall Height: 22.44 (570)
End 2 OD: 7.59 (193)
End 1 OD: 7.72 (196)

E. PRODUCT GUIDE

AF26403  MERCEDES-BENZ A0009891311, ATLAS COPCO 1613900100; Air, Cartridge	AF26418  FORD F6HZ19N619AA Height: 6.1 (155) Length: 8.66 (220) Width: 1.38 (35)	AF26432 Secondary air filter used with AF26431; Part of kit AA2959 Cannot be sold separately Overall Height: 19.21 (488) Overall OD: 7.68 (195)
AF26404  DOOSAN 47400006; Primary air filter used with AF26666 Overall Height: 17.85 (454) Overall OD: 11.71 (298) End 2 ID: 7.5 (191) End 1 ID: 0.67 (17)	AF26419  ATLAS COPCO 1613872000; Air, Cartridge Overall Height: 5.29 (134) Overall OD: 4.65 (118) End 1 ID: 2.64 (67)	AF26433 Primary air filter used with AF26434; Filter used with housing AH8822; Part of kit AA2960
AF26405  VOLVO 20435801; Air, Panel Height: 9.13 (232) Length: 12.28 (312) Width: 1.12 (28)	AF26423  FORD 1459009; Cab Air Height: 0.98 (25) Length: 14.173 (360) Width: 5.00 (127)	AF26434 Secondary air filter used with AF26433; Part of kit AA2960; Filter used with housing AH8822 Cannot be sold separately
AF26408  FENDT H930200091100; Air, Primary Overall Height: 18.19 (462) Overall OD: 11.06 (281) End 1 ID: 5.91 (150)	AF26424  DONALDSON P607965; Freightliner M2 Series Overall Height: 8.0 (203) Largest OD: 14.85 (377)	AF26435  MANN & HUMMEL CU2934, VOLVO 8089705 Air Overall Height: 4.72 (120) Overall Length: 11.42 (290) Overall Width: 1.73 (44)
AF26409  CATERPILLAR 1080688; Air, Panel Height: 0.47 (12) Length: 16.14 (410) Width: 6.30 (160)	AF26426  TEREX 15246949; Air Breather Overall Height: 2.36 (60) Largest OD: 3.78 (96) Thread Size: 3/4-14 BSP	AF26438  JOHN DEERE AH212295 Air, Secondary Overall Height: 22.17 (563) End 2 OD: 6.57 (167) End 1 OD: 7.11 (181)
AF26415  RENAULT TRUCKS 5001865724; Flame retardant version of AF25898 Overall Height: 14.59 (371) End 2 OD: 9.61 (244) End 1 OD: 9.65 (245) End 1 ID: 4.98 (127)	AF26427  ALLIANCE ABPN10G36000006; Cab Air Height: 8.46 (215) Length: 8.46 (215) Width: .98 (25)	AF26439  DAEWOO 24749051; Primary air filter used with AF27869 Overall Height: 19.41 (493) Overall OD: 10.85 (276) End 2 ID: 6.73 (171) End 1 ID: 0.67 (17)
AF26416  CATERPILLAR 1153634; Uses Element(s): AF25734 Overall Height: 14.17 (360) Overall OD: 18.9 (480) End 2 ID: 18.9 (480)	AF26428  ALLIANCE ABPN10G91595; Cab Air Height: 6.22 (158) Length: 7.81 (198) Width: .77 (20)	AF26442  PETERBILT 5X000180; Cab Air Height: 6.78 (172) Length: 11.11 (282) Width: .79 (20)
AF26417  MACK 57MD317 Overall Height: 22.96 (583) Overall OD: 11.4 (290) End 1 ID: 5.82 (148)	AF26429  ALLIANCE ABPN10G91621; Cab Air Height: 5.22 (133) Length: 10.16 (258) Width: .55 (14)	AF26446  VOLVO 3948712; Air, Panel Height: 8.39 (213) Length: 12.40 (315) Width: 0.71 (18)
	AF26430 IHC 2506656C1 Height: 7.21 (183) Length: 12.48 (317) Width: .98 (25)	AF26447 KENWORTH 525507BSM; Air, Panel Height: 10.04 (255) Length: 13.78 (350) Width: 0.70 (18)
	AF26431 Primary air filter used with AF26432; Uses Element(s): AA2959 Overall Height: 19.84 (504) Overall OD: 10.61 (269)	AF26448 ALLIANCE 384160; Air, Panel Height: 10.63 (270) Length: 11.81 (300) Width: 0.70 (18)

E. PRODUCT GUIDE

AF26449	PETERBILT 5X010007; Air, Panel
	Height: 11.94 (303) Length: 10.83 (275) Width: 8.12 (206)

AF26451	FORD F6DZ19619BA; Air, Panel
	Height: 6.77 (172) Length: 10.43 (265) Width: 0.98 (25)

AF26454	DAF 1347068; Cab Air
	Height: 0.79 (20) Length: 11.81 (300)

AF26455	VOLVO 117070771; Air Breather
	Overall Height: 2.83 (72) Overall OD: 4.09 (104) End 1 ID: 2.48 (63)

AF26456	CATERPILLAR 1858154; Air, Panel
	Height: 0.79 (20) Length: 10.26 (261) Width: 5.35 (136)

AF26457	NISSAN 16546G4800; Air, Cartridge
	Overall Height: 12.8 (325) Overall OD: 5.87 (149) End 1 ID: 2.82 (72)

AF26458	GMC 88986533; Air, Panel
	Height: 0.93 (23) Length: 9.05 (230) Width: 5.12 (130)

AF26459	GMC 52485513; Air, Panel
	Height: 0.93 (23) Length: 9.05 (230) Width: 5.11 (130)

AF26462	MOPAR 68012876AA 2007; Sprinter Vans
	Height: 1.38 (35) Length: 13.83 (351) Width: 9.21 (234)

AF26463	RENAULT V.I. 5001833354; Cab Air
	Height: 0.79 (20) Length: 8.94 (227) Width: 4.17 (106)

AF26464	RENAULT TRUCKS 5001867491; Cab Air
	Height: 0.79 (20) Length: 7.95 (202) Width: 3.62 (92)

AF26469	VOLVO 8073153; Volvo VN Series 2003-05
	Height: 0.32 (8) Length: 6.46 (164) Width: 6.46 (164)

AF26470	CASE 498144C1, INTERNATIONAL TRUCKS 498144C1
	Height: 0.79 (20) Length: 13.39 (340) Width: 12.60 (320)

AF26471	Cab Air
	Height: 0.77 (20) Length: 8.66 (220) Width: 7.64 (194)

AF26472M	VOLVO 20411815; Primary air filter used with AF26212
	Overall Height: 19.5 (495) Overall OD: 13.0 (330) End 1 ID: 8.25 (210)

AF26473	JOHN DEERE AH115833; Air, Cartridge
	Overall Height: 7.01 (178) Overall OD: 10.87 (276) End 2 ID: 0.67 (17) End 1 ID: 6.5 (165)

AF26474	HYUNDAI 11N690760; Cab Air
	Height: 0.79 (20) Length: 9.25 (235) Width: 4.13 (105)

AF26475	NISSAN 16546MA70A; Air, Primary
	Overall Height: 7.28 (185) Overall OD: 6.81 (173) End 1 ID: 3.74 (95)

AF26476	DEUTZ AG 1182912; Air, Primary
	Overall Height: 17.4 (442) Overall OD: 9.72 (247) End 2 ID: 5.47 (139)

AF26483	TATA 252709130143; Primary air filter used with AF25963; Filter used with housing AH8851
	Overall Height: 16.78 (426) Overall OD: 8.89 (226)

AF26485	LEYLAND F7B01100; Air, Primary
	Overall Height: 20.43 (519) Overall OD: 10.43 (265) End 1 ID: 6.31 (160)

AF26489	INGERSOLL-RAND 36867786; Primary air filter used with AF1894M; Ingersoll Rand Air Compressor P900WCU
	Overall Height: 20.7 (526) End 2 OD: 12.08 (307) End 2 ID: 7.94 (202) End 1 ID: 0.9 (23) Boot Diameter: 12.8 (325)

AF26490	VOLVO 11110532; Primary air filter used with AF26491
	Overall Height: 22.4 (569) Overall OD: 14.15 (360) End 1 ID: 8.92 (227)

AF26491	VOLVO 11110533; Secondary air filter used with AF26490
	Overall Height: 22.01 (559) End 2 OD: 8.66 (220) End 1 OD: 9.06 (230) End 1 ID: 7.01 (178)

AF26492	CATERPILLAR 1491912
	Overall Height: 11.42 (290) Overall OD: 6.47 (164) End 1 ID: 3.58 (91)

AF26493	NAVISTAR 3573408C1; Ford F650/F750
	

AF26494	GMC 15102546; GM Express Vehicles
	Height: 6.31 (160)

E. PRODUCT GUIDE

AF26501  TOYOTA 178010C010; Air, Cartridge Overall Height: 6.63 (169) Overall OD: 8.78 (223) End 1 ID: 4.72 (120)	AF26525  HINO 1780178020, TOYOTA 1780178030; Hino trucks	AF26575 HINO 178012990
AF26502  LOMBARDINI 1072175160 Air, Panel Height: 1.61 (41) Length: 8.86 (225) Width: 5.30 (135)	AF26533 MITSUBISHI MR204842 AF26534 MITSUBISHI MD620039 AF26536 ISUZU 1142152200 AF26537 ISUZU 1142152130 Overall Height: 17.4 (442) Overall OD: 13.07 (332)	AF26578 Air AF26579 MITSUBISHI A2630403, AW316166 AF26581 MITSUBISHI MR258421 AF26582 MITSUBISHI MD620823, MD620837 AF26584 MITSUBISHI ME073385 AF26593 MITSUBISHI MD603354, MD603571
AF26505 DONGFENG MOTOR CORPORATION,LTD 1109QF16020; Primary air filter used with AF26506; Part of kit AA2976; Is included in AA2976 Cannot be sold separately	AF26538 ISUZU 8971902690 AF26543  ISUZU 8973692930, MITSUBISHI 1500A098	AF26597 Uses Element(s): AA90141; Air, Primary Overall Height: 17.01 (432) Overall OD: 11.81 (300) Type Seal: Radial AF26607 For Primary Air, use AF26527 Secondary air filter used with AF26527 Air, Secondary
AF26506 DONGFENG MOTOR CORPORATION,LTD 1109QF16030; Secondary air filter used with AF26505; Part of kit AA2976; Is included in AA2976 Cannot be sold separately	AF26544 ISUZU 897035303, 8970353030, 8970645580 AF26545 HINO 178013050, 17801350P AF26563 Primary air filter used with AF26564; Is included in AA90131 AF26564 Secondary air filter used with AF26563; Is included in AA90131	AF26614 Uses Element(s): AA90145 Air, Primary AF26615 FLEETGUARD SHANGHAI A1076020; Primary air filter used with AF26616; Part of kit AA90146 Cannot be sold separately Overall Height: 17.2 (437) Overall OD: 11.81 (300) End 1 ID: 7.87 (200)
AF26513 HINO 1780178040; Hino Trucks	AF26569 FAW 110907050A; Primary air filter used with AF26570; Part of kit AA90134 Overall Height: 17.6 (447) Overall OD: 11.02 (280)	AF26616 FLEETGUARD SHANGHAI A1076030; Secondary air filter used with AF26615; Part of kit AA90146 Cannot be sold separately Overall Height: 16.02 (407) Overall OD: 7.48 (190) End 1 ID: 6.22 (158)
AF26520  HINO 178013390, 178013391; Hino trucks	AF26570 FAW 110906050A; Secondary air filter used with AF26569; Part of kit AA90134 Cannot be sold separately Overall Height: 16.96 (431) Overall OD: 7.32 (186) End 1 ID: 4.72 (120)	AF26637 TOYOTA 1780151010 Overall Height: 2.05 (52) Overall Length: 12.09 (307) Overall Width: 8.98 (228)
AF26521 HINO 178013370; Hino Ranger 5 pro	AF26571 Primary air filter used with AF26572; Is included in AA90135 Overall Height: 13.07 (332) Overall OD: 11.81 (300)	AF26638 Secondary air filter used with AF26639; Is included in AA90155
AF26522  HINO 178013380; Hino trucks	AF26572 Secondary air filter used with AF26571; Part of kit AA90135 Cannot be sold separately Overall Height: 11.89 (302)	AF26639 Primary air filter used with AF26638; Is included in AA90155 AF26654 Air Overall Height: 3.15 (80) Overall OD: 3.85 (98) End 1 ID: 2.75 (70)
AF26523  HINO 178013360, 179021140; Hino trucks	AF26573 HINO 178013450 AF26574 HINO 178013020	
AF26524 HINO 178011070, 178012980; Hino trucks		

E. PRODUCT GUIDE

AF26655 J.C.B. 32925683; Secondary air filter used with AF26656



Height: 2.8 (71)
Length: 8.24 (209)
Width: 4.22 (107)

AF26656 J.C.B. 32925682; Primary air filter used with AF26655



Height: 7.13 (181)

AF26657 FREIGHTLINER EAF5106



Overall Height: 23.03 (585)
Overall OD: 9.33 (237)
End 1 ID: 5.8 (147)

AF26658 RENAULT TRUCKS 5001844054; Cab Air



Height: 0.79 (20)
Length: 11.65 (296)

AF26659 PERKINS 135326205; Primary air filter used with AF27680



Overall Height: 10.47 (266)
Overall OD: 4.11 (105)
End 1 ID: 2.38 (61)

AF26660 VOLVO 14503269; Cab Air



Height: 2.22 (57)
Length: 12.80 (325)
Width: 7.21 (183)

AF26662 NEW HOLLAND 82027574; Secondary air filter used with AF26349



Overall Height: 16.55 (420)
End 2 OD: 5.2 (132)
End 1 OD: 5.39 (137)
End 1 ID: 4.61 (117)

AF26664 HYUNDAI 11NB20120, 11NB20120A; Primary air filter used with AF27843



Overall Height: 21.79 (554)
End 1 OD: 12.08 (307)
End 2 ID: 0.67 (17)
End 1 ID: 7.73 (196)

AF26665 SISU 836862573; Primary air filter used with AF27681



Overall Height: 15.28 (388)
End 1 OD: 7.85 (200)
End 2 ID: 4.98 (127)

AF26666 DOOSAN 47400007; Secondary air filter used with AF26404



Overall Height: 15.79 (401)
End 2 OD: 7.24 (184)
End 1 OD: 8.43 (214)
End 2 ID: 0.69 (18)
End 1 ID: 6.06 (154)

AF26667 GMC 88937527; Topkick, Kodiak, C Series Trucks



Overall Height: 17.39 (442)
Overall OD: 7.84 (199)
End 1 ID: 6.64 (169)

AF26668 VOLVO CONSTRUCTION EQUIPMENT 14506997; Air, Panel



Height: 1.18 (30)
Length: 16.38 (416)
Width: 11.89 (302)

AF26669 FORD F6HZ19N619BA



Height: 1.03 (26)
Length: 5.91 (150)
Width: 4.53 (115)

AF26670 DAF 1362168; is the carbon active media version of AF26145



Height: 1.77 (45)
Length: 10.24 (260)
Width: 6.54 (166)

AF26671 M.A.N. 81619100018; Cab Air



Height: 2.76 (70)
Length: 18.41 (468)
Width: 7.87 (200)

AF26672 JOHN DEERE AL177184; Air, Panel



Height: 3.23 (82)
Length: 23.23 (590)
Width: 5.35 (136)

AF26673 CHRYSLER 5019002AA



Height: 1.52 (39)
Length: 11.5 (292)
Width: 8.36 (212)

AF26674 MOTORCRAFT FA103, FA1745



Height: 1.86 (47)
Length: 11.30 (287)
Width: 7.56 (192)

AF26675 VOLVO 14500233; Air Breather



Overall Height: 1.53 (39)
Overall OD: 2.16 (55)
End 1 ID: 1.22 (31)

AF26676 TATA 571909130130; Primary air filter used with AF26339; Filter used with housing AH19472, AH8798

Overall Height: 20.91 (531)
Overall OD: 13.24 (336)
End 1 ID: 7.76 (197)

AF26677 SCANIA 1510905; Primary air filter used with AF26678; Air, Primary Magnum RS



Overall Height: 20.04 (509)
Overall OD: 9.88 (251)
End 1 ID: 6.26 (159)

AF26678 SCANIA 1510942; Secondary air filter used with AF26677, AF26242



Overall Height: 18.48 (470)
End 1 OD: 6.14 (156)

AF27679 JOHN DEERE T156471; Air, Panel



Height: 1.54 (39)
Length: 16.38 (416)
Width: 8.56 (217)

AF27680 COOPERS AES2761 For Primary Air, use AF26659 Secondary air filter used with AF26659 Air, Secondary



Overall Height: 10.24 (260)
End 2 OD: 2.24 (57)
End 1 ID: 1.65 (42)
Largest OD: 2.44 (62)

AF27681 SISU 836862574; Secondary air filter used with AF26665



Overall Height: 16.67 (424)
End 2 OD: 4.41 (112)
End 1 OD: 4.92 (125)
End 2 ID: 3.23 (82)
End 1 ID: 4.02 (102)

AF27682 JOHN DEERE AT225338; Primary air filter used with AF27683; flame retardant



Overall Height: 16.49 (419)
Overall OD: 9.33 (237)
End 1 ID: 5.15 (131)

AF27683 JOHN DEERE AT225339; Secondary air filter used with AF27682



Overall Height: 16.21 (412)
Overall OD: 5.3 (135)
End 2 ID: 4.98 (126)
End 1 ID: 3.7 (94)

E. PRODUCT GUIDE

AF27684 CHRYSLER 53034051AB; Air, Panel



Height: 4.38 (111)
Length: 10.93 (278)

AF27685 EUCLID E12630763; Air, Panel



Height: 2.19 (56)
Length: 16.0 (406)

AF27686 CATERPILLAR 6T5068; Air, Panel



Height: 0.63 (16)
Length: 12.56 (319)
Width: 10.59 (269)

AF27687 FORD 7C349601DC



Height: 8.78 (223)
Length: 12.22 (310)

AF27688 PACCAR P611696; Kenworth T660 Trucks



Height: 9.84 (250)
Length: 17.35 (441)
Largest OD: 9.96 (253)

AF27689 DAF 1638054 Flame retardant media



Overall Height: 20.04 (509)
Overall OD: 10.29 (261)
End 2 ID: 5.81 (148)
End 1 ID: 5.52 (140)

AF27690 MITSUBISHI ME017246; Air, Primary



Overall Height: 11.0 (279)
Overall OD: 9.17 (233)
End 1 ID: 4.65 (118)

AF27691 JOHN DEERE AT178583; Primary air filter used with AF27846



Overall Height: 21.94 (557)
Overall OD: 9.29 (236)
End 1 ID: 5.39 (137)

AF27692 SCANIA 1770813; Air, Panel



Height: 0.79 (20)
Length: 14.76 (375)
Width: 5.10 (130)

AF27693 ISUZU 8970622940



Overall Height: 11.43 (290)
Overall OD: 9.26 (235)
End 1 ID: 5.26 (134)

AF27694 NEW HOLLAND 85801619; Cab Air



Overall Height: 2.38 (60)
Overall Length: 15.75 (400)
Overall Width: 6.3 (160)

AF27695 CATERPILLAR 2673005, DONALDSON P608305; Secondary air filter used with AF27696



Overall Height: 22.31 (567)
Overall OD: 11.61 (295)
End 1 ID: 9.29 (236)

AF27696 CATERPILLAR 2673004, DONALDSON P608306, WIX 49606; Primary air filter used with AF27695



Overall Height: 24.06 (611)
Overall OD: 17.76 (451)
End 1 ID: 11.46 (291)

AF27697 DONALDSON P609518; Secondary air filter used with AF27698; Donaldson SSG Series



Overall Height: 27.4 (696)
Overall OD: 11.61 (295)
End 1 ID: 9.29 (236)

AF27698 DONALDSON P609519; Primary air filter used with AF27697; Donaldson SSG Series



Overall Height: 29.25 (743)
Overall OD: 17.75 (451)
End 1 ID: 11.46 (291)

AF27700 CATERPILLAR 7G6599; Air, Panel



Height: 0.63 (16)
Length: 17.48 (444)
Width: 8.48 (216)

AF27704 AIR REFINER ARM1416R



Overall Height: 15.85 (403)
Overall OD: 13.81 (351)
End 1 ID: 9.49 (241)

AF27705 AIR REFINER ARM17057



Overall Height: 14.0 (356)
Overall OD: 13.84 (352)
End 2 ID: 0.76 (19)
End 1 ID: 11.12 (282)

AF27706 DONALDSON P616400; Freightliner M2 Truck Applications; Replaces AF26153



Overall Height: 1.39 (35)
End 2 OD: 9.29 (236)

AF27708 SCANIA 1728667; Flame retardant version of AF25314; Flame Retardant Media



Overall Height: 17.46 (444)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF27711 SCANIA 1728817; Flame retardant version of AF25313; Air, Primary



Overall Height: 20.67 (525)
End 2 OD: 11.93 (303)
End 1 OD: 11.87 (302)
End 1 ID: 6.69 (170)

AF27712 DAF 1667999; Air, Primary



Overall Height: 13.23 (336)
Overall OD: 8.47 (215)
End 1 ID: 4.68 (119)

AF27713 DAF 1668000; Flame Retardant Media



Overall Height: 16.38 (416)
Overall OD: 8.47 (215)
End 1 ID: 4.68 (119)

AF27714 MERCEDES-BENZ A6285280606; Air, Primary



Overall Height: 18.11 (460)
Overall OD: 11.89 (302)
End 1 ID: 7.48 (190)

AF27719 Primary air filter used with AF27720; Is included in AA90160

AF27720 Secondary air filter used with AF27719; Is included in AA90160

AF27723 MAZDA U2Y013Z40

E. PRODUCT GUIDE

AF27816

MERCEDES-BENZ 40946604;
Flame Retardant Media;
Replaces AF25731



Height: 3.07 (78)
Length: 24.65 (626)

AF27817

KNORR-BREMSE 1987434016,
WABCO 4324102227



Overall Height: 6.5 (165)
Largest OD: 5.51 (140)
Thread Size: M39 X 1.5 INT

AF27819

VOLVO 11172907; Air Breather



Overall Height: 3.6 (92)
End 2 OD: 3.31 (84)
End 1 OD: 3.48 (89)
End 1 ID: 0.96 (25)

AF27822

GMC 15036141



Overall Height: 8.0 (203)
Overall OD: 6.0 (152)
End 1 ID: 3.33 (85)

AF27823

WIX 49490



Height: 6.5 (165)
Length: 15.08 (383)
Width: 4.30 (109)

AF27826

MASSEY-FERGUSON
4270017M1; Primary air filter
used with AF25360



Overall Height: 15.55 (395)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF27827

CATERPILLAR 2277448; Air,
Primary; Replaces AF26247



Overall Height: 6.77 (172)
End 2 OD: 6.44 (164)
End 1 OD: 9.08 (231)

AF27828

NEW HOLLAND 87385322; Air,
Panel



Overall Height: 1.89 (48)
Length: 20.43 (519)
Width: 4.17 (106)

AF27833

RENAULT TRUCKS
5010317658; Air, Panel



Height: 1.81 (46)
Length: 15.47 (393)
Width: 11.14 (283)

AF27835

CATERPILLAR 2314486; Air,
Panel



Height: 0.67 (17)
Length: 13.78 (350)
Width: 3.39 (86)

AF27840

PERKINS 901056; Air, Cartridge



Overall Height: 16.46 (418)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF27842

VOLVO 11200824; Air, Panel



Height: 0.33 (8)
Length: 15.16 (385)
Width: 3.58 (91)

AF27843

HYUNDAI 11NB20130;
Secondary air filter used with
AF26664



Overall Height: 20.53 (522)
Overall OD: 7.64 (194)
End 2 ID: 0.69 (18)
End 1 ID: 6.02 (153)

AF27844

DEUTZ AG 1182956; Air, Primary



Overall Height: 13.45 (342)
End 2 OD: 9.76 (248)
End 1 OD: 9.72 (247)
End 1 ID: 5.47 (139)

AF27846

JOHN DEERE AT178584;
Secondary air filter used with
AF27691



Overall Height: 21.42 (544)
End 2 OD: 4.96 (126)
End 1 OD: 5.2 (132)
End 1 ID: 3.7 (94)

AF27850

CATERPILLAR 1805474; Primary
air filter used with AF27851



Overall Height: 12.64 (321)
Overall OD: 6.5 (165)
End 1 ID: 3.64 (93)

AF27851

CATERPILLAR 1805475;
Secondary air filter used with
AF27850



Overall Height: 12.21 (310)
End 2 OD: 3.42 (87)
End 1 OD: 3.66 (93)
End 1 ID: 2.83 (72)

AF27852

JOHN DEERE AH222225; Air,
Primary



Overall Height: 24.72 (628)
Overall OD: 12.64 (321)
End 1 ID: 7.87 (200)

AF27853

DAF 1391510



Overall Height: 5.28 (134)
Largest OD: 5.47 (139)
Thread Size: M41 X 1.5-6H INT

AF27854

NEW HOLLAND 84045002; Cab
Air



Overall Height: 2.28 (58)
Length: 10.83 (275)
Width: 5.59 (142)

AF27857

SCANIA 1485592; Air, Cartridge



Overall Height: 20.16 (512)
End 2 OD: 10.51 (267)
End 1 OD: 10.47 (266)
End 1 ID: 6.26 (159)

AF27858

CHRYSLER 53032527AA; Air,
Panel



Height: 1.81 (46)
Length: 8.89 (226)
Width: 8.62 (219)

AF27859

CLAAS 715251; Cab Air



Length: 21.65 (550)
Overall Height: 11.04 (280)
Width: 5.14 (131)

AF27860

GMC 15282462



Overall Height: 6.27 (159)
Outside Diameter: 9.26 (235)

AF27866

NEW HOLLAND 84058793; Air,
Panel



Length: 19.68 (500)
Overall Height: 1.48 (37)
Width: 6.85 (174)

AF27867

PERKINS 135326206; Air,
Primary



Overall Height: 12.58 (320)
Overall OD: 5.79 (147)
End 1 ID: 3.01 (77)

E. PRODUCT GUIDE

AF27868K CLARCOR FMK0208 Air, Primary



Overall Height: 11.5 (292)
End 2 ID: 3.48 (88)
Fin Diameter: 7.85 (200)
Cover Diameter: 8.37 (213)

AF27869 DAEWOO 24749057; Secondary air filter used with AF26439



Overall Height: 17.8 (452)
Largest OD: 6.42 (163)
Largest ID: 5.24 (133)

AF27872 Air



Overall Height: 21.16 (537)
Overall OD: 9.49 (241)
End 1 ID: 5.75 (146)

AF27873 CATERPILLAR 2934053



Height: 6.89 (175)
Length: 9.13 (232)
Width: 6.41 (163)

AF27874 ATLAS COPCO 3222188154; Air, Secondary



Overall Height: 18.15 (461)
Largest ID: 5.81 (148)
Largest OD: 6.81 (173)

AF27875 VOLVO 70320440



Overall Height: 8.19 (208)
Largest OD: 12.32 (313)

AF27876 MASSEY-FERGUSON 4286473M1; Air, Primary



Height: 7.35 (187)

AF27878 DAF 1679397; Flame Retardant Media



Overall Height: 15.32 (389)
Overall OD: 9.72 (247)
End 1 ID: 6.5 (165)

AF27879 FREIGHTLINER P610260



Height: 9.27 (235)

AF27880 LIEBHERR 5618683; Cab Air



Height: 1.87 (48)
Length: 16.85 (428)
Width: 5.47 (139)

AF27882 FORD BC3Z9601A, MOTORCRAFT FA1902



Height: 4.08 (104)
Length: 14.03 (356)
Width: 6.73 (171)

AF27899 NEW HOLLAND 87726694; Cab Air



Height: .39 (10)
Length: 20.55 (522)
Width: 3.07 (78)

AF27905 GMC 88937525



AF27906 ONAN 1402897



AF27907 NEW HOLLAND 80441838; Cab Air



Height: 2.6 (66)
Length: 32.68 (830)
Width: 7.87 (200)

AF27910 FORD 7C3Z9601A



Height: 2.55 (65)
Length: 10.49 (267)
Width: 9.95 (253)

AF27911 CATERPILLAR 2112661; Air, Cartridge



Overall Height: 9.48 (241)
Overall OD: 6.08 (154)
End 1 ID: 3.48 (88)

AF27913 NEW HOLLAND 84807659; Cab Air



Overall Height: 4.19 (107)
End 2 OD: 11.26 (286)
End 1 OD: 10.89 (277)

AF27916 CATERPILLAR 1282686; Air, Primary



Overall Height: 13.39 (340)
Overall OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF27917 HYUNDAI 31EH00480; Air Breather



Overall Height: 1.26 (32)
Overall OD: 2.81 (72)
End 1 ID: 1.77 (45)

AF27918 IVECO 8041419; Air, Primary Magnum RS



Overall Height: 19.53 (496)
Overall OD: 9.45 (240)
End 1 ID: 4.72 (120)

AF27919 JOHN DEERE RE196945; Primary air filter used with AF27947



Overall Height: 9.16 (233)
Largest OD: 10.33 (262)

AF27940 SCANIA 1869993; Primary air filter used with AF27995; Air, Primary Magnum RS

Overall Height: 17.56 (446)
End 2 OD: 11.93 (303)
End 1 OD: 12.01 (305)
End 1 ID: 6.58 (167)

AF27942 PERKINS 26510380; Air, Primary Magnum RS



Overall Height: 13.54 (344)
Largest OD: 6.5 (165)
Largest ID: 3.46 (88)

AF27943 MERCEDES-BENZ 18353447; Cab Air



Height: 0.75 (19)
Length: 17.91 (455)
Width: 8.98 (228)

AF27944K NEW HOLLAND 87313626; Air, Primary



Overall Height: 13.14 (334)
Overall OD: 6.14 (156)
End 2 ID: 3.48 (89)

AF27945 FENDT H816810140100; Cab Air; Active Carbon



Height: 1.89 (48)
Length: 16.02 (407)
Width: 4.69 (119)

E. PRODUCT GUIDE

AF27946	CASE NEW HOLLAND 87726675; Cab Air
	Overall Height: 2.52 (64) Length: 21.65 (550) Width: 3.94 (100)
AF27947	JOHN DEERE RE181915; Secondary air filter used with AF27919
	Overall Height: 1.5 (38) Largest OD: 9.37 (238)
AF27949	EVOBUS A0008301265, MERCEDES-BENZ 8301265; Cab Air
	Height: .98 (25) Length: 18.62 (473) Width: 9.06 (230)
AF27950	NISSAN 1654600QAT; Air, Panel
	Overall Height: 2.72 (69) Length: 11.22 (285) Width: 9.8 (249)
AF27951	MERCEDES-BENZ 8301518; Cab Air; Active Carbon
	Overall Height: 1.46 (37) Length: 16.85 (428) Width: 6.18 (157)
AF27952	NEW HOLLAND 84443964; Air, Primary
	Overall Height: 27.95 (710) Largest OD: 12.2 (310) Largest ID: 7.07 (180)
AF27954	JOHN DEERE RE198488; Cab Air
	Overall Height: 1.18 (30) Overall Length: 15.31 (389) Overall Width: 4.92 (125)
AF27955	JOHN DEERE AL204809; Primary air filter used with AF27956
	Overall Height: 14.45 (367) Overall OD: 7.4 (188) Largest ID: 4.09 (104)
AF27956	JOHN DEERE AL174812; Secondary air filter used with AF27955
	Overall Height: 14.37 (365) Overall OD: 3.98 (101) End 1 ID: 3.52 (90)
AF27957	ISUZU 8980274800; Air, Panel

AF27958	INTERNATIONAL TRUCKS 3839141C1; Cab Air
	Overall Height: 1.18 (30) Overall Length: 12.28 (312) Overall Width: 6.26 (159)
AF27959	GMC 19152817
	Overall Height: 2.27 (58) Overall Length: 17.08 (434) Overall Width: 8.9 (226)
AF27960	NISSAN 1654600Q0G; Air, Panel
	Overall Height: 2.38 (61) Overall Length: 14.17 (360) Overall Width: 10.35 (263)
AF27961	JOHN DEERE H220870; Cab Air
	Overall Height: 1.89 (48) Overall Length: 12.6 (320) Overall Width: 5.12 (130)
AF27968	DONALDSON P922452; Secondary air filter used with AF1002
	Overall Height: 22.68 (576) Largest OD: 9.06 (230) Largest ID: 7.01 (178)
AF27969	GENERAC CORP. C8127
	Overall Height: 3.19 (81) Largest OD: 6.67 (169) Largest ID: 5.1 (130) Type Seal: Radial
AF27970	VOLVO 21115483; Flame Retardant Media; Replaces AF27834
	Overall Height: 15.43 (392) Largest OD: 13.05 (331) Largest ID: 7.83 (199) Type Seal: Radial
AF27971	KOMATSU 2076051410; Air Breather
	Overall Height: 1.38 (35) Largest OD: 2.42 (61) Largest ID: 0.92 (23) Type Seal: Axial
AF27972	DAF 1933741; Flame Retardant Media
	Overall Height: 17.2 (437) Largest OD: 10.51 (267) Largest ID: 6.26 (159)

AF27988	TOYOTA 1780167020
	Overall Height: 11.07 (281) Largest OD: 5.73 (146) Largest ID: 3.37 (86) Type Seal: Axial
AF27989	JOHN DEERE AH164062; Primary air filter used with AF27990; Air, Primary Magnum RS
	Overall Height: 23.31 (592) Largest OD: 12.91 (328) Largest ID: 6.87 (175) Type Seal: Radial
AF27990	JOHN DEERE AH164063; Secondary air filter used with AF27989; Air, Secondary Magnum RS
	Overall Height: 22.52 (572) Largest OD: 6.51 (165) End 1 ID: 5.28 (134)
AF27995	SCANIA 1869991; Secondary air filter used with AF27940; Air, Secondary Magnum RS
	Overall Height: 15.63 (397) Largest OD: 6.44 (164) End 1 ID: 5.22 (133)
AF55005	CUMMINS 5261248; Primary air filter used with AF55308; Uses Element(s): AH55602, AH55604, AH55603, AH55605, AH55555; Is included in AH55508
	Overall Height: 10.02 (255) Overall Length: 15.93 (405) Overall Width: 5.83 (148)
AF55014	CUMMINS 5261249; Primary air filter used with AF55308; Uses Element(s): AH55558, AH55559, AH55560, AH55561, AH55556, AH55557
	Overall Height: 14.02 (356) Overall Length: 15.93 (405) Overall Width: 5.83 (148)
AF55015	CUMMINS 5261250; Primary air filter used with AF55309; Uses Element(s): AH55547, AK55723, AH55562, AH55563, AH55564
	Overall Height: 14.02 (356) Overall Length: 10.93 (278) Overall Width: 11.11 (282)
AF55020	J.L.G. INDUSTRIES 70024177; Primary air filter used with AF55320
	Overall Height: 10.04 (255) Overall Length: 7.52 (191) Overall Width: 9.29 (236)

E. PRODUCT GUIDE

AF55021



AGCO 700738183, CUMMINS 5288553, J.L.G. INDUSTRIES 70024175; Primary air filter used with AF55320

Overall Height: 14.05 (357)
Overall Length: 7.61 (193)
Overall Width: 9.32 (237)

AF55024

WIRTGEN 2392907

Height: 16.56 (421)
Length: 17.15 (436)
Width: 6.24 (159)

AF55308



CUMMINS 5261251; Secondary air filter used with AF55014, AF55005; Uses Element(s): AH55558, AH55559, AH55560, AH55561, AH55556, AH55555, AH55557

Overall Height: 1.5 (38)
Overall Length: 15.57 (396)
Overall Width: 5.56 (141)

AF55309



WIRTGEN 2217026; Secondary air filter used with AF55015; Uses Element(s): AH55547, AH55562, AH55563, AH55564; Fleetguard Direct Flow Secondary Element; DF1200 Series

Overall Height: 1.5 (38)
Overall Length: 11.27 (286)
Overall Width: 10.43 (265)

AF55312

AGCO 700738184



Overall Height: 1.65 (42)
Length: 10.45 (265)
Width: 5.44 (138)

AF55318

JOHN DEERE R344420

Overall Height: 2.0 (51)
Overall Length: 15.18 (386)
Overall Width: 5.83 (148)

AF55320



CUMMINS 5310325; Secondary air filter used with AF55020, AF55021; Fleetguard Direct Flow 390 and 585 series air cleaners; For use in applications not requiring a MAF (mass air flow) sensor; For applications with MAF sensor, use AF55312

Overall Height: 1.65 (42)
Overall Length: 10.45 (266)
Overall Width: 5.44 (138)

AF55700



IHC 1699956C1; Cab Air

Height: 0.55 (14)
Length: 13.58 (345)
Width: 10.04 (255)

AF55701



MACK 7787525784; Cab Air

Height: 0.55 (14)
Length: 10.75 (273)
Width: 10.24 (260)

AF55702



MERCEDES-BENZ 8303418; Cab Air Active Carbon

Height: 5.63 (143)
Length: 15.41 (391)
Width: 1.34 (34)

AF55703



CASE 481813C1; Cab Air

Height: 0.55 (14)
Length: 10.51 (267)
Width: 9.25 (235)

AF55704



INTERNATIONAL TRUCKS 1696834C1; Cab Air

Overall Height: 0.55 (14)
Overall Length: 11.81 (300)
Overall Width: 10.83 (275)

AF55705



SCANIA 1326180; Cab Air

Height: 6.3 (160)
Length: 9.17 (233)
Width: .39 (10)

AF55707



MERCEDES-BENZ 18357147; Cab Air

Height: 6.06 (154)
Length: 19.37 (492)
Width: 1.18 (30)

AF55708



M.A.N. 88779100002; Cab Air

Height: 5.28 (134)
Length: 15.75 (400)
Width: .79 (20)

AF55709



M.A.N. 88779100003; Cab Air

Overall Height: 5.91 (150)
Overall Length: 8.66 (220)
Overall Width: 0.76 (19)

AF55710



VOLKSWAGEN 703819989; Cab Air

Overall Height: 6.60 (168)
Overall Length: 4.41 (112)
Overall Width: 4.04 (103)

AF55711



VOLVO 20746873; Cab Air

Overall Height: 7.56 (192)
Overall Length: 16.73 (425)
Overall Width: 1.18 (30)

AF55712



VOLVO 20409908; Cab Air Active Carbon

Overall Height: 8.23 (209)
Overall Length: 8.23 (209)
Overall Width: 2.07 (53)

AF55713

IVECO 3802821; Cab Air

Overall Height: 7.52 (191)
Overall Length: 11.46 (291)
Overall Width: 1.18 (30)

AF55714



IVECO 2994583; Cab Air

Overall Height: 8.11 (206)
Overall Length: 17.70 (450)
Overall Width: .98 (25)

AF55715



VOLKSWAGEN 7H0819631A; Cab Air; Active Carbon

Overall Height: 1.36 (35)
Overall Length: 10.83 (275)
Overall Width: 8.62 (219)

AF55716



VOLKSWAGEN 7H0819631; Cab Air

Height: 1.36 (35)
Length: 10.83 (275)
Width: 8.58 (218)

AF55717



WEBASTO 1101891A; Cab Air

Height: 1.18 (30)
Length: 17.95 (456)
Width: 5.94 (151)

AF55718



M.A.N. 83779720608; Cab Air

Height: 0.47 (12)
Length: 19.29 (490)
Width: 5.91 (150)

AF55719



M.A.N. 81619100019; Cab Air Active Carbon

Height: 2.74 (70)
Length: 18.35 (466)
Width: 6.93 (176)

AF55720



M.A.N. 81779720121; Cab Air

Height: 0.79 (20)
Length: 25.37 (644)
Width: 9.69 (246)

AF55721



WEBASTO 1101193; Cab Air

Height: 0.47 (12)
Length: 17.87 (454)
Width: 5.94 (151)

AF55722



MERCEDES-BENZ 8301218; Air, Panel

Height: 1.53 (39)
Length: 14.96 (380)
Width: 5.2 (132)

AF55723



MERCEDES-BENZ A9738350247; Cab Air

Height: 1.46 (37)
Length: 22.44 (570)
Width: 6.18 (157)

AF55724



MANN & HUMMEL CU4038; Air, Panel

Height: .80 (20)
Length: 15.47 (393)
Width: 5.87 (149)

E. PRODUCT GUIDE

AF55727	KOMATSU 4260732441; Air, Panel
	Height: 10.03 (255) Length: 12.32 (313) Width: 1.84 (47)

AF55728	JOHN DEERE RE67828
	Overall Height: 12.15 (309) Overall OD: 6.47 (164) End 1 ID: 3.58 (91)

AF55729	MERCEDES-BENZ 9018300418, A9018300418; Cab Air, Active Carbon
	

AF55730	CATERPILLAR 6P1319; Cab Air
	Height: 4.2 (107) Length: 10.70 (272) Width: 4.70 (119)

AF55731	CASE 247752A1; Cab Air
	Overall Height: 21.44 (544) Overall OD: 7.1 (180) End 1 ID: 2.46 (62)

AF55732	NEW HOLLAND 87684088; Cab Air
	Overall Height: 13.64 (346) Overall OD: 6.13 (156) End 1 ID: 2.5 (64)

AF55733	KOMATSU 20Y9796261
	Height: 5.57 (141) Length: 10.26 (261) Width: .77 (20)

AF55734	KOMATSU 77Z9700010
	Overall Height: 0.76 (19) Overall Length: 7.97 (202) Overall Width: 7.83 (199)

AF55735	MERCEDES-BENZ A9068300218; Cab Air
	Overall Height: 1.38 (35) Overall Length: 14.37 (365) Overall Width: 9.61 (244)

AF55736	KOMATSU 77Z9700020; Cab Air
	Overall Height: 0.76 (19) Overall Length: 11.94 (303) Overall Width: 7.83 (199)

AF55737	FENDT H716810130010; Cab Air
	Overall Height: 2.28 (58) Overall Length: 18.58 (472) Overall Width: 4.84 (123)


AF55738	NEW HOLLAND NH CONSTRUCTIONS 87712194; Cab Air
	Overall Height: 10.79 (274) Largest OD: 6.28 (160) Largest ID: 2.81 (71)

AF55739	IRISBUS 5801321121; Cab Air
	Overall Height: 0.79 (20) Overall Length: 16.93 (430) Overall Width: 4.33 (110)

AF55740	JOHN DEERE RE284091; Cab Air
	Overall Height: 3.43 (87) Overall Length: 24.02 (610) Overall Width: 4.06 (103)

AF55744	NEW HOLLAND 87309516; Cab Air, Active Carbon
	Overall Height: 3.03 (77) Overall Length: 21.65 (550) Overall Width: 3.94 (100)

AF55746	JOHN DEERE RE73220
	Overall Height: 1.18 (30) Overall Length: 15.4 (391) Overall Width: 4.96 (126)

AF55747	JOHN DEERE AH115836; Cab Air
	Overall Height: 2.56 (65) Overall Length: 14.63 (371) Overall Width: 5.25 (133)

AF55748	MERCEDES-BENZ 18351547; Cab Air
	Overall Height: 1.89 (48) Overall Length: 19.88 (505) Overall Width: 8.86 (225)

AF55749	KOMATSU 2089797620
	Overall Height: 0.63 (16) Overall Length: 8.51 (216) Overall Width: 7.68 (195)

AF55750	JOHN DEERE RE291412; Cab Air
	Overall Height: 2.87 (73) Overall OD: 12.99 (330) End 1 ID: 9.53 (242) Type Seal: Axial

AF55751	CATERPILLAR 2098217; Cab Air
	Overall Height: 2.28 (58) Overall Length: 12.4 (315) Overall Width: 7.05 (179)

AF55752	MERCEDES-BENZ 3568303118; Cab Air
	Overall Height: 1.81 (46) Overall Length: 20.67 (525) Overall Width: 8.74 (222)

AF55753	FENDT H931812140511; Cab Air
	Overall Height: 1.77 (45) Overall Length: 12.2 (310) Overall Width: 7.48 (190)

AF55754	HITACHI 4632689; Cab Air
	Overall Height: 3.03 (77) Length: 11.77 (299) Width: 7.99 (203)

AF55755	NEW HOLLAND 293615A1; Cab Air
	Overall Height: 2.36 (60) Overall Length: 0.63 (16) Overall Width: 0.63 (16)

AF55756	CATERPILLAR 2067514; Cab Air
	Overall Height: 0.71 (18) Overall Length: 8.82 (224) Overall Width: 2.56 (65)

AF55757	JOHN DEERE AT307501
	Overall Height: 1.60 (41) Overall Length: 12.50 (318) Overall Width: 7.01 (178)

AF55758	KUBOTA TA04371600
	Overall Height: 1.68 (43) Length: 12.25 (311) Width: 4.74 (120)

AF55764	NAVISTAR 8031900137
	Overall Height: 0.98 (25) Overall Length: 8.66 (220) Overall Width: 7.61 (193)

AF55770	JOHN DEERE AT191102
----------------	---------------------

AF55771	TOYOTA 8856852010
----------------	-------------------

E. PRODUCT GUIDE

Air Housings

AH208



Housing used with AF25544,
AF25545; Air Housing

AH215



CUMMINS POWER
GENERATION LTD A048Y269;
Air Housing

Overall Height: 31.31 (795)
Length: 78.38 (1,991)
Width: 35.07 (891)

AH1100



CUMMINS 3315741; Disposable
Housing Unit

Overall Height: 15.46 (393)
Outlet OD: 5.5 (140)
Width: 17.38 (442)

AH1101



CUMMINS 3315742; Gen Set
Disposable Housing Unit

Overall Height: 17.64 (448)
Outlet OD: 5.5 (140)
Width: 19.82 (503)

AH1103



Disposable Housing Unit;
Replaces AF1794

Overall Height: 25.72 (653)
Largest Housing OD: 11.0 (279)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH1103F



Same As AH1103 - Except
Element Inside Is Sitting Off
Center; Replaces AF1794F

Overall Height: 25.72 (653)
Largest Housing OD: 11.0 (279)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH1107



DONALDSON HOUSINGS
ECC085004 Disposable Housing
Unit; Replaces AF1933

Overall Height: 10.88 (276)
Largest Housing OD: 8.5 (216)
End Connection Height: 1.38 (35)
End Connection ID: 3.0 (76)

AH1135



FARR 71338003 To upgrade, use
AH1135M Uses Element(s):
AK162 Disposable Housing Unit

Overall Height: 25.72 (653)
Largest Housing OD: 13.5 (343)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH1135F



FARR 71338003 To upgrade, use
AH1135M; Air Housing

Overall Height: 25.72 (653)
Largest Housing OD: 13.5 (343)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH1135M



FARR 71338006, ONAN 1403163
Upgrade of AH1135, AH1135F;
Air Housing, Disposable

Overall Height: 25.72 (653)
Largest Housing OD: 13.5 (343)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH1136



DONALDSON ECB085001; Is
included in 3950899; For marine
applications, use AH19003;
Disposable Housing Unit; Use
AH19003 for Marine application;
Replaces 3950859

Overall Height: 12.38 (314)
Largest Housing OD: 8.5 (216)
End Connection Height: 1.38 (35)
End Connection ID: 3.0 (76)

AH1138



CUMMINS 3910946,
DONALDSON ECC085003;
Disposable Housing Unit

Overall Height: 6.38 (162)
Largest Housing OD: 8.5 (216)
End Connection Height: 1.38 (35)
End Connection ID: 3.0 (76)

AH1139



CUMMINS 3910466,
DONALDSON ECB105007;
Disposable Housing Unit

Overall Height: 11.88 (302)
Largest Housing OD: 10.5 (267)
End Connection Height: 1.38 (35)
End Connection ID: 4.0 (102)

AH1140



DONALDSON ECC105003;
Disposable Housing Unit

Overall Height: 7.38 (187)
Largest Housing OD: 10.5 (267)
End Connection Height: 1.38 (35)
End Connection ID: 4.0 (102)

AH1141



CUMMINS 3912020,
DONALDSON ECB085011; For
marine applications, use
AH19002; Disposable Housing
Unit

Overall Height: 12.38 (314)
Largest Housing OD: 8.5 (216)
End Connection Height: 1.38 (35)
End Connection ID: 4.0 (102)

AH1148



AIR MAZE CDS1117610G;
Housing used with AF947, AF963
Air Housing

Overall Height
w/o Wing Nut: 20.76 (527)
Side Connection
Height: 0.52 (13)
Side Connection
Loc: 14.11 (358)

Side Connection OD: 4.5 (114)
Largest housing OD: 13.08 (332)
End Connection Height: 3.38 (86)
End Connection OD: 4.0 (102)
Dust collector: YES

AH1174



AIR MAZE CD1219650G;
Housing used with AF4669,
AF4670

Overall Height: 21.91 (557)

AH1183



FARR 71338004; Disposable
Housing Unit

Overall Height: 19.72 (501)
Largest Housing OD: 13.5 (343)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH1184



FARR 788971; Disposable
Housing Unit

Overall Height: 25.35 (644)
Side Connection
Loc: 18.62 (473)
Side Connection
Height: 4.37 (111)
Side Connection OD: 7.0 (178)
Largest housing OD: 13.5 (343)
End Connection Height: 1.25 (32)
End Connection OD: 8.0 (203)

AH1185



DONALDSON ECB085009;
Disposable Housing Unit

Overall Height: 4.38 (111)
Largest Housing OD: 8.5 (216)
End Connection Height: 1.38 (35)
End Connection ID: 3.0 (76)

AH1188



DONALDSON ECB085008;
Disposable Housing Unit

Overall Height: 9.88 (251)
Largest Housing OD: 8.5 (216)
End Connection Height: 1.38 (35)
End Connection ID: 3.0 (76)

AH1189



DONALDSON ECC065008,
THERMO-KING 115978;
Disposable Housing Unit

Overall Height: 11.33 (288)
Largest Housing OD: 6.64 (169)
End Connection Height: 1.38 (35)
End Connection ID: 1.4 (36)

E. PRODUCT GUIDE

AH1190  DONALDSON HOUSINGS ECC085002; Disposable Housing Unit; Replaces AF4774 Overall Height: 7.88 (200) Largest Housing OD: 8.5 (216) End Connection Height: 1.38 (35) End Connection ID: 2.5 (64)	AH1197  FARR 114880003; Air Housing, Disposable Overall Height: 19.4 (493) Side Connection Loc: 4.0 (102) Side Connection Height: 1.41 (36) Side Connection OD: 6.0 (152) Largest housing OD: 10.06 (256) End Connection Height: 1.25 (32) End Connection OD: 5.5 (140)	AH8503  FARR 62891002; Disposable Air Housing; Dual Air Flow; Replaces AH1105 Overall Height: 25.6 (650) Side Connection Loc: 5.5 (140) Side Connection Height: 1.91 (49) Side Connection OD: 7.0 (178) Largest housing OD: 11.0 (279) End Connection Height: 1.6 (41) End Connection OD: 7.0 (178)
AH1191  FARR 96896001; Disposable Housing Unit Overall Height: 14.2 (361) Largest Housing OD: 7.1 (180) End Connection Height: 1.3 (33) End Connection OD: 3.5 (89)	AH1198  BRODERSON 60012047, DONALDSON HOUSINGS ECC085001; Air Housing Overall Height: 5.38 (137) Largest Housing OD: 8.5 (216) End Connection Height: 1.38 (35) End Connection ID: 2.5 (64)	AH8504  Outside/In Flow only Overall Height: 25.98 (660) Side Connection Loc: 5.5 (140) Side Connection Height: 2.25 (57) Side Connection OD: 7.0 (178) Largest housing OD: 13.5 (343) End Connection Height: 1.61 (41) End Connection OD: 7.0 (178)
AH1192  FARR 96896002; Disposable Housing Unit Overall Height: 17.2 (437) Largest Housing OD: 8.1 (206) End Connection Height: 1.3 (33) End Connection OD: 4.5 (114)	AH1199  DONALDSON HOUSINGS ECC085006, ISUZU X14210031; Air Housing Overall Height: 10.88 (276) Largest Housing OD: 8.5 (216) End Connection Height: 1.38 (35) End Connection ID: 2.5 (64)	AH8505  FARR 628913; Disposable Air Housing; Dual Air Flow; Replaces AH1106 Overall Height: 25.6 (650) Side Connection Loc: 5.5 (140) Side Connection Height: 1.91 (49) Side Connection OD: 7.0 (178) Largest housing OD: 13.5 (343) End Connection Height: 1.6 (41) End Connection OD: 7.0 (178)
AH1193  FARR 96896003; Disposable Housing Unit Overall Height: 20.2 (513) Largest Housing OD: 10.1 (257) End Connection Height: 1.3 (33) End Connection OD: 5.5 (140)	AH1200  FARR 94973006, RACOR 500589006; Air Housing Overall Height: 12.81 (325) Length: 19.6 (498) Width: 11.0 (279)	AH8513  DONALDSON ECB125011; Air Housing Overall Height: 10.28 (261) Largest Housing OD: 12.44 (316) End Connection Height: 1.3 (33) End Connection ID: 4.94 (126)
AH1194  FARR 71338001; Disposable Housing Unit Overall Height: 25.72 (653) Largest Housing OD: 9.75 (248) End Connection Height: 1.6 (41) End Connection OD: 6.0 (152)	AH8500  Outside/In Flow only Overall Height: 25.98 (660) Side Connection Loc: 5.5 (140) Side Connection Height: 1.89 (48) Side Connection OD: 5.98 (152) Largest housing OD: 9.76 (248) End Connection Height: 1.61 (41) End Connection OD: 5.98 (152)	AH8741  1100 Series OptiAir Housing; Housing used with AF25962, AF25963 Overall Height: 19.24 (489) Largest OD: 12.17 (309) Largest ID: 5.0 (127) Outlet Diameter: 4.68 (119)
AH1195  FARR 71338005; Disposable Housing Unit Overall Height: 16.7 (424) Largest Housing OD: 13.5 (343) End Connection Height: 1.6 (41) End Connection OD: 7.0 (178)	AH8501  FARR 628911; Disposable; Housing Unit; Dual Air Flow; Replaces AH1104 Overall Height: 25.6 (650) Side Connection Loc: 5.5 (140) Side Connection Height: 1.81 (46) Side Connection OD: 6.0 (152) Largest housing OD: 9.75 (248) End Connection Height: 1.6 (41) End Connection OD: 6.0 (152)	AH8742  CUMMINS POWER GENERATION LTD 1403550; Air Housing Overall Height: 6.65 (169) End Connection Height: 1.52 (39) End Connection ID: 3.0 (76)
AH1196  Air filter housing package	AH8502  Outside/In Flow only Overall Height: 26.0 (660) Largest Housing OD: 11.0 (279) End Connection Height: 1.61 (41) End Connection OD: 7.0 (178)	AH8794  CUMMINS POWER GENERATION LTD 140420001; Air Housing Overall Height: 14.02 (356) Overall Length: 21.2 (539) Overall Width: 356.2 (9047) Largest Housing OD: 14.02 (356) Largest ID: 7.0 (178) Largest OD: 7.0 (178) AH8822 Housing used with AF26433, AF26434; Air Housing

E. PRODUCT GUIDE

AH8851 Housing used with AF26483, AF25963; Air Housing Overall Height: 12.98 (330) Largest OD: 11.22 (285) Largest ID: 5.0 (127)	AH19003  CUMMINS 3924893; For non-marine applications, use AH1136; Marine applied B & C Engines Overall Height: 12.38 (314) Largest Housing OD: 8.5 (216) End Connection Height: 1.38 (35) End Connection ID: 3.0 (76)	AH19042  Disposable Housing Unit Overall Height: 16.38 (416) Largest Housing OD: 12.5 (318) End Connection Height: 1.38 (35) End Connection ID: 6.0 (152)
AH8895 CUMMINS POWER GENERATION LTD A034J985; Military applications; Not available for Europe Overall Height: 26.3 (668) Largest OD: 18.12 (460) Largest ID: 9.0 (229)	AH19004  CUMMINS 3924541 For non-marine applications, use AH19037 Marine applied Cummins B & C engines Overall Height: 11.88 (302) Largest Housing OD: 10.5 (267) End Connection Height: 1.38 (35) End Connection ID: 4.0 (102)	AH19053  DONALDSON ECC065015; Air Housing; Replaces AH19013 Overall Height: 10.38 (264) Largest Housing OD: 6.5 (165) End Connection Height: 1.38 (35) End Connection ID: 2.0 (51)
AH8899 M.A.N. 51083010016; Air Housing; Replaces AF27877 Overall Height: 11.75 (299) Largest Housing OD: 7.76 (197) End Connection Height: 1.52 (39) End Connection ID: 5.93 (151)	AH19014  FARR 99842009; Motor Homes Overall Height: 16.72 (425) Side Connection Loc: 5.62 (143) Side Connection Height: 1.87 (47) Side Connection OD: 7.0 (178) Largest housing OD: 13.5 (343) End Connection Height: 1.6 (41) End Connection OD: 7.0 (178)	AH19056  FARR 400028001; Air Housing, Disposable Overall Height: 25.72 (653) Largest Housing OD: 11.0 (279) End Connection Height: 1.6 (41) End Connection OD: 7.0 (178)
AH8925  INGERSOLL-RAND 85413458; Air Housing Overall Height: 6.37 (162) Largest Housing OD: 6.66 (169) End Connection Height: 1.38 (35) End Connection ID: 2.22 (56) Largest ID: 2.22 (56) Largest OD: 6.66 (169)	AH19015  FARR 99842010; Motor Homes w/Cummins Eng Overall Height: 16.72 (425) Side Connection Loc: 9.62 (244) Side Connection Height: 1.87 (47) Side Connection OD: 7.0 (178) Largest housing OD: 13.5 (343) End Connection Height: 1.6 (41) End Connection OD: 7.0 (178)	AH19057  FARR 114880005; Air Housing, Disposable Overall Height: 17.2 (437) Side Connection Loc: 5.5 (140) Side Connection Height: 1.38 (35) Side Connection OD: 6.0 (152) Largest housing OD: 8.12 (206) End Connection Height: 1.25 (32) End Connection OD: 4.5 (114)
AH8948 Overall Height: 9.25 (235) Overall Length: 16.67 (423) Overall Width: 7.63 (194) Inlet Diameter: 3.0 (76) Inlet Length: 3.0 (76) Largest Housing OD: 7.63 (194) Outlet Diameter: 3.0 (76)	AH19036  CUMMINS 3630751; Uses service part(s) 3836953S, 3918236S, 3951391S; Housing used with AF25278; For Cummins gensets with KT/KTA/KTTA & VTA engines; Replaces 3895437 Overall Height: 16.02 (407) Width: 17.5 (444) Length: 21.1 (536) Outlet OD: 7.01 (178)	AH19061  NELSON 75544N; Uses service part(s) 3918201S, 3918219S; Housing used with AF1823K; Air Housing; Replaces AH1154 Overall Height w/o Wing Nut: 16.9 (429) Side Connection Height: 1.5 (38) Side Connection Loc: 13.15 (334) Side Connection OD: 2.5 (64) Largest housing OD: 5.25 (133) End Connection Height: 2.0 (51) End Connection OD: 2.5 (64) Dust collector: YES
AH19000  CATERPILLAR 310011; Donaldson ECC05-5003 Overall Height: 5.38 (137) Largest Housing OD: 5.5 (140) End Connection Height: 1.38 (35) End Connection ID: 1.75 (44)	AH19037  DONALDSON ECB105006; For marine applications, use AH19004; Disposable Housing Unit Overall Height: 11.88 (302) Largest Housing OD: 10.5 (267) End Connection Height: 1.38 (35) End Connection ID: 4.0 (102)	AH19062  NELSON 75542N; Uses service part(s) 3918201S, 3918219S; Housing used with AF1823K, AF1824; Air Housing; Replaces AH1142 Overall Height w/o Wing Nut: 16.9 (429) Side Connection Height: 1.5 (38) Side Connection Loc: 13.15 (334) Side Connection OD: 2.5 (64) Largest housing OD: 5.25 (133) End Connection Height: 2.0 (51) End Connection OD: 2.5 (64) Dust collector: YES
AH19001  CATERPILLAR 8X4575, DONALDSON ECC045001; Air Housing Overall Height: 5.88 (149) Largest Housing OD: 4.5 (114) End Connection Height: 1.38 (35) End Connection ID: 1.5 (38)	AH19040  ONAN 1403112; Housing used with AF947; Air Housing Overall Height w/o Wing Nut: 21.56 (548) Side Connection Height: 4.66 (119) Side Connection Loc: 14.41 (366) Side Connection OD: 4.49 (114) Largest housing OD: 10.98 (279) End Connection Height: 3.88 (99) End Connection OD: 4.13 (105) Dust collector: YES	

AH19063



NELSON 76559N; Uses service part(s) 3918202S, 3918220S; Housing used with AF1606KM; Air Housing; Replaces AH1155

Overall Height
w/o Wing Nut: 17.65 (448)
Side Connection Height: 1.5 (38)
Side Connection
Loc: 13.84 (352)
Side Connection OD: 3.0 (76)
Largest housing OD: 6.55 (166)
End Connection Height: 2.0 (51)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19064



NELSON 76542N; Uses service part(s) 3918202S, 3918220S; Housing used with AF1606KM, AF1892; Air Housing

Overall Height
w/o Wing Nut: 17.65 (448)
Side Connection Height: 1.5 (38)
Side Connection
Loc: 13.84 (352)
Side Connection OD: 3.0 (76)
Largest housing OD: 6.55 (166)
End Connection Height: 2.0 (51)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19065



NELSON 78058N; Uses service part(s) 3918203S, 3918222S; Housing used with AF4059K; Air Housing

Overall Height
w/o Wing Nut: 18.05 (458)
Side Connection Height: 1.5 (38)
Side Connection
Loc: 13.11 (333)
Side Connection OD: 3.75 (95)
Largest housing OD: 7.89 (200)
End Connection Height: 2.5 (64)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19066



NELSON 78056N; Uses service part(s) 3918203S, 3918222S; Housing used with AF4059K, AF4103; Air Housing

Overall Height
w/o Wing Nut: 18.05 (458)
Side Connection Height: 1.5 (38)
Side Connection
Loc: 13.11 (333)
Side Connection OD: 3.75 (95)
Largest housing OD: 7.89 (200)
End Connection Height: 2.5 (64)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19069



NELSON 71253N; Uses service part(s) 3918205S, 3918231S; Replacement filter:AF418M

Overall Height
w/o Wing Nut: 18.48 (469)
Side Connection
Height: 3.09 (78)
Side Connection Loc: 9.73 (247)
Side Connection OD: 5.0 (127)
Largest housing OD: 12.07 (307)
End Connection Height: 3.5 (89)
End Connection OD: 5.0 (127)
Dust collector: YES

AH19070



NELSON 71254N; Uses service part(s) 3918205S, 3918231S; Housing used with AF418M, AF490M; Air Housing

Overall Height
w/o Wing Nut: 17.44 (443)
Side Connection
Height: 2.23 (57)
Side Connection Loc: 9.75 (248)
Side Connection OD: 5.0 (127)
Largest housing OD: 12.07 (307)
End Connection Height: 3.5 (89)
End Connection OD: 5.0 (127)
Dust collector: YES

AH19073



NELSON 71658N; Uses service part(s) 3918236S; Housing used with AF4553M; Air Housing; Replaces AH1163

Overall Height
w/o Wing Nut: 24.64 (626)
Side Connection
Height: 1.95 (50)
Side Connection OD: 7.0 (178)
Largest housing OD: 16.1 (409)
End Connection Height: 2.0 (51)
End Connection OD: 7.0 (178)
Dust collector: YES

AH19074



NELSON 71659N; Uses service part(s) 3918236S, 3918242S; Housing used with AF4553M, AF4554M; Air Housing

Overall Height
w/o Wing Nut: 24.64 (626)
Side Connection
Height: 1.95 (50)
Side Connection OD: 7.0 (178)
Largest housing OD: 16.1 (409)
End Connection Height: 2.0 (51)
End Connection OD: 7.0 (178)
Dust collector: YES

AH19075



NELSON 71836N; Uses service part(s) 3918237S; Housing used with AF25544; Air Housing

Overall Height
w/o Wing Nut: 28.96 (736)
Side Connection
Height: 2.44 (62)
Side Connection Loc: 20.4 (518)
Side Connection OD: 10.0 (254)
Largest housing OD: 18.12 (460)
End Connection Height: 3.0 (76)
End Connection OD: 8.0 (203)
Dust collector: YES

AH19076



NELSON 71838N; Uses service part(s) 3918237S, 3918244S; Housing used with AF25544, AF25545; Uses Element(s): AK160, AK163; Air Housing; Replaces AH1153

Overall Height
w/o Wing Nut: 28.96 (736)
Side Connection
Height: 2.44 (62)
Side Connection Loc: 20.4 (518)
Side Connection OD: 10.0 (254)
Largest housing OD: 18.12 (460)
End Connection Height: 3.0 (76)
End Connection OD: 8.0 (203)
Dust collector: YES

AH19077



NELSON 77003N; Uses service part(s) 3918221S; Housing used with AF25546; Air Housing

AH19078



NELSON 78515N; Uses service part(s) 3918224S; Housing used with AF25547; Air Housing

Overall Height
w/o Wing Nut: 21.54 (547)
Side Connection
Height: 2.51 (64)
Side Connection Loc: 7.17 (182)
Side Connection OD: 5.0 (127)
Largest housing OD: 8.52 (216)
End Connection Height: 2.56 (65)
End Connection OD: 5.0 (127)

AH19079



NELSON 71041N; Uses service part(s) 3918226S; Housing used with AF25548; Air Housing

Overall Height
w/o Wing Nut: 22.96 (583)
Side Connection
Height: 2.59 (66)
Side Connection Loc: 5.45 (138)
Side Connection OD: 6.0 (152)
Largest housing OD: 10.1 (257)
End Connection Height: 3.06 (78)
End Connection OD: 6.0 (152)

AH19080



NELSON 71227N; Uses service part(s) 3918230S; Housing used with AF25549; Air Housing

Overall Height
w/o Wing Nut: 22.96 (583)
Side Connection
Height: 4.13 (105)
Side Connection Loc: 5.26 (134)
Side Connection OD: 7.0 (178)
Largest housing OD: 11.81 (300)
End Connection Height: 3.2 (81)
End Connection OD: 6.0 (152)

AH19081



NELSON 74049N; Uses service part(s) 3918199S, Q760311; Housing used with AF25550; Air Housing

Overall Height: 9.65 (245)
Side Connection
Height: 0.61 (15)
Side Connection Loc: 5.97 (152)
Side Opening Offset: 1.43 (36)
Side Connection OD: 1.75 (44)
Largest housing OD: 5.28 (134)
End Connection OD: 1.75 (44)
Dust collector: YES

AH19082



NELSON 74059N; Uses service part(s) 3918199S; Housing used with AF25550; Air Housing

Overall Height: 9.62 (244)
Side Connection
Height: 0.61 (15)
Side Connection Loc: 5.97 (152)
Side Opening Offset: 1.43 (36)
Side Connection OD: 1.75 (44)
Largest housing OD: 5.28 (134)
End Connection OD: 1.75 (44)
Dust collector: YES

E. PRODUCT GUIDE

AH19083



NELSON 75590N; Uses service part(s) 3918198S; Housing used with AF25551; Air Housing

Overall Height: 13.2 (335)
Side Connection Height: 0.7 (18)
Side Connection Loc: 9.27 (235)
Side Opening Offset: 1.75 (44)
Side Connection OD: 2.0 (51)
Largest housing OD: 6.24 (158)
End Connection OD: 2.0 (51)
Dust collector: YES

AH19084



NELSON 75584N; Uses service part(s) 3918198S; Housing used with AF25551, AF25552; Air Housing

Overall Height: 13.18 (335)
Side Connection Height: 0.7 (18)
Side Connection Loc: 9.27 (235)
Side Opening Offset: 1.75 (44)
Side Connection OD: 2.0 (51)
Largest housing OD: 6.24 (158)
End Connection OD: 2.0 (51)
Dust collector: YES

AH19085



NELSON 75591N; Uses service part(s) 3918198S; Housing used with AF25551; Air Housing

Overall Height: 14.14 (359)
Side Connection Height: 0.7 (18)
Side Connection Loc: 9.27 (235)
Side Opening Offset: 1.75 (44)
Side Connection OD: 2.0 (51)
Largest housing OD: 6.24 (158)
End Connection OD: 2.0 (51)
Dust collector: YES

AH19086



NELSON 75589N; Uses service part(s) 3918198S; Housing used with AF25551, AF25552; Air Housing

Overall Height: 14.14 (359)
Side Connection Height: 0.7 (18)
Side Connection Loc: 9.27 (235)
Side Opening Offset: 1.75 (44)
Side Connection OD: 2.0 (51)
Largest housing OD: 6.24 (158)
End Connection OD: 2.0 (51)
Dust collector: YES

AH19087



NELSON 765031N; Uses service part(s) 3918196S; Housing used with AF25553; Air Housing

Overall Height: 14.76 (375)
Side Connection Height: 1.07 (27)
Side Connection Loc: 10.8 (274)
Side Opening Offset: 2.06 (52)
Side Connection OD: 2.5 (64)
Largest housing OD: 6.68 (170)
End Connection OD: 2.5 (64)
Dust collector: YES

AH19088



NELSON 765026N; Uses service part(s) 3918196S; Housing used with AF25553, AF25554; Air Housing

Overall Height: 14.78 (375)
Side Connection Height: 1.07 (27)
Side Connection Loc: 10.8 (274)
Side Opening Offset: 2.06 (52)
Side Connection OD: 2.5 (64)
Largest housing OD: 6.68 (170)
End Connection OD: 2.5 (64)
Dust collector: YES

AH19089



NELSON 765032N; Housing used with AF25553; Air Housing

Overall Height: 16.18 (411)
Side Connection Height: 1.07 (27)
Side Connection Loc: 10.8 (274)
Side Opening Offset: 2.06 (52)
Side Connection OD: 2.5 (64)
Largest housing OD: 6.68 (170)
End Connection OD: 2.5 (64)
Dust collector: YES

AH19090



NELSON 765010N; Uses service part(s) 3918196S; Housing used with AF25554, AF25553; Air Housing

Overall Height: 16.18 (411)
Side Connection Height: 1.07 (27)
Side Connection Loc: 10.8 (274)
Side Opening Offset: 2.06 (52)
Side Connection OD: 2.5 (64)
Largest housing OD: 6.68 (170)
End Connection OD: 2.5 (64)
Dust collector: YES

AH19091



NELSON 77006N; Housing used with AF25555; Air Housing

Overall Height: 15.46 (393)
Side Connection Height: 0.83 (21)
Side Connection Loc: 11.41 (290)
Side Opening Offset: 1.98 (50)
Side Connection OD: 3.0 (76)
Largest housing OD: 8.1 (206)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19092



NELSON 77005N; Housing used with AF25555, AF25556; Air Housing

Overall Height: 15.46 (393)
Side Connection Height: 0.83 (21)
Side Connection Loc: 11.41 (290)
Side Opening Offset: 1.98 (50)
Side Connection OD: 3.0 (76)
Largest housing OD: 8.1 (206)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19093



NELSON 77008N; Housing used with AF25555; Air Housing

Overall Height: 17.38 (441)
Side Connection Height: 0.83 (21)
Side Connection Loc: 11.41 (290)
Side Opening Offset: 1.98 (50)
Side Connection OD: 3.0 (76)
Largest housing OD: 8.1 (206)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19094



NELSON 77007N; Housing used with AF25556, AF25555; Is included in 3946045; Air Housing

Overall Height: 17.38 (441)
Side Connection Height: 0.83 (21)
Side Connection Loc: 11.41 (290)
Side Opening Offset: 1.98 (50)
Side Connection OD: 3.0 (76)
Largest housing OD: 8.1 (206)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19095



NELSON 780004N; Uses service part(s) 3918197S; Housing used with AF25557; Air Housing

Overall Height: 16.23 (412)
Side Connection Height: 0.8 (20)
Side Connection Loc: 12.02 (305)
Side Opening Offset: 2.22 (57)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.26 (235)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19096



NELSON 78096N; Uses service part(s) 3918197S; Housing used with AF25557, AF25558; Air Housing

Overall Height: 16.23 (412)
Side Connection Height: 0.8 (20)
Side Connection Loc: 12.02 (305)
Side Opening Offset: 2.22 (57)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.26 (235)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19097



NELSON 780005N; Uses service part(s) 3918197S; Housing used with AF25557; Air Housing

Overall Height: 18.63 (473)
Side Connection Height: 0.8 (20)
Side Connection Loc: 12.02 (305)
Side Opening Offset: 2.22 (57)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.26 (235)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19098



NELSON 780003N; Uses service part(s) 3918197S; Housing used with AF25557, AF25558; Air Housing

Overall Height: 18.63 (473)
Side Connection Height: 0.8 (20)
Side Connection Loc: 12.02 (305)
Side Opening Offset: 2.22 (57)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.26 (235)
End Connection OD: 3.5 (89)
Dust collector: YES

E. PRODUCT GUIDE

AH19099



NELSON 71175N; Housing used with AF954M; Air Housing

Overall Height: 30.1 (765)
Side Connection Loc: 8.0 (203)
Side Connection Height: 1.81 (46)
Side Connection OD: 6.0 (152)
Largest housing OD: 12.38 (314)
End Connection OD: 7.0 (178)

AH19100



NELSON 71176N; Housing used with AF954M; Air Housing

Overall Height: 30.1 (765)
Side Connection Loc: 8.0 (203)
Side Connection Height: 1.81 (46)
Side Connection OD: 6.0 (152)
Largest housing OD: 12.38 (314)
End Connection OD: 7.0 (178)

AH19106



NELSON 71304C Housing used with AF1616 Air Housing

Overall Height: 32.95 (837)
Side Connection Loc: 18.44 (468)
Side Connection Height: 3.82 (97)
Side Connection OD: 6.0 (152)
Largest housing OD: 13.2 (335)

AH19107



NELSON 74017N; Uses service part(s) 3918218S; Housing used with AF1658K; Air Housing

Overall Height w/o Wing Nut: 8.5 (216)
Side Connection Height: 1.2 (31)
Side Connection Loc: 6.0 (152)
Side Connection OD: 1.75 (44)
Largest housing OD: 4.57 (116)
End Connection Height: 1.0 (25)
End Connection OD: 1.75 (44)
Dust collector: YES

AH19108



NELSON 75536N; Uses service part(s) 3918200S, 3918219S; Housing used with AF25543K; Air Housing

Side Connection Height: 1.5 (38)
Side Connection Loc: 9.35 (237)
Side Connection OD: 2.0 (51)
Overall Height w/o Wing Nut: 12.85 (326)
Largest housing OD: 5.25 (133)
End Connection Height: 2.0 (51)
End Connection OD: 2.0 (51)
Dust collector: YES

AH19109



NELSON 76533N; Uses service part(s) 3918201S, 3918220S; Housing used with AF437KM, AF437K; Air Housing

Overall Height w/o Wing Nut: 13.65 (347)
Side Connection Loc: 1.81 (46)
Side Connection OD: 2.5 (64)
End Connection Height: 2.0 (51)
End Connection OD: 2.25 (57)
Dust collector: YES

AH19110



NELSON 78037N; Uses service part(s) 3918202S, 3918222S; Housing used with AF409KM, AF409K; Includes AF409KM; Air Housing

Overall Height w/o Wing Nut: 14.5 (368)
Side Connection Height: 1.5 (38)
Side Connection Loc: 10.44 (265)
Side Connection OD: 3.0 (76)
Largest housing OD: 7.89 (200)
End Connection Height: 2.0 (51)
End Connection OD: 3.0 (76)
Dust collector: YES

AH19111

Housing used with AF872M, AF872SD Air Housing

AH19113



Element for AF890, AF891M; Air Housing

Overall Height w/o Wing Nut: 28.28 (718)
Side Connection Height: -2.25 (-57)
Side Connection OD: 7.0 (178)
Largest housing OD: 16.0 (406)
End Connection Height: 3.87 (98)
End Connection OD: 7.0 (178)

AH19115



CUMMINS 4001508; Housing used with AF25593; Air Housing

Width: 16.04 (408)
Length: 26.85 (682)
Outlet OD: 6.89 (175)

AH19220



DONALDSON HOUSINGS ECC125004; Air Housing, Disposable

Overall Height: 12.38 (314)
Largest Housing OD: 12.5 (318)
End Connection Height: 1.38 (35)
End Connection ID: 5.0 (127)

AH19222



FARR 117122000; Air Housing, Disposable

Overall Height: 25.6 (650)
Largest Housing OD: 11.5 (292)
End Connection Height: 1.6 (41)
End Connection OD: 7.5 (191)

AH19223



Air Housing, Disposable

Overall Height: 16.72 (425)
Side Connection Loc: 9.5 (241)
Side Connection Height: 1.85 (47)
Side Connection OD: 7.0 (178)
Largest housing OD: 13.5 (343)
End Connection Height: 1.6 (41)
End Connection OD: 7.0 (178)

AH19228



DONALDSON D045003, INGERSOLL-RAND 8524575; Air Housing

Overall Height: 5.88 (149)
Largest Housing OD: 4.5 (114)
End Connection Height: 1.38 (35)
End Connection ID: 1.5 (38)

AH19232



DONALDSON HOUSINGS ECC065002; Air Housing

Overall Height: 8.88 (226)
Largest Housing OD: 6.5 (165)
End Connection Height: 1.38 (35)
End Connection ID: 2.0 (51)

AH19236

Housing used with AF25691, AF25690; Air Housing

AH19257



CUMMINS 140328801, NELSON 71355A; Uses service part(s) 3935421S; Housing used with AF25708M; Uses Element(s): AK161, AK164; Is included in 3941466; Air Housing

Overall Height: 23.81 (605)
Largest Housing OD: 14.11 (358)
End Connection Height: 3.13 (80)
End Connection OD: 7.12 (181)

AH19259



NELSON 71494N; Housing used with AF1828, AF1894M; Air Housing with Dust Collector

Overall Height w/o Wing Nut: 25.05 (636)
Side Connection Height: -3.0 (-76)
Side Connection Loc: 3.75 (95)
Side Connection OD: 6.0 (152)
Largest housing OD: 14.1 (358)
End Connection Height: 3.0 (76)
End Connection OD: 6.0 (152)
Dust collector: YES

AH19260



OptiAir 800 Series Air Housing Systems; Uses service part(s) 3946462S; Housing used with AF25960, AF25961; 8" plastic, w/safety, straight

Overall Height: 14.49 (368)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.21 (234)
End Connection OD: 4.0 (102)

AH19261



OptiAir 800 Series Air Housing Systems; 8" plastic, w/o safety, straight; Uses service part(s) 3946462S; Housing used with AF25960

Overall Height: 14.49 (368)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.21 (234)
End Connection OD: 4.0 (102)

AH19266



NELSON 71361A Uses service part(s) 3935422S Housing used with AF25708M Similar to the AH19257 with flame retardant material

Overall Height: 23.81 (605)
Largest Housing OD: 14.11 (358)
End Connection Height: 3.13 (80)
End Connection OD: 7.12 (181)

E. PRODUCT GUIDE

AH19267



NELSON 78084A; Housing used with AF1733K, AF4103; Air Housing

Overall Height
w/o Wing Nut: 18.51 (470)
Side Connection Loc: 2.44 (62)
Side Connection OD: 3.75 (95)
Largest housing OD: 7.89 (200)
End Connection Height: 2.5 (64)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19268



NELSON 78085A; Housing used with AF1733K; Air Housing

Overall Height
w/o Wing Nut: 18.51 (470)
Side Connection Loc: 2.44 (62)
Side Connection OD: 3.75 (95)
Largest housing OD: 7.89 (200)
End Connection Height: 2.5 (64)
End Connection OD: 3.5 (89)
Dust collector: YES

AH19269



Housing used with AF1735K, AF4150; Air Housing

Overall Height
w/o Wing Nut: 19.8 (503)
Side Connection
Height: -2.19 (-56)
Side Connection Loc: 2.7 (69)
Side Connection OD: 4.0 (102)
Largest housing OD: 9.47 (241)
End Connection Height: 2.4 (61)
End Connection OD: 4.0 (102)
Dust collector: YES

AH19270



NELSON 79090A; Air Housing

Overall Height
w/o Wing Nut: 19.8 (503)
Side Connection
Height: -1.93 (-49)
Side Connection Loc: 2.7 (69)
Side Connection OD: 4.0 (102)
Largest housing OD: 8.95 (227)
End Connection Height: 2.4 (61)
End Connection OD: 4.0 (102)
Dust collector: YES

AH19271



CUMMINS 10000128; Air Housing

Overall Height
w/o Wing Nut: 21.9 (556)
Side Connection
Height: 2.87 (73)
Side Connection
Loc: 14.94 (379)
Side Connection OD: 6.0 (152)
Largest housing OD: 11.81 (300)
End Connection Height: 3.46 (88)
End Connection OD: 5.0 (127)
Dust collector: YES

AH19272



NELSON 71295A; Housing used with AF4754; Air Housing

Overall Height
w/o Wing Nut: 21.9 (556)
Side Connection
Height: 2.87 (73)
Side Connection
Loc: 14.94 (379)
Side Connection OD: 6.0 (152)
Largest housing OD: 11.81 (300)
End Connection Height: 3.46 (88)
End Connection OD: 5.0 (127)
Dust collector: YES

AH19273



NELSON 71373A; Uses service part(s) 3936445S; Housing used with AF25708M; Air Housing

Overall Height: 23.95 (608)
Largest Housing OD: 14.11 (358)
End Connection Height: 3.13 (80)
End Connection OD: 7.12 (181)

AH19274



NELSON 71374A; Uses service part(s) 3936445S; Housing used with AF25708M; Air Housing

Overall Height: 23.95 (608)
Side Connection
Height: 1.19 (30)
Side Connection Loc: 7.5 (191)
Side Opening Offset: 3.58 (91)
Side Connection OD: 8.0 (203)
Largest housing OD: 14.11 (358)
End Connection OD: 7.0 (178)

AH19322



CUMMINS 4090571 Housing used with AF947 Air Housing

Overall Height: 17.67 (449)

AH19323



Housing used with AF25877, AF25878; Air Housing

Overall Height
w/o Wing Nut: 23.31 (592)
Side Connection
Height: 6.99 (178)
Side Connection
Loc: 17.62 (447)
Side Connection OD: 6.0 (152)
Largest housing OD: 14.02 (356)
End Connection Height: 1.5 (38)
End Connection OD: 5.51 (140)
Dust collector: YES

AH19324



Housing used with AF4674, AF4675; Air Housing; Replaces AH1152

Overall Height
w/o Wing Nut: 30.62 (778)
Side Connection
Height: 5.0 (127)
Side Connection
Loc: 23.64 (600)
Side Connection OD: 7.0 (178)
Largest housing OD: 16.0 (406)
End Connection Height: 2.24 (57)
End Connection OD: 6.0 (152)
Dust collector: YES

AH19325



CUMMINS 3103261; Housing used with AF928M; perforated lid, no side connection

Overall Height: 18.94 (481)
Largest Housing OD: 15.95 (405)
End Connection Height: 1.5 (38)
End Connection ID: 5.5 (140)

AH19326



CUMMINS 3103262; Housing used with AF928M side connection

Overall Height: 18.94 (481)
Side Connection
Loc: 12.76 (324)
Side Connection
Height: 4.78 (121)
Side Connection OD: 7.0 (178)
Largest housing OD: 15.95 (405)
End Connection Height: 1.42 (36)
End Connection OD: 5.62 (143)

AH19327



CUMMINS 4095069; Housing used with AF872; Air Housing

Overall Height: 20.81 (529)
Side Connection
Loc: 12.99 (330)
Side Connection
Height: 4.99 (127)
Side Connection OD: 8.0 (203)
Largest housing OD: 16.0 (406)
End Connection Height: 2.5 (64)
End Connection OD: 7.0 (178)

AH19330



NELSON 755013N; Housing used with AF25959; 5" Opti-Air

AH19331



8" Opti-Air 600 Series; Housing used with AF25960, AF25961

Overall Height: 16.19 (411)
End Connection OD: 4.0 (102)
Dust Collector: YES

AH19333



OptiAir 1100 Series; Uses service part(s) 3946465S; Housing used with AF25962; 11" plastic, w/o safety, straight

Overall Height: 18.88 (480)


AH19334



OptiAir 1100 Series; 11" plastic, w/safety, straight; Uses service part(s) 3946465S; Housing used with AF25963, AF25962


Overall Height: 13.77 (350)
Overall Length: 19.25 (489)
Overall Width: 12.17 (309)
Capacity at Primary Rated Flow: 1784.5
Housing OD: 12.17 (309)
Inlet Diameter: 5.0 (127)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 538.0 cfm

AH19351



ZHENGZHOU YUTONG GROUP CO., LTD 110900483, 8108H016291; Housing used with AF25276, AF25277; Air Housing

AH19387



CUMMINS POWER GENERATION LTD 1404211; Housing used with AF25904; Air Housing

E. PRODUCT GUIDE

AH19388	CUMMINS 3815551; Housing used with AF25910, AF25911; Air Housing
AH19392	CUMMINS 4957907 Air Housing
AH19394	Housing used with AF25885, AF25884; Air Housing Overall Height: 10.67 (271) Overall Length: 22.48 (571) Housing OD: 10.67 (271) Inlet Diameter: 4.06 (103) Outlet Diameter: 4.02 (102)
AH19399	Housing used with AF26009, AF26011 Air Housing
AH19426	CUMMINS 4055573 Housing used with AF25865, AF25866K Air Housing Overall Height: 16.93 (430) Overall Length: 20.94 (532) Housing OD: 10.16 (258) Inlet Diameter: 5.0 (127) Outlet Diameter: 10.16 (258)
AH19429	Housing used with AF4674, AF4675; Air Housing Overall Height: 26.57 (675) Overall Length: 28.19 (716) Housing OD: 16.5 (419) Inlet Diameter: 6.0 (152) Outlet Diameter: 7.0 (178)
AH19442	Housing used with AF25815, AF25816; Air Housing Overall Height: 20.91 (531) Housing OD: 14.09 (358) Inlet Diameter: 5.96 (152) Outlet Diameter: 14.09 (358)
AH19454	TATA 252709130317; Housing used with AF26059, AF26058; Air Housing Overall Height: 10.12 (257) Overall Length: 14.96 (380) Overall Width: 11.14 (283) Housing OD: 10.12 (257) Inlet Diameter: 3.5 (89)
AH19459	Housing used with AF25818, AF25817; Air Housing
AH19464	Housing used with AF26063, AF26056; Air Housing Overall Height: 14.53 (369) Overall Length: 23.98 (609) Housing OD: 14.53 (369) Inlet Diameter: 5.51 (140) Outlet Diameter: 6.0 (152)
AH19468	CUMMINS POWER GENERATION LTD 1404331; Housing used with AF25904; Air Housing

AH19472	Housing used with AF26676, AF26339; Air Housing Overall Height: 21.42 (544) Overall Length: 21.54 (547) Overall Width: 13.98 (355) Housing OD: 15.94 (405) Inlet Diameter: 6.02 (153) Outlet Diameter: 8.11 (206)
AH19473	Uses service part(s) 3940926S; Housing used with AF899M, AF880; Is included in 3941642; Air Housing Overall Height: 24.0 (610) End Connection OD: 10.0 (254) Dust Collector: YES
AH19474	 OptiAir 400 Series Air Housing Systems; Uses service part(s) 3946459S; Housing used with AF26116; 4" plastic, w/o secondary, straight Overall Height: 7.44 (189) Side Connection OD: 2.0 (51) Largest housing OD: 5.42 (138) End Connection OD: 2.0 (51)
AH19476	 OptiAir 600 Series Air Housing Systems; 6" plastic, w/o safety, straight; Uses service part(s) 3946461S; Housing used with AF26117; Replaces 765066N Overall Height: 12.87 (327) Side Connection OD: 3.0 (76) Largest housing OD: 7.57 (192) End Connection OD: 3.0 (76)
AH19477	 OptiAir 600 Series with Twist Lock, Straight Outlet, Safety Element; Uses service part(s) 3946461S; Housing used with AF26117, AF26118 Overall Height: 12.87 (327) Side Connection OD: 3.0 (76) Largest housing OD: 7.56 (192) End Connection OD: 3.0 (76)
AH19478	 OptiAir 1000 Series; Uses service part(s) 3946463S; Housing used with AF26120; 10" plastic, w/o secondary, straight Overall Height: 11.57 (294) Overall Length: 17.42 (443) Overall Width: 10.63 (270) Housing OD: 10.63 (270) Inlet Diameter: 4.5 (114) Outlet Diameter: 4.5 (114) Primary Rated Flow: 375.0 cfm
AH19479	 OptiAir 1000 Series; 10" plastic, w/safety, straight; Uses service part(s) 3946463S; Housing used with AF26120, AF26121 Overall Height: 11.57 (294) Overall Length: 17.42 (443) Overall Width: 10.63 (270) Housing OD: 10.63 (270) Inlet Diameter: 4.5 (114) Outlet Diameter: 4.5 (114) Primary Rated Flow: 375.0 cfm

AH19480	 OptiAir 1300 Series System with Twist Lock, Straight Outlet, Primary Only; Uses service part(s) 3946467S; Housing used with AF26124 Overall Height: 23.03 (585) Side Connection OD: 7.0 (178) Largest housing OD: 14.02 (356) End Connection OD: 7.0 (178) Dust collector: YES
AH19481	 OptiAir 1300 Series with Twist Lock, Straight Outlet, Primary and Safety; Uses service part(s) 3946467S; Housing used with AF26124, AF26125 Overall Height: 23.03 (585) Side Connection OD: 7.0 (178) Largest housing OD: 14.02 (356) End Connection OD: 7.0 (178) Dust collector: YES
AH19482	 OptiAir 500 Series with Twist Lock, Straight Outlet, Primary and Safety; Uses service part(s) 3946460S; Housing used with AF26168, AF26166, AF26351 Overall Height: 7.98 (203) Side Connection Height: -1.56 (-40) Side Connection Loc: 1.5 (38) Side Opening Offset: 1.87 (47) Side Connection OD: 2.5 (64) Largest housing OD: 6.41 (163) End Connection OD: 2.5 (64) Dust collector: YES
AH19483	 OptiAir 500 Series Air Housing Systems; 5" plastic, w/o safety, straight; Uses service part(s) 3946460S; Housing used with AF26168 Overall Height: 11.18 (284) Side Connection OD: 2.5 (64) Largest housing OD: 6.41 (163) End Connection OD: 2.5 (64)
AH19484	 OptiAir 400 Series with Twist Lock, 90 Degree Elbow, Primary and Safety; Uses service part(s) 3946459S; Housing used with AF26116, AF26167, AF26350 Overall Height: 7.44 (189) Side Connection OD: 2.0 (51) Largest housing OD: 5.42 (138) End Connection OD: 1.97 (50)
AH19485	 OptiAir 400 Series Air Housing Systems; 4" plastic, w/o safety, 90 elbow; Uses service part(s) 3946459S; Housing used with AF26116 Overall Height: 7.44 (189) Side Connection OD: 2.0 (51) Largest housing OD: 5.42 (138) End Connection OD: 2.0 (51)

E. PRODUCT GUIDE

AH19486



OptiAir 500 Series with Twist Lock, 90 Degree Elbow, Primary and Safety; Uses service part(s) 3946460S; Housing used with AF26168, AF26166, AF26351

Overall Height: 7.98 (203)
Side Connection Height: -1.54 (-39)
Side Connection Loc: 1.5 (38)
Side Opening Offset: 1.87 (47)
Side Connection OD: 2.5 (64)
Largest housing OD: 6.41 (163)
End Connection OD: 2.5 (64)
Dust collector: YES

AH19487



OptiAir 500 Series Air Housing Systems; 5" plastic, w/o safety, 90 elbow; Uses service part(s) 3946460S; Housing used with AF26168

Overall Height: 11.18 (284)
Side Connection OD: 2.5 (64)
Largest housing OD: 6.41 (163)
End Connection OD: 2.5 (64)

AH19488



OptiAir 600 Series Air Housing Systems; 6" plastic, w/safety, 90 elbow; Uses service part(s) 3946461S; Housing used with AF26117, AF26118

Overall Height: 12.87 (327)
Side Connection OD: 3.0 (76)
Largest housing OD: 7.56 (192)
End Connection OD: 3.0 (76)

AH19489



OptiAir 600 Series Air Housing Systems; 6" plastic, w/o safety, 90 elbow; Uses service part(s) 3946461S; Housing used with AF26117

Overall Height: 12.87 (327)
Side Connection OD: 3.0 (76)
Largest housing OD: 7.56 (192)
End Connection OD: 3.0 (76)

AH19490



OptiAir 800 Series Air Housing Systems; 8" plastic, w/safety, 90 elbow; Uses service part(s) 3946462S; Housing used with AF25960, AF25961

Overall Height: 14.49 (368)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.21 (234)
End Connection OD: 3.5 (89)

AH19491



OptiAir 800 Series Air Housing Systems; 8" plastic, w/o safety, 90 elbow; Uses service part(s) 3946462S; Housing used with AF25960; Is included in AK177

Overall Height: 14.48 (368)
Side Connection OD: 3.75 (95)
Largest housing OD: 9.21 (234)
End Connection OD: 3.5 (89)

AH19496



OptiAir 400 Series with Twist Lock, Straight Outlet, Primary and Safety; Uses service part(s) 3946459S; Housing used with AF26116, AF26167, AF26350

Overall Height: 7.44 (189)
Side Connection OD: 2.0 (51)
Largest housing OD: 5.42 (138)
End Connection OD: 2.0 (51)

AH19497



ALASKA DIESEL 2426804; Air Housing

Overall Height: 10.38 (264)
Largest Housing OD: 12.5 (318)
End Connection Height: 1.38 (35)
End Connection ID: 5.5 (140)

AH19517

OptiAir 1100 Series; Uses service part(s) SP1341

Overall Height: 19.37 (491)
Largest OD: 11.97 (304)
End 1 ID: 5.0 (127)

AH19518

OptiAir 1100 Series; Uses service part(s) SP1341

Overall Height: 19.37 (491)
Largest OD: 11.97 (304)
End 1 ID: 5.0 (127)

AH55522



Air Cleaner, Direct Flow DF1200

Overall Height: 14.55 (370)
Overall Length: 25.0 (635)
Overall Width: 15.55 (395)
Outlet Diameter: 6.0 (152)
Primary Rated Flow: 887.0 cfm
Maximum Recommended Rated Flow: 1106.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 7.0 (178)

AH55555



Air Cleaner, Direct Flow DF600

Overall Height: 19.37 (492)
Overall Length: 25.31 (643)
Overall Width: 10.0 (254)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 290.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial

AH55556



Air Cleaner, Direct Flow DF900

Overall Height: 12.68 (322)
Overall Length: 24.53 (623)
Overall Width: 17.68 (449)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 300.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55557



Air Cleaner, Direct Flow DF900

Overall Height: 13.03 (331)
Overall Length: 24.49 (622)
Overall Width: 21.38 (543)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 300.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial

AH55558



Air Cleaner, Direct Flow DF900

Overall Height: 15.75 (400)
Overall Length: 24.53 (623)
Overall Width: 21.38 (543)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 300.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55559



Air Cleaner, Direct Flow DF900

Overall Height: 9.0 (229)
Overall Length: 24.53 (623)
Overall Width: 21.0 (533)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 300.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Inlet Transition Diameter: 5.0 (127)
Type Cleaner Inlet: Pre-cleaner
Type Seal: Radial

AH55560



Air Cleaner, Direct Flow DF900

Overall Height: 14.61 (371)
Overall Length: 24.53 (623)
Overall Width: 22.4 (569)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 300.0 cu. m/min
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial

AH55561



Air Cleaner, Direct Flow DF900

Overall Height: 10.67 (271)
Overall Length: 24.49 (622)
Overall Width: 27.05 (687)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 300.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55562



Air Cleaner, Direct Flow DF1200

Overall Height: 18.46 (469)
Overall Length: 25.0 (635)
Overall Width: 10.61 (270)
Outlet Diameter: 6.0 (152)
Primary Rated Flow: 450.0 cfm
Maximum Recommended Rated Flow: 600.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55563



Air Cleaner, Direct Flow DF1200

Overall Height: 17.98 (457)
Overall Length: 25.0 (635)
Overall Width: 18.78 (477)
Outlet Diameter: 6.0 (152)
Primary Rated Flow: 450.0 cfm
Maximum Recommended Rated Flow: 600.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Pre-cleaner
Type Seal: Radial

AH55564



Air Cleaner, Direct Flow DF1200

Overall Height: 17.75 (451)
Overall Length: 25.0 (635)
Overall Width: 23.44 (595)
Outlet Diameter: 6.0 (152)
Primary Rated Flow: 450.0 cfm
Maximum Recommended Rated Flow: 600.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Pre-cleaner
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55602



Element for AF55005; Air Housing

Overall Height: 19.37 (492)
Overall Length: 25.31 (643)
Overall Width: 10.0 (254)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 290.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55603



CUMMINS 326419; Element for AF55005; Air Housing

Overall Height: 19.37 (492)
Overall Length: 29.88 (759)
Overall Width: 8.99 (228)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 290.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55604

Element for AF55005; Air Housing

Overall Height: 19.37 (492)
Overall Length: 25.31 (643)
Overall Width: 10.0 (254)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 290.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial

AH55605



Element for AF55005; Air Housing

Overall Height: 19.37 (492)
Overall Length: 29.84 (758)
Overall Width: 10.0 (254)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 290.0 cfm
Maximum Recommended Rated Flow: 500.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: Yes
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55628



NAVISTAR 3739063C91; Air Housing

Overall Height: 26.3 (668)
Overall Length: 18.0 (457)
Overall Width: 8.78 (223)
Outlet Diameter: 5.0 (127)
Primary Rated Flow: 600.0 cfm
Maximum Recommended Rated Flow: 600.0 cfm
Minimum Recommended Rated Flow: 200.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 7.0 (178)

AH55629



CUMMINS 5305975; Air Housing

Overall Height: 18.47 (469)
Overall Length: 12.71 (323)
Overall Width: 8.86 (225)
Outlet Diameter: 4.0 (102)
Primary Rated Flow: 250.0 cfm
Maximum Recommended Rated Flow: 400.0 cfm
Minimum Recommended Rated Flow: 150.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55630



CUMMINS 5305976; Air Housing

Overall Height: 20.51 (521)
Overall Length: 10.91 (277)
Overall Width: 9.49 (241)
Outlet Diameter: 3.98 (101)
Primary Rated Flow: 325.0 cfm
Maximum Recommended Rated Flow: 400.0 cfm
Minimum Recommended Rated Flow: 150.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

AH55631



Cummins 5305982; Air Housing

Overall Height: 24.49 (622)
Overall Length: 10.91 (277)
Overall Width: 9.49 (241)
Outlet Diameter: 3.98 (101)
Primary Rated Flow: 350.0 cfm
Maximum Recommended Rated Flow: 400.0 cfm
Minimum Recommended Rated Flow: 150.0 cfm
Pre-cleaner: No
Type Cleaner Inlet: Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0 (127)

E. PRODUCT GUIDE

AH55632 CUMMINS 5305981; Air Housing



Overall Height: 22.48 (571)
Overall Length: 12.72 (323)
Overall Width: 9.49 (241)
Outlet Diameter: 3.98 (101)
Primary Rated Flow: 350.0 cfm
Maximum Recommended
Rated Flow: 400.0 cfm
Minimum Recommended
Rated Flow: 150.0 cfm
Pre-cleaner: No
Type Cleaner Inlet:
Straight (In-Line)
Type Seal: Radial
Inlet Transition Diameter: 5.0
(127)

AH8798 1600 Series OptiAir Lite; Housing used with AF26676, AF26339

Overall Height: 19.45 (494)
Largest OD: 16.85 (428)
Largest ID: 6.02 (153)

AH8854 Housing used with AF25269, AF25268; Air Housing

Air Kits

AK8



Bracket Assembly; Gasket(s): 3316436; For AF4516 (3839974 Wing nut included) (3311624 Bolt seal included)

AK14

500 Series OptiAir A-Series Air Filter Kit without Safety and with Weatherhood; Uses service part(s) 3947659S

AK15



600 Series OptiAir A-Series Air Filter Kit without Safety and with Weatherhood; Uses service part(s) 3947658S

AK17




Series OptiAir Air Cleaner Kit with Safety Element and Weatherhood; Uses service part(s) 394694S 500

AK150



CUMMINS POWER GENERATION LTD A041R792; Air Kit

AK151



CUMMINS POWER GENERATION LTD A042Y036; Air Kit

AK152



CUMMINS POWER GENERATION LTD A043E982; Air Kit

AK153



CUMMINS POWER GENERATION LTD A043E988; Air Kit

AK154




CUMMINS 4310201; Air Kit

AK155


CUMMINS 4310196; Air Kit

AK160



CUMMINS POWER GENERATION LTD A048E663; Element for AH19076; Air Kit

AK161




CUMMINS POWER GENERATION LTD A048E659; Element for AH19257; Air Kit

AK162



CUMMINS POWER GENERATION LTD A048E655; Element for AH1135; Air Kit

AK163




CUMMINS POWER GENERATION LTD A048E661; Element for AH19076; Air Kit

AK164



CUMMINS POWER GENERATION LTD A048E657; Element for AH19257; Air Kit

AK177



CUMMINS POWER GENERATION LTD A050B234; Includes 3918197S, AH19491; Air Kit

AK55690



Contains: AH55522, SP1019, 3946326S, 3316662S, 3316589S; Kenworth T800 ISM Engines 2005-2008

AK55723

Element for AF55015; Air Housing

Air Pre-cleaners

AP8403



SY-KLONE 9001; Uses service part(s) 3904837S, 3904838S, 3904839S; Pre-cleaner for AP85035, AP85036 Self-cleaning Pre-cleaners for 100-250 CFM 4" Intake

AP8404



SY-KLONE 9002; Uses service part(s) 3904840S, 3904841S, 3904842S; Pre-cleaner for AP85041, AP85042, AP85043, AP85044, AP85046, AP85047; Self-cleaning Pre-cleaners for 500-650 CFM 6" Intake

AP8405



SY-KLONE 9003; Uses service part(s) 3905073S, 3905074S; Pre-cleaner for AP85051, AP85052, AP85053, AP85054, AP85055, AP85057, AP85058, AP85152, AP85154; Self-cleaning Pre-cleaner for 800-1150 CFM 8" Intake

AP8406



SY-KLONE 9004; Uses service part(s) 3905073S, 3905074S, 3918243S; Pre-cleaner for AP85061, AP85062, AP85063, AP85064, AP85163; Self-cleaning Pre-cleaners for 1150-1400 CFM 8" Intake

AP8407



SY-KLONE 9000; Self-Cleaning Pre-cleaners for 10-50 CFM 2" Intake

AP8408



SY-KLONE 9000R; Uses service part(s) 3918240S; Self-Cleaning Pre-cleaners for 50-120 CFM 3" Intake

AP8409



SY-KLONE 9001R; Uses service part(s) 3904837S, 3904838S, 3904839S; Pre-cleaner for AP85037, AP85038; Self-cleaning Pre-cleaners for 275-350 CFM 4" Intake

AP8410



SY-KLONE 9002R; Uses service part(s) 3904840S, 3904841S, 3904842S; Pre-cleaner for AP85101, AP85102, AP85104, AP85105; Self-cleaning Pre-cleaners for 650-800 CFM 6" Intake

AP8421 	SY-KLONE 9005; Self-cleaning Pre-cleaners for 350-500 CFM 5" Intake	AP85046 SY-KLONE 9502RLF006; Uses service part(s) 3939411S, 3946090S, 3953526S; Uses pre-cleaner AP8404 Dual Stage Self-Cleaning Pre-cleaner Heavy Equipment	AP85062 SY-KLONE 9504LF002; Uses service part(s) 3946089S, 3946105S, 3952350S, 3953527S; Uses pre-cleaner AP8406 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85035 	Uses service part(s) 3946110S, 3971125S; Uses pre-cleaner AP8403 Dual Stage Self-Cleaning Pre-Cleaner	AP85047 SY-KLONE 9502RLF007; Uses service part(s) 3939411S, 3946090S, 3953525S; Uses pre-cleaner AP8404 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85063 SY-KLONE 9504003; Uses service part(s) 3952350S, 3953527S; Uses pre-cleaner AP8406 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85036 	SY-KLONE 9501LF001; Uses service part(s) 3939409S, 3946091S, 3946110S, 3971125S; Uses pre-cleaner AP8403 Dual Stage Pre-Cleaner	AP85051 SY-KLONE 9503LF001; Uses service part(s) 3946089S, 3946105S, 3952334S, 3952350S, 3952353S, 3953523S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Cat D8R/H	AP85064 SY-KLONE 9504004; Uses service part(s) 3952350S, 3953528S; Uses pre-cleaner AP8406 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85037 	SY-KLONE 9501R001; Uses service part(s) 3946110S, 3971125S; Uses pre-cleaner AP8409 Dual Stage Pre-Cleaner	AP85052 SY-KLONE 9503002 Uses service part(s) 3952350S, 3953527S Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85101 SY-KLONE 9502R01; Uses service part(s) 3953525S; Uses pre-cleaner AP8410 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85038 	SY-KLONE 9501RLF001; Uses service part(s) 3939409S, 3946091S, 3946110S, 3971125S; Uses pre-cleaner AP8409 Dual Stage Pre-Cleaner	AP85053 SY-KLONE 9503LF003; Uses service part(s) 3946089S, 3946105S, 3952350S, 3952353S, 3953524S, 3953535S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Cat D9R/N	AP85102 SY-KLONE 9502R002; Uses service part(s) 3953526S; Uses pre-cleaner AP8410 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85041 	SY-KLONE 9502LF001; Uses service part(s) 3939411S, 3946090S, 3952334S, 3952353S, 3953520S, 3953535S; Uses pre-cleaner AP8404 Dual Stage Self-Cleaning Pre-cleaner for CAT D6R/H	AP85054 SY-KLONE 9503004; Uses service part(s) 3952350S, 3953528S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85104  SY-KLONE 9502RLF004 Uses service part(s) 3939411S, 3946090S, 3953525S; Uses pre-cleaner AP8410; Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85042 	SY-KLONE 9502LF002 Uses service part(s) 3939411S, 3946090S, 3952334S, 3952353S, 3953521S, 3953530S Uses pre-cleaner AP8404 Dual Stage Self-Cleaning Pre-cleaner for Cat D7R/H	AP85055 SY-KLONE 9503LF005; Uses service part(s) 3946089S, 3946105S, 3952350S, 3952351S, 3952361S, 3952362S, 3952363S, 3953527S, 3953533S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Cat 826G	AP85105 SY-KLONE 9502RLF005; Uses service part(s) 3939411S, 3946090S, 3953526S; Uses pre-cleaner AP8410 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment
AP85043 	SY-KLONE 9502003; Uses service part(s) 3953525S; Uses pre-cleaner AP8404 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85057 SY-KLONE 9503LF007; Uses service part(s) 3946089S, 3946105S, 3952350S, 3953528S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85152 SY-KLONE 9503LF002; Uses service part(s) 3946089S, 3946107S, 3946109S, 3952334S, 3952353S, 3953522S, 3953529S, 3953535S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Cat D8N
AP85044 	SY-KLONE 9502004; Uses service part(s) 3953526S; Uses pre-cleaner AP8404 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85058 SY-KLONE 9503LF008; Uses service part(s) 3946089S, 3946105S, 3952350S, 3953527S; Uses pre-cleaner AP8405 Dual Stage Self-Cleaning Pre-cleaner for Heavy Equipment	AP85154 SY-KLONE 836HOPTIKIT, 9503LF004; Uses service part(s) 3946089S, 3946105S, 3952350S, 3952360S, 3952361S, 3953519S, 3953530S, 3953535S; Uses pre-cleaner AP8405; Dual Stage Self-Cleaning; Pre-cleaner for Cat 836GS
		AP85061 SY-KLONE 9504LF001; Uses service part(s) 3952351S, 3952353S, 3953518S, 3953529S, 3953535S; Uses pre-cleaner AP8406 Dual Stage Self-Cleaning Pre-cleaner for 836C Compactor	AP85163 SY-KLONE 9504LF003; Uses service part(s) 3946089S, 3946105S, 3952350S, 3953528S; Uses pre-cleaner AP8406; Dual Stage Self-Cleaning; Pre-cleaner for Heavy Equipment

E. PRODUCT GUIDE

Air/Oil Separators

AS2200 ATLAS COPCO 16132433; Air/Oil Separator



Overall Height: 12.5 (318)
End 2 OD: 6.75 (171)
End 1 ID: 4.81 (122)
Flange Diameter: 11.81 (300)

AS2201 ATLAS COPCO 16162836; Air/Oil Separator



Overall Height: 18.88 (480)
End 2 OD: 6.75 (171)
End 1 ID: 4.81 (122)
Flange Diameter: 11.81 (300)

AS2202 ATLAS COPCO 22526313; Air/Oil Separator



Overall Height: 32.21 (818)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)
Flange Diameter: 15.75 (400)

AS2203 ATLAS COPCO 16195498; Air/Oil Separator



Overall Height: 9.0 (229)
End 2 OD: 6.62 (168)
End 1 ID: 4.12 (105)
Flange Diameter: 8.62 (219)

AS2205 DAVEY 48773; Air/Oil Separator



Overall Height: 10.69 (272)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.0 (305)

AS2206 DAVEY 48775; Air/Oil Separator



Overall Height: 15.31 (389)
End 2 OD: 10.38 (264)
End 1 ID: 7.88 (200)
Flange Diameter: 14.25 (362)

AS2207 DAVEY 48776; Air/Oil Separator



Largest ID: 12.38 (314)

AS2208 DAVEY 49593; Air/Oil Separator



Largest ID: 8.38 (213)

AS2211 GARDNER-DENVER 55B7; Air/Oil Separator



Overall Height: 8.25 (210)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 10.38 (264)

AS2212 GARDNER-DENVER 55B13; Air/Oil Separator



Largest ID: 5.88 (149)

AS2213 GARDNER-DENVER 55B4; Air/Oil Separator



Overall Height: 23.47 (596)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.0 (305)

AS2214 GARDNER-DENVER 55B8; Air/Oil Separator



Overall Height: 14.56 (370)
End 2 OD: 4.0 (102)
End 1 ID: 2.0 (51)
Flange Diameter: 5.5 (140)

AS2215 GARDNER-DENVER 55B9; Air/Oil Separator



Overall Height: 19.14 (486)
End 2 OD: 4.0 (102)
End 1 ID: 2.0 (51)
Flange Diameter: 5.5 (140)

AS2217 GARDNER-DENVER 2014828; Air/Oil Separator



Overall Height: 16.94 (430)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.0 (305)

AS2218 GARDNER-DENVER 2014830; Air/Oil Separator



Overall Height: 23.5 (597)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)
Flange Diameter: 14.38 (365)

AS2220 GARDNER-DENVER 2109429; Air/Oil Separator



Overall Height: 11.12 (282)
End 2 OD: 4.0 (102)
End 1 ID: 2.0 (51)
Flange Diameter: 5.5 (140)

AS2221 GARDNER-DENVER 2109430; Air/Oil Separator



Overall Height: 12.19 (310)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.0 (305)

AS2222 GARDNER-DENVER 1157866; Air/Oil Separator



Overall Height: 9.5 (241)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 10.0 (254)

AS2223 GARDNER-DENVER 55B22; Air/Oil Separator



Largest ID: 5.25 (133)

AS2224 GARDNER-DENVER 55B23; Air/Oil Separator



Largest ID: 5.25 (133)

AS2225 GARDNER-DENVER ECM81157; Air/Oil Separator



Largest ID: 5.25 (133)

AS2226 GARDNER-DENVER 55B24; Air/Oil Separator; Replaces AS2227



Overall Height: 9.25 (235)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)
Flange Diameter: 17.5 (445)

AS2229 GARDNER-DENVER ECM80135; Air/Oil Separator



Largest ID: 5.25 (133)

AS2232 GARDNER-DENVER 55B27; Air/Oil Separator; Replaces AS2233



Largest ID: 7.44 (189)

E. PRODUCT GUIDE

AS2234  GARDNER-DENVER 55B28; Air/Oil Separator; Replaces AS2235 Overall Height: 24.19 (614) End 2 OD: 14.88 (378) End 1 ID: 11.4 (290) Flange Diameter: 17.5 (445)	AS2254  GARDNER-DENVER 200EAP035; Air/Oil Separator; Replaces AS2255 Largest ID: 5.25 (133)	AS2263  INGERSOLL-RAND 39739578; Air/Oil Separator Overall Height: 18.0 (457) End 2 OD: 11.88 (302) End 1 ID: 8.44 (214) Flange Diameter: 15.25 (387)
AS2238  GARDNER-DENVER 55B38; Air/Oil Separator; Replaces AS2239 Largest ID: 17.0 (432)	AS2256  INGERSOLL-RAND 35577220; Air/Oil Separator Overall Height: 18.81 (478) End 2 OD: 8.0 (203) End 1 ID: 5.38 (137) Flange Diameter: 9.84 (250)	AS2264  INGERSOLL-RAND 35813187; Air/Oil Separator Overall Height: 10.88 (276) End 2 OD: 4.88 (124) End 1 ID: 3.12 (79) Flange Diameter: 6.44 (164)
AS2242  GARDNER-DENVER 55B32; Air/Oil Separator; Replaces AS2243 Largest ID: 5.25 (133)	AS2257  INGERSOLL-RAND 35577238; Air/Oil Separator Overall Height: 21.41 (544) End 2 OD: 8.38 (213) End 1 ID: 5.88 (149) Flange Diameter: 11.94 (303)	AS2265  INGERSOLL-RAND 36506038; Air/Oil Separator Overall Height: 9.0 (229) End 2 OD: 4.88 (124) End 1 ID: 3.12 (79) Flange Diameter: 6.69 (170)
AS2244  GARDNER-DENVER 55B33; Air/Oil Separator; Replaces AS2245 Largest ID: 5.25 (133)	AS2258  INGERSOLL-RAND 35580661; Air/Oil Separator Overall Height: 36.81 (935) End 2 OD: 10.88 (276) End 1 ID: 8.38 (213) Flange Diameter: 16.44 (418)	AS2266  AIR MAZE GS24024; Air/Oil Separator Overall Height: 11.69 (297) End 2 OD: 6.12 (155) End 1 ID: 3.65 (93) Flange Diameter: 7.12 (181)
AS2246  GARDNER-DENVER 55B34; Air/Oil Separator Largest ID: 5.25 (133)	AS2259  AIR MAZE GS24010; Air/Oil Separator Overall Height: 15.14 (385) End 2 OD: 9.62 (244) End 1 ID: 7.12 (181) Flange Diameter: 12.25 (311)	AS2267  INGERSOLL-RAND 36723666; Air/Oil Separator Overall Height: 13.0 (330) End 2 OD: 10.38 (264) End 1 ID: 7.88 (200) Flange Diameter: 11.76 (299)
AS2249  GARDNER-DENVER 55B35; Air/Oil Separator; Replaces AS2250 Largest ID: 5.25 (133)	AS2260  INGERSOLL-RAND 39504147; Air/Oil Separator Overall Height: 23.41 (595) End 2 OD: 14.88 (378) End 1 ID: 12.38 (314) Flange Diameter: 18.25 (464)	AS2268  INGERSOLL-RAND 35579184; Air/Oil Separator Overall Height: 15.75 (400) End 2 OD: 6.12 (155) End 1 ID: 3.62 (92) Flange Diameter: 8.12 (206)
AS2251  GARDNER-DENVER 55B36; Air/Oil Separator; Replaces AS2252 Largest ID: 5.25 (133)	AS2261  INGERSOLL-RAND 39712070; Air/Oil Separator Overall Height: 32.0 (813) End 2 OD: 14.88 (378) End 1 ID: 12.38 (314) Flange Diameter: 18.75 (476)	AS2269  INGERSOLL-RAND 35577212; Air/Oil Separator Overall Height: 32.5 (826) End 2 OD: 13.31 (338) End 1 ID: 10.81 (275) Flange Diameter: 18.5 (470)
AS2253  GARDNER-DENVER 55B37; Air/Oil Separator Largest ID: 7.44 (189)	AS2262  INGERSOLL-RAND 39726286; Air/Oil Separator Overall Height: 10.56 (268) End 2 OD: 6.75 (171) End 1 ID: 4.12 (105) Flange Diameter: 7.65 (194)	AS2270  INGERSOLL-RAND 39722897; Air/Oil Separator Overall Height: 20.38 (518) End 2 OD: 10.38 (264) End 1 ID: 7.88 (200) Flange Diameter: 14.25 (362)

E. PRODUCT GUIDE

AS2271 INGERSOLL-RAND 39755863;
Air/Oil Separator



Largest ID: 2.5 (64)

AS2272 INGERSOLL-RAND 39749429;
Air/Oil Separator



Largest ID: 3.62 (92)

AS2274 INGERSOLL-RAND 39734892;
Air/Oil Separator



Overall Height: 10.5 (267)
End 2 OD: 6.88 (175)
End 1 ID: 3.81 (97)
Flange Diameter: 9.38 (238)

AS2276 INGERSOLL-RAND 39738265;
Air/Oil Separator



Overall Height: 14.0 (356)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)
Flange Diameter: 13.25 (337)

AS2277 INGERSOLL-RAND 39742861;
Air/Oil Separator



Largest ID: 11.4 (290)

AS2278 INGERSOLL-RAND 39727490;
Air/Oil Separator



Largest ID: 11.4 (290)

AS2279 INGERSOLL-RAND 39750369;
Air/Oil Separator



Largest ID: 15.0 (381)

AS2285 INGERSOLL-RAND 39742598;
Air/Oil Separator



Largest ID: 2.88 (73)

AS2288 JOY 5431170013; Air/Oil
Separator



Overall Height: 30.25 (768)
End 2 OD: 14.88 (378)
End 1 ID: 12.31 (313)
Flange Diameter: 18.0 (457)

AS2292 JOY 5431170018; Air/Oil
Separator



Overall Height: 42.19 (1072)
End 2 OD: 14.88 (378)
End 1 ID: 12.38 (314)
Flange Diameter: 16.44 (418)

AS2293 JOY 5431170019; Air/Oil
Separator



Overall Height: 24.12 (613)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.5 (318)

AS2294 Joy 00543117-0012



Largest ID: 5.88 (149)

AS2295 JOY 5431170020; Air/Oil
Separator



Overall Height: 24.19 (614)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)
Flange Diameter: 13.75 (349)

AS2297 JOY 5431170026; Air/Oil
Separator



Overall Height: 10.19 (259)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 10.25 (260)

AS2298 JOY 5431170029; Air/Oil
Separator



Overall Height: 16.38 (416)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 10.25 (260)

AS2300 JOY 5431170024; Air/Oil
Separator



Largest ID: 8.38 (213)

AS2302 JOY 5431170030; Air/Oil
Separator



Largest ID: 10.75 (273)

AS2303 JOY 5431170031; Air/Oil
Separator



Largest ID: 5.88 (149)

AS2304 JOY 5431170032; Air/Oil
Separator



Overall Height: 18.56 (471)
End 2 OD: 14.88 (378)
End 1 ID: 12.38 (314)
Flange Diameter: 18.0 (457)

AS2306 JOY 5431170040; Air/Oil
Separator



Overall Height: 6.12 (155)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.0 (305)

AS2307 JOY 5431170041; Air/Oil
Separator



Largest ID: 5.88 (149)

AS2309 JOY 5431170044; Air/Oil
Separator



Largest ID: 7.88 (200)

AS2311 LEROI 435582; Air/Oil Separator



Largest ID: 9.38 (238)

AS2312 LEROI 435583; Air/Oil Separator



Largest ID: 9.38 (238)

E. PRODUCT GUIDE

AS2313 LEROI 435584; Air/Oil Separator



Largest ID: 9.38 (238)

AS2329 QUINCY 227054; Air/Oil Separator



Overall Height: 28.0 (711)
End 2 OD: 14.88 (378)
End 1 ID: 12.38 (314)
Flange Diameter: 17.12 (435)

AS2344 SULLAIR 241503; Air/Oil Separator



Overall Height: 11.75 (298)
End 2 OD: 6.88 (175)
End 1 ID: 4.12 (105)
Flange Diameter: 7.88 (200)

AS2319 LEROI 437451; Air/Oil Separator



Overall Height: 15.75 (400)
End 2 OD: 6.88 (175)
End 1 ID: 5.0 (127)
Flange Diameter: 15.38 (391)

AS2331 QUINCY 227058; Air/Oil Separator



Largest ID: 5.88 (149)

AS2348 SULLAIR 11101; Air/Oil Separator



Overall Height: 9.69 (246)
End 2 OD: 6.88 (175)
End 1 ID: 4.12 (105)
Flange Diameter: 7.88 (200)

AS2320 LEROI 43747; Air/Oil Separator



Largest ID: 8.38 (213)

AS2333 QUINCY 1221171; Air/Oil Separator



Overall Height: 10.16 (258)
End 2 OD: 4.88 (124)
End 1 ID: 3.12 (79)
Flange Diameter: 10.38 (264)

AS2349 SULLAIR 40260; Air/Oil Separator



Overall Height: 32.44 (824)
End 2 OD: 21.0 (533)
End 1 ID: 18.25 (464)
Flange Diameter: 26.5 (673)

AS2321 LEROI 43758; Air/Oil Separator



Largest ID: 5.0 (127)

AS2334 QUINCY 1221172; Air/Oil Separator



Overall Height: 12.16 (309)
End 2 OD: 6.12 (155)
End 1 ID: 3.62 (92)
Flange Diameter: 12.75 (324)

AS2350 SULLAIR 11001; Air/Oil Separator



Overall Height: 17.0 (432)
End 2 OD: 6.88 (175)
End 1 ID: 4.12 (105)
Flange Diameter: 7.88 (200)

AS2322 QUINCY 20065; Air/Oil Separator



Largest ID: 5.88 (149)

AS2337 QUINCY 1221175; Air/Oil Separator



Overall Height: 18.16 (461)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)
Flange Diameter: 17.12 (435)

AS2351 SULLAIR 1075; Air/Oil Separator



Overall Height: 24.19 (614)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 10.66 (271)

AS2323 QUINCY 20066; Air/Oil Separator



Largest ID: 8.38 (213)

AS2338 QUINCY 1221177; Air/Oil Separator



Overall Height: 28.19 (716)
End 2 OD: 10.88 (276)
End 1 ID: 8.38 (213)
Flange Diameter: 23.25 (591)

AS2352 SULLAIR 11088; Air/Oil Separator



Overall Height: 26.0 (660)
End 2 OD: 11.88 (302)
End 1 ID: 9.62 (244)
Flange Diameter: 13.75 (349)

AS2326 QUINCY 227051; Air/Oil Separator



Overall Height: 18.25 (464)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 10.38 (264)

AS2339 QUINCY 1221178; Air/Oil Separator



Largest ID: 3.12 (79)

AS2353 SULLAIR 408167002; Air/Oil Separator



Overall Height: 23.25 (591)
End 2 OD: 8.38 (213)
End 1 ID: 7.0 (178)
Flange Diameter: 13.75 (349)

AS2327 QUINCY 227052; Air/Oil Separator



Largest ID: 8.38 (213)

AS2340 QUINCY 124487003; Air/Oil Separator



Overall Height: 9.5 (241)
End 2 OD: 10.62 (270)
End 1 ID: 7.44 (189)
Flange Diameter: 12.75 (324)

AS2354 SULLAIR 408167003; Air/Oil Separator



Overall Height: 36.25 (921)
End 2 OD: 19.0 (483)
End 1 ID: 15.0 (381)
Flange Diameter: 23.25 (591)

E. PRODUCT GUIDE

AS2355

SULLAIR 408167004; Air/Oil Separator



Largest ID: 7.44 (189)

AS2356

SULLAIR 408167005; Air/Oil Separator



Overall Height: 16.0 (406)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)
Flange Diameter: 10.66 (271)

AS2357

SULLAIR 408167006; Air/Oil Separator



Overall Height: 24.0 (610)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)
Flange Diameter: 10.66 (271)

AS2358

SULLAIR 408167007; Air/Oil Separator



Overall Height: 22.25 (565)
End 2 OD: 19.0 (483)
End 1 ID: 15.0 (381)
Flange Diameter: 23.75 (603)

AS2363

SULLAIR 410333; Air/Oil Separator



Overall Height: 8.0 (203)
End 2 OD: 6.88 (175)
End 1 ID: 3.88 (99)
Flange Diameter: 7.88 (200)

AS2365

SULLAIR 47043; Air/Oil Separator



Overall Height: 6.81 (173)
End 2 OD: 6.88 (175)
End 1 ID: 3.88 (99)
Flange Diameter: 7.88 (200)

AS2367

SULLAIR 1148; Air/Oil Separator



Largest ID: 15.0 (381)

AS2368

SULLAIR 250005547; Air/Oil Separator



Overall Height: 10.75 (273)
End 2 OD: 8.38 (213)
End 1 ID: 5.25 (133)
Flange Diameter: 10.62 (270)

AS2372

SULLAIR 250007139; Air/Oil Separator

Overall Height: 20.5 (521)
Largest OD: 13.75 (349)
Largest ID: 7.12 (181)
Flange Diameter: 13.75 (349)

AS2380

WORTHINGTON FLR395; Air/Oil Separator



Largest ID: 5.88 (149)

AS2381

WORTHINGTON PUMP FLR397; Air/Oil Separator



Overall Height: 18.12 (460)
End 2 OD: 8.38 (213)
End 1 ID: 5.88 (149)
Flange Diameter: 12.5 (318)

AS2382

WORTHINGTON PUMP FLR400; Air/Oil Separator



Largest ID: 7.88 (200)

AS2383

WORTHINGTON FLR436; Air/Oil Separator



Largest ID: 5.88 (149)

AS2384

CHICAGO-PNEUMATIC 1PS4801; Air/Oil Separator



AS2387

KELTEC KH730006; Air System, Air Housing

Largest ID: 8.38 (213)

AS2388

SULLAIR 408167011; Air/Oil Separator



Overall Height: 14.0 (356)
End 2 OD: 4.0 (102)
End 1 ID: 2.0 (51)
Flange Diameter: 10.75 (273)

AS2389

BAUER DV375, KAESER 619620; Air/Oil Separator



Overall Height: 24.09 (612)
End 2 OD: 8.62 (219)
End 1 OD: 10.75 (273)
End 1 ID: 6.5 (165)

AS2390

ATLAS COPCO 12026414; Air/Oil Separator



Overall Height: 13.07 (332)
End 2 OD: 6.61 (168)
End 1 OD: 11.81 (300)
End 1 ID: 4.8 (122)

AS2391

ATLAS COPCO 12028722; Air/Oil Separator



Overall Height: 6.81 (173)
End 2 OD: 5.28 (134)
End 1 OD: 8.66 (220)
End 1 ID: 2.95 (75)

AS2392

ATLAS COPCO 16123869; Air/Oil Separator



Overall Height: 10.91 (277)
End 2 OD: 5.28 (134)
End 1 OD: 8.66 (220)
End 1 ID: 3.46 (88)

AS2393

ATLAS COPCO 16144373; Air/Oil Separator



Overall Height: 10.12 (257)
End 2 OD: 8.62 (219)
End 1 OD: 11.81 (300)
End 1 ID: 6.5 (165)

AS2394

ATLAS COPCO 16196248; Air/Oil Separator



Overall Height: 7.36 (187)
End 2 OD: 6.61 (168)
End 1 OD: 8.66 (220)
End 1 ID: 4.8 (122)

AS2395

BAUER KB22531430; Air/Oil Separator



Overall Height: 12.48 (317)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2396

BAUER KB22959430; Air/Oil Separator



Overall Height: 8.15 (207)
End 2 OD: 6.61 (168)
End 1 OD: 9.76 (248)
End 1 ID: 4.8 (122)

AS2397

BOGE 575000206; Air/Oil Separator; Replaces AS2416



Overall Height: 8.35 (212)
End 2 OD: 5.28 (134)
End 1 OD: 6.69 (170)
End 1 ID: 3.46 (88)

AS2398

COMPAIR 98262102; Air/Oil Separator



Overall Height: 6.77 (172)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2399

COMPAIR 98262108; Air/Oil Separator



Overall Height: 9.53 (242)
End 2 OD: 6.61 (168)
End 1 OD: 9.84 (250)
End 1 ID: 4.8 (122)

AS2400

COMPAIR 98262120; Air/Oil Separator



Overall Height: 5.51 (140)
End 2 OD: 4.92 (125)
End 1 OD: 6.5 (165)
End 1 ID: 2.99 (76)

AS2401

COMPAIR 98262121; Air/Oil Separator



Overall Height: 9.53 (242)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2402

COMPAIR 9826233; Air/Oil Separator



Overall Height: 9.53 (242)
End 2 OD: 6.61 (168)
End 1 OD: 9.37 (238)
End 1 ID: 4.8 (122)

AS2403

COMPAIR 982625073; Air/Oil Separator



Overall Height: 12.48 (317)
End 2 OD: 6.61 (168)
End 1 OD: 8.58 (218)
End 1 ID: 4.8 (122)

AS2404

COMPAIR 982625079; Air/Oil Separator



Overall Height: 12.48 (317)
End 2 OD: 10.79 (274)
End 1 OD: 14.69 (373)
End 1 ID: 8.5 (216)

AS2405

COMPAIR 982625085; Air/Oil Separator



Overall Height: 7.44 (189)
End 2 OD: 6.61 (168)
End 1 OD: 8.58 (218)
End 1 ID: 4.8 (122)

AS2406

COMPAIR 9826277; Air/Oil Separator



Overall Height: 12.99 (330)
End 2 OD: 8.62 (219)
End 1 OD: 10.75 (273)
End 1 ID: 6.5 (165)

AS2407

COMPAIR 982628020; Air/Oil Separator



Overall Height: 7.56 (192)
End 2 OD: 8.62 (219)
End 1 OD: 11.81 (300)
End 1 ID: 6.46 (164)

AS2408

COMPAIR 982628023; Air/Oil Separator



Overall Height: 6.38 (162)
End 2 OD: 6.61 (168)
End 1 OD: 10.04 (255)
End 1 ID: 4.8 (122)

AS2409

COMPAIR 982628026; Air/Oil Separator



Overall Height: 7.56 (192)
End 2 OD: 10.79 (274)
End 1 OD: 14.69 (373)
End 1 ID: 8.5 (216)

AS2410

CREYSSSENSAC 11319800; Air/Oil Separator



Overall Height: 8.98 (228)
End 2 OD: 5.91 (150)
End 1 OD: 9.25 (235)
End 1 ID: 3.94 (100)

AS2413

BOGE 575000205; Air/Oil Separator



Overall Height: 12.48 (317)
End 2 OD: 5.28 (134)
End 1 OD: 6.69 (170)
End 1 ID: 3.46 (88)

AS2414

DEMAG 691674; Air/Oil Separator



Overall Height: 17.4 (442)
End 2 OD: 8.62 (219)
End 1 OD: 10.75 (273)
End 1 ID: 6.5 (165)

AS2415

PUROLATOR 852468; Air/Oil Separator



Overall Height: 26.46 (672)
End 2 OD: 11.73 (298)
End 1 OD: 13.98 (355)
End 1 ID: 9.57 (243)

AS2417

INGERSOLL-RAND 92128883; Air/Oil Separator



Overall Height: 9.76 (248)
End 2 OD: 5.28 (134)
End 1 OD: 6.5 (165)
End 1 ID: 3.46 (88)

AS2418

INGERSOLL-RAND 39737473; Air/Oil Separator



Overall Height: 9.84 (250)
End 2 OD: 8.62 (219)
End 1 OD: 11.34 (288)
End 1 ID: 6.18 (157)

AS2419

COMPAIR 9826223; Air/Oil Separator



Overall Height: 12.48 (317)
End 2 OD: 10.75 (273)
End 1 OD: 12.91 (328)
End 1 ID: 8.62 (219)

AS2420

INGERSOLL-RAND 92722750; Air/Oil Separator



Overall Height: 12.01 (305)
End 2 OD: 8.66 (220)
End 1 OD: 11.34 (288)
End 1 ID: 6.18 (157)

AS2421

INGERSOLL-RAND 92754688; Air/Oil Separator



Overall Height: 9.06 (230)
End 2 OD: 6.65 (169)
End 1 OD: 7.68 (195)
End 1 ID: 4.25 (108)

AS2422

KAESER 619630; Air/Oil Separator



Overall Height: 9.53 (242)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2423

KAESER 619640; Air/Oil Separator



Overall Height: 30.0 (762)
End 2 OD: 10.75 (273)
End 1 OD: 12.76 (324)
End 1 ID: 8.62 (219)

E. PRODUCT GUIDE

AS2424



KAESER 619650; Air/Oil Separator

Overall Height: 18.11 (460)
End 2 OD: 10.75 (273)
End 1 OD: 12.76 (324)
End 1 ID: 8.62 (219)

AS2425



CREYSSENSAC 11366313, ROTORCOMP R212790788; Air/Oil Separator

Overall Height: 6.5 (165)
Overall OD: 4.49 (114)
End 1 ID: 2.6 (66)

AS2426



CREYSSENSAC 11366413, ROTORCOMP R22270788; Air/Oil Separator

Overall Height: 10.16 (258)
Overall OD: 4.49 (114)
End 1 ID: 2.6 (66)

AS2427



ROTORCOMP R22280788; Air/Oil Separator

Overall Height: 13.39 (340)
Overall OD: 4.49 (114)
End 1 ID: 2.6 (66)

AS2428



WORTHINGTON 113520; Air/Oil Separator

Overall Height: 8.66 (220)
End 2 OD: 7.83 (199)
End 1 OD: 11.73 (298)
End 1 ID: 5.39 (137)

AS2429



WORTHINGTON 2180201; Air/Oil Separator

Overall Height: 10.63 (270)
End 2 OD: 8.66 (220)
End 1 OD: 11.81 (300)
End 1 ID: 6.3 (160)

AS2430



WORTHINGTON 4110286; Air/Oil Separator

Overall Height: 16.46 (418)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2432



WORTHINGTON 41113676; Air/Oil Separator

Overall Height: 14.57 (370)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2433



WORTHINGTON 41113679; Air/Oil Separator

Overall Height: 14.57 (370)
End 2 OD: 8.62 (219)
End 1 OD: 11.02 (280)
End 1 ID: 6.5 (165)

AS2434



CREYSSENSAC 11317100, WORTHINGTON 41544; Air/Oil Separator

Overall Height: 7.64 (194)
End 2 OD: 8.62 (219)
End 1 OD: 11.65 (296)
End 1 ID: 6.5 (165)

AS2435



INGERSOLL-RAND 92522135; Air/Oil Separator

Overall Height: 9.84 (250)
End 2 OD: 4.33 (110)
End 1 OD: 6.5 (165)
End 1 ID: 2.36 (60)

AS2436



COMPAIR 982628027; Air/Oil Separator

Overall Height: 12.48 (317)
End 2 OD: 10.79 (274)
End 1 OD: 14.69 (373)
End 1 ID: 8.47 (215)

AS2437



INGERSOLL-RAND 92077601; Air/Oil Separator

Overall Height: 11.89 (302)
End 2 OD: 5.28 (134)
End 1 OD: 6.97 (177)
End 1 ID: 3.46 (88)

AS2438



AIR MAZE GS39009, KELTEC KV85002; Air/Oil Separator

Largest ID: 16.25 (413)

AS2439



AIR MAZE GS39011, KELTEC KV1300002; Air/Oil Separator

Largest ID: 9.62 (244)

AS2440



KELTEC KV250017; Air/Oil Separator

Largest ID: 7.88 (200)

AS2441



KELTEC KV100007; Air/Oil Separator

Overall Height: 9.62 (244)
End 2 OD: 5.5 (140)
End 1 ID: 3.62 (92)
Flange Diameter: 11.75 (298)

AS2442



ATLAS COPCO 1616465600; Air/Oil Separator

Overall Height: 14.17 (360)
End 2 OD: 10.32 (262)
End 1 OD: 15.75 (400)
End 1 ID: 6.5 (165)

AS2443



ATLAS COPCO 1614532900; Air/Oil Separator

Overall Height: 13.78 (350)
Overall OD: 3.94 (100)
End 1 ID: 1.77 (45)

AS2444



ATLAS COPCO 1202741900; Air/Oil Separator

Overall Height: 13.7 (348)
End 2 OD: 8.66 (220)
End 1 OD: 11.81 (300)
End 1 ID: 6.18 (157)

AS2445



ATLAS COPCO 2911002800; Air/Oil Separator

Overall Height: 11.42 (290)
End 2 OD: 5.28 (134)
End 1 OD: 9.84 (250)
End 1 ID: 2.95 (75)

AS2446



ATLAS COPCO 2901021300; Air/Oil Separator

Overall Height: 9.06 (230)
End 2 OD: 6.61 (168)
End 1 OD: 11.81 (300)
End 1 ID: 4.25 (108)

AS2447



KAESER 620320; Air/Oil Separator

Overall Height: 12.48 (317)
End 2 OD: 10.75 (273)
End 1 OD: 12.76 (324)
End 1 ID: 8.62 (219)

AS2448



KAESER 619470; Air/Oil Separator

Overall Height: 12.5 (318)
End 2 OD: 6.61 (168)
End 1 OD: 7.87 (200)
End 1 ID: 4.8 (122)

AS2449



KAESER 620100; Air/Oil Separator

Overall Height: 8.29 (211)
End 2 OD: 5.28 (134)
End 1 OD: 6.69 (170)
End 1 ID: 3.46 (88)

AS2450



MANN & HUMMEL LB7192; Air/Oil Separator

Overall Height: 4.91 (125)
Largest OD: 3.11 (79)
Thread Size: M22 X 1.5-6H INT