

E. PRODUCT GUIDE

LF9035  International I-313; Uses service part(s) 3983678S Overall Height: 10.5 (267) Largest OD: 4.68 (119) Thread Size: M92 X 2-6G EXT	LF9548  Venturi Combo; Upgrade of LF3548 Overall Height: 9.36 (238) Largest OD: 4.68 (119) Thread Size: 2 1/4-12 UNS-2B	LF16002  DENSO 1501014; Upgrade of LF3681 Overall Height: 3.85 (98) Largest OD: 3.69 (94) Thread Size: M22 X 1.5-6H INT BPV Setting: 7.98 (55) ADBV: Yes
LF9039  CUMMINS 4906635; Exact match w/diff gasket of LF9009; For Heavy Duty Off-Road Use Overall Height: 11.82 (300) Largest OD: 4.68 (119) Thread Size: 2 1/4-12 UNS-2B	LF9620  Stratapore and Stack Disc Media, Full flow, By-Pass Venturi Combo; Upgrade of LF3620, LF3671 Overall Height: 9.82 (249) Largest OD: 4.74 (120) Thread Size: 1 5/8-12 UNS-2B	LF16006  CUMMINS 3977910; Remote Mount Unit; Used on 6B engines Overall Height: 6.94 (176) Largest OD: 3.68 (94) Thread Size: 1-16 UN-2B ADBV: Yes
LF9050  CUMMINS 4920071, KOMATSU BF5209; Replaces 3919823, LF9024 Overall Height: 11.71 (297) Largest OD: 4.72 (120) Thread Size: M90 X 2-7H INT	LF9667  Venturi Combo Filter; Upgrade of LF16101, LF3321, LF3379, LF3675, LF3973, LF667 Overall Height: 10.39 (264) Largest OD: 4.24 (108) Thread Size: 1 1/8-16 UN-2B	LF16007  KOMATSU 6733515142 Overall Height: 5.82 (148) Largest OD: 3.69 (94) Thread Size: 1-16 UN-2B ADBV: Yes
LF9070  CUMMINS 2882673; Lube, Spin-On; Replaces LF9000 Overall Height: 13.88 (353) Largest OD: 4.68 (119) Thread Size: M95 X 2.5-7H INT	LF9691  Venturi Combo Filter; Upgrade of LF3374, LF691 Overall Height: 11.31 (287) Largest OD: 4.74 (120) Thread Size: 1 1/2-16 UNS-2B	LF16011  CUMMINS C6002112110; Replaces LF3855 Overall Height: 3.52 (89) Largest OD: 3.02 (77) Thread Size: 3/4-16 UNF-2B BPV Setting: 28.6 (197) ADBV: Yes
LF9080  CUMMINS 4331005; Stratapore Media ;To upgrade, use LF9031, LF14000NN; Replaces LF9001 Overall Height: 11.6 (295) Largest OD: 4.68 (119) Thread Size: M95 X 2.5-7H INT	LF9691A  Venturi Combo Filter; Upgrade of LF3566, LF691A Overall Height: 12.2 (310) Largest OD: 5.38 (137) Thread Size: 1 1/2-16 UNS-2B	LF16015  CUMMINS 4897898, DAF 1399494; Replaces LF3886 Overall Height: 6.96 (177) Largest OD: 3.68 (94) Thread Size: M27 X 2-6H INT
LF9325  Venturi Combo Filter; Upgrade of LF3325, LF3363, LF670 Overall Height: 11.31 (287) Largest OD: 4.74 (120) Thread Size: 1 1/2-12 UNS-2B	LF9747  Venturi Combo Filter; Upgrade of LF3453, LF747 Overall Height: 11.31 (287) Largest OD: 4.74 (120) Thread Size: 1 1/2-12 UNS-2B	LF16028  AGCO 3757038M2, MASSEY-FERGUSON 3757038M2; Similar to the LF16011 with no by-pass valve Overall Height: 3.21 (82) Largest OD: 3.02 (77) Thread Size: 3/4-16 UNF-2B BPV Setting: 28.6 (197) ADBV: Yes
LF9333  Venturi Combo Filter; Upgrade of LF3333, LF3380 Overall Height: 9.81 (249) Largest OD: 4.74 (120) Thread Size: 1 1/2-12 UNS-2B	LF9931  Venturi Combo; Upgrade of LF3781, LF3931 Overall Height: 12.2 (310) Largest OD: 5.38 (137) Thread Size: M 45 X 1.5-6H	LF16029  CUMMINS 3873576
LF9540  CUMMINS 3647559 Overall Height: 11.71 (297) Largest OD: 4.74 (120) Largest ID: 4.0 (102) Thread Size: M93x.351-7H	LF14000NN  NanoNet; Upgrade of LF9080 Overall Height: 11.6 (295) Largest OD: 4.74 (120) Thread Size: M95x2.5-7H	LF16031  CUMMINS 3420742; Replaces LF3990 Overall Height: 15.61 (397) Overall OD: 7.72 (196) End 1 ID: 4.66 (119)

E. PRODUCT GUIDE

LF16034  KUKJE MACHINERY CO. HRA11020F4A3 Overall Height: 3.52 (89) Largest OD: 3.35 (85) Thread Size: M20 X 1.5-6H INT BPV Setting: 12.47 (86)	LF16060 TATA 252518130139 Overall Height: 8.04 (204) Largest OD: 3.68 (94) Thread Size: 1-14 UNS-2B LF16061 TATA 252718130132 Overall Height: 6.5 (165) Largest OD: 0.36 (9) Largest ID: 0.22 (6)	LF16102 GMC 97214983 Overall Height: 5.41 (137) Largest OD: 3.69 (94) Thread Size: 13/16-16 UNS-2B BPV Setting: 13.5 (93)
LF16035  Upgrade of LF3972; Stratapore version of LF3972; This filter is similar to LF3894 except it has a fluted shell for 03MY Dodge Ram application. Overall Height: 6.95 (176) Largest OD: 3.68 (93) Thread Size: 1-16 UN-2B	LF16062 TATA 253418130165; Lube, Spin-On Overall Height: 5.46 (139) Largest OD: 3.68 (93) Thread Size: 13/16-16 UNS-2B LF16065 MAHINDRA 303BC0071M Overall Height: 4.63 (118) Largest OD: 3.68 (93) Thread Size: M20-1.5P-6H	LF16104 GMC 25014748; Upgrade of LF3945; L-6 engines Overall Height: 4.58 (116) Largest OD: 3.06 (78) Thread Size: 13/16-16 UNS-2B ADB: Yes
LF16042  DAF 1397764; Gasket(s): 3962727 Overall Height: 5.87 (149) Overall OD: 4.41 (112) End 1 ID: 2.22 (57)	LF16076 CUMMINS AX1001258 LF16083 TATA 254718130117; Lube, Full-Flow Spin-On Overall Height: 4.13 (105) Largest OD: 3.68 (93) Thread Size: M24 X 1.5P-6H	LF16106 JOHN DEERE RE521548; Lube, Full-Flow Spin-On Overall Height: 7.19 (183) Largest OD: 5.08 (129) Thread Size: 1 5/8-12 UNS-2B LF16107 FAW 1012010F51Q, YUCHAI ENG. MACHINERY CO. LTD L30001012020 Overall Height: 10.24 (260) Largest OD: 4.34 (110) Thread Size: 1-1/8 16-UNF-2B
LF16043  JOHN DEERE RE509672; Lube, Cartridge Overall Height: 5.79 (147) End 1 OD: 4.8 (122) End 2 ID: 2.22 (57) End 1 ID: 0.56 (14)	LF16087 CUMMINS POWER GENERATION LTD 1220922 LF16091 TATA 570618130102 Overall Height: 6.96 (177) Largest OD: 3.69 (94)	LF16108 KOHLER 1205001 Overall Height: 2.56 (65) Largest OD: 3.02 (77) Thread Size: 3/4-16 UNF-2B BPV Setting: 7.98 (55) ADB: Yes
LF16045 CASE NEW HOLLAND 84206729 Overall Height: 8.29 (211) Largest OD: 4.79 (122) Thread Size: 1 1/2-12 UNF-2B	LF16097 CUMMINS 4982627 Overall Height: 3.54 (90) Largest OD: 3.0 (76) Thread Size: 3/4-16 UNF-2B LF16098 CUMMINS POWER GENERATION LTD 1220961; Lube, Full-Flow Spin-On Overall Height: 4.18 (106) Largest OD: 2.99 (76)	LF16109 GMC 26324057 Overall Height: 3.44 (87) Largest OD: 3.69 (94) Thread Size: 13/16-16 UNS-2B
LF16046  MERCEDES-BENZ 1802109; Lube, Full-Flow Cartridge Overall Height: 10.45 (266) Overall OD: 4.74 (121)	LF16088 TATA 570918130101 Overall Height: 9.65 (245) Largest OD: 4.25 (108) Thread Size: M30 X 2.0P LF16099 CUMMINS 4982627 Overall Height: 3.54 (90) Largest OD: 3.0 (76) Thread Size: 3/4-16 UNF-2B	LF16110 HINO 156072190, 15613E0030; Replaces LF16226 Overall Height: 8.09 (205) Largest OD: 4.74 (120) Thread Size: 1 1/2-16 UNS-2B
LF16050  KUBOTA 1524132099, TORO 1045167 Overall Height: 3.19 (81) Largest OD: 3.31 (84) Thread Size: M20 X 1.5-6H INT BPV Setting: 7.98 (55) ADB: Yes	LF16101 MACK 485GB3191C; To upgrade, use LF3379, LF9667 Overall Height: 10.39 (264) Largest OD: 4.24 (108) Thread Size: 1 1/8-16 UN-2B	LF16111 FRAM PH6583; Part may not be available in all regions of the world Overall Height: 4.58 (116) Largest OD: 3.06 (78) Thread Size: M20X1.5-6H
LF16051 TATA 252518130129	LF16113 FORD 1088179; Lube, Cartridge Overall Height: 2.32 (59) Overall OD: 3.62 (92) End 2 ID: 1.38 (35) End 1 ID: 1.26 (32)	LF16117 IVECO 504084161; Replaces LF16023 Overall Height: 6.88 (175) Largest OD: 3.70 (94) Thread Size: M27x2-6H
LF16056 TATA 253418130169; Lube, Spin-On Overall Height: 6.06 (154) Largest OD: 3.7 (94) Thread Size: M24 X 1.5 LF16059 TATA 252718130105 Overall Height: 7.72 (196) Largest OD: 3.29 (84)		

E. PRODUCT GUIDE

LF16119 YUCHAI ENG. MACHINERY CO.
LTD 1881012000

Overall Height: 7.52 (191)
Largest OD: 3.71 (94)
Thread Size: 1-12 UNF

LF16121 CUMMINS 4899247; Lube,
Spin-On



Overall Height: 3.58 (91)
Largest OD: 3.68 (94)
Thread Size: M27 X 2-6H

LF16129 KHD(KLOCKNER-HUMBOLDT-D
EUTZ) 12128936; Replaces
LF16010



Overall Height: 11.89 (302)
Largest OD: 5.51 (140)
Thread Size: 1 1/2-16 UNF-2B
BPV Setting: 36.26 (250)
ADB: Yes

LF16133 International Applications



Overall Height: 9.63 (245)
Largest OD: 5.41 (137)
Thread Size: M45X1.5-7H
BPV Setting: 27.99 (193)

LF16139 JOHN DEERE M146082



Overall Height: 5.42 (138)
Largest OD: 3.69 (94)
Thread Size: 1-14 UNS-2B

LF16139A JOHN DEERE M146082



Overall Height: 5.42 (138)
Largest OD: 3.69 (94)
Thread Size: 1-14 UNS-2B

LF16141 ISUZU 2906549501



Overall Height: 4.48 (114)
Largest OD: 3.28 (83)
Thread Size: 3/4-16 UNF-2B
BPV Setting: 17.5 (121)
ADB: Yes

LF16143 BAUDOUIN 12430780S; Lube,
Cartridge



Overall Height: 8.98 (228)
Overall OD: 4.15 (106)
End 1 ID: 0.89 (23)

LF16145 MITSUBISHI 35C4001100



Overall Height: 8.07 (205)
Largest OD: 4.27 (109)
Thread Size: 1 1/8-16 UN-2B

LF16147 MITSUBISHI 3254021600;
Similar to LF3328 except for
media



Overall Height: 6.59 (167)
Largest OD: 4.24 (108)
Thread Size: 1 1/8-16 UN-2B

LF16149 PURFLUX L129; Lube, Cartridge



Overall Height: 11.85 (301)
Overall OD: 8.39 (213)
End 1 ID: 3.15 (80)

LF16157 KUBOTA 1627132090; Fluted
shell version of LF3536



Overall Height: 4.02 (102)
Largest OD: 3.34 (85)
Thread Size: M20 X 1.5-6H INT
BPV Setting: 7.98 (55)
ADB: Yes

LF16161 I-335 full flow filter



Overall Height: 10.5 (267)
Largest OD: 4.68 (119)
Thread Size: M92 X 2-6G EXT

LF16162 INTERNATIONAL TRUCKS
1850832C1



Overall Height: 11.32 (287)
Largest OD: 4.74 (120)
Thread Size: 1 1/4-12 UNF-2B

LF16165 ONAN 1220836



Overall Height: 4.4 (112)
Largest OD: 2.68 (68)
Thread Size: 3/4-16 UNF-2B
BPV Setting: 8.0 (55)

LF16166 FORD 3C3Z6731AA; Lube,
Cartridge



Overall Height: 7.13 (181)
Overall OD: 3.28 (83)

LF16170 FAW 1012010A52D; Replaces
LF3784



Overall Height: 8.31 (211)
Largest OD: 3.73 (95)
Thread Size: 1-12 UNF-2B

LF16172 IVECO 2995561; Lube, Spin-On



Overall Height: 6.81 (173)
Largest OD: 3.68 (94)
Thread Size: M22 X 1.5-6H INT
BPV Setting: 36.26 (250)
Standpipe: YES
ADB: Yes

LF16173 JOHN DEERE RE519626; Lube,
Spin-On



Overall Height: 5.62 (143)
Largest OD: 3.68 (93)
Thread Size: M24 X 1.5-6H INT
BPV Setting: 23.21 (160)
ADB: Yes

LF16176 LINDE 9830621, VOLKSWAGEN
74115562; Lube, Cartridge



Overall Height: 6.02 (153)
Overall OD: 2.56 (65)
End 1 ID: 0.75 (19)

LF16182 MANN & HUMMEL HU9326N



Overall Height: 4.3 (109)
Overall OD: 3.27 (83)
End 2 ID: 1.46 (37)
End 1 ID: 0.83 (21)

LF16183 ROLLS ROYCE 703931; Lube,
Cartridge



Overall Height: 13.15 (334)
Overall OD: 7.93 (202)
End 1 ID: 5.43 (138)

LF16208 FORD D9AZ6731A; This product
is not available in all regions of the
world



Overall Height: 5.35 (136)
Largest OD: 3.66 (93)
Thread Size: 3/4-16 UNF-2B

LF16209 GMC 6438384; This product is not
available in all regions of the world



Overall Height: 5.35 (136)
Largest OD: 3.66 (93)
Thread Size: 13/16-16 UN-2B

LF16210 CHRYSLER 3549957; This
product is not available in all
regions of the world



Overall Height: 4.13 (105)
Largest OD: 3.66 (93)
Thread Size: 3/4-16 UNF-2B

LF16211 NISSAN 43001000; This product
is not available in all regions of the
world



Overall Height: 3.35 (85)
Largest OD: 2.56 (65)
Thread Size: M20 X 1.5-6H INT

E. PRODUCT GUIDE

LF16212  FORD E1EE6714AA; This product is not available in all regions of the world Overall Height: 4.88 (124) Largest OD: 2.91 (74) Thread Size: 3/4-16 UNF-2B	LF16221  NISSAN 1520813201; This product is not available in all regions of the world Overall Height: 4.88 (124) Largest OD: 2.91 (74) Thread Size: 3/4-16 UNF-2B	LF16235 ASHOK LEYLAND F7A00180 Overall Height: 4.18 (106) Largest OD: 3.68 (93) Thread Size: M20 X 1.5P-6h
LF16213  GMC 6439929; This product is not available in all regions of the world Overall Height: 3.35 (85) Largest OD: 2.91 (74) Thread Size: M18 X 1.5-6H INT	LF16222  NISSAN 1520855Y00; This product is not available in all regions of the world Overall Height: 4.17 (106) Largest OD: 2.91 (74) Thread Size: 3/4-16 UNF-2B	LF16238 ASHOK LEYLAND F7A01500 Overall Height: 6.87 (174) Largest OD: 4.68 (119) Thread Size: 2 1/4-12 UNS-2B
LF16214  FORD F1AZ6731A; This product is not available in all regions of the world Overall Height: 3.86 (98) Largest OD: 3.66 (93) Thread Size: M22 X 1.5-6H INT	LF16224  HYUNDAI 2630035502; Lube, Spin-On Overall Height: 3.03 (77) Largest OD: 3.66 (93) Thread Size: M20 X 1.5 INT	LF16242  GMC 89017524 Overall Height: 3.34 (85) Largest OD: 2.95 (75) Thread Size: M22 X 1.5-6G EXT
LF16215  CHRYSLER 5281090; This product is not available in all regions of the world Overall Height: 3.86 (98) Largest OD: 3.66 (93) Thread Size: 3/4-16 UNF-2B	LF16227  MANN & HUMMEL W93026; Lube, Spin-On Overall Height: 4.61 (117) Largest OD: 3.66 (93) Thread Size: M26 X 1.5 INT	LF16243  JOHN DEERE RE504836; Lube, Spin-On Overall Height: 5.94 (151) Largest OD: 3.66 (93) Thread Size: M92 X 2.5-6H INT
LF16216  GMC 5578052; This product is not available in all regions of the world Overall Height: 4.09 (104) Largest OD: 3.66 (93) Thread Size: 13/16-16 UNF	LF16229  CASE NEW HOLLAND 87492721; Lube, Spin-On Overall Height: 5.62 (143) Largest OD: 3.68 (94) Thread Size: M27 X 2-6H INT Standpipe: YES ADB: Yes	LF16245  M.T.U. 31845301; Construction Equipment Overall Height: 11.89 (302) Largest OD: 5.51 (140) Thread Size: 1 1/2X16UN-2B Valve Opening Pressure: 248.0
LF16217  GMC 12555891; This product is not available in all regions of the world Overall Height: 4.88 (124) Largest OD: 2.91 (74) Thread Size: M18 X 1.5-6H INT	LF16231  MANN & HUMMEL HU821 Overall Height: 3.74 (95) Overall OD: 2.81 (72)	LF16246  NISSAN A520801B02; Lube, Spin-On Overall Height: 2.87 (73) Largest OD: 3.31 (84) Thread Size: 3/4-16 UNF-2B
LF16218  GMC 25014377; This product is not available in all regions of the world Overall Height: 3.94 (100) Largest OD: 2.91 (74) Thread Size: 3/4-16 UNF-2B	LF16232  DAF 1397765; Lube, Cartridge; Gasket(s): 3962727 Overall Height: 8.66 (220) Overall OD: 4.44 (113) End 1 ID: 2.67 (68)	LF16247  SISU 836362567; Lube, Spin-On Overall Height: 10.24 (260) Largest OD: 4.33 (110) Thread Size: M30 X 1.5-6H INT BPV Setting: 36.26 (250)
LF16219  GMC 25010251; This product is not available in all regions of the world Overall Height: 3.94 (100) Largest OD: 2.91 (74) Thread Size: 3/4-16 UNF-2B	LF16233  DAF 1643070; Lube, Cartridge; Gasket(s): 3962727 Overall Height: 8.66 (220) Overall OD: 4.44 (113) End 1 ID: 2.2 (56)	LF16249  NISSAN 152092W200; Lube, Cartridge Overall Height: 3.98 (101) Overall OD: 2.87 (73) End 1 ID: 0.93 (24)
LF16220  GMC 25010792; This product is not available in all regions of the world Overall Height: 5.35 (136) Largest OD: 3.66 (93) Thread Size: 13/16-16 UN-2B	LF16234  TATA 278918130104; Lube, Full-Flow Spin-On Overall Height: 4.18 (106) Largest OD: 3.68 (93) Thread Size: M24 X 1.5P-6h	LF16250  PERKINS CH10929 Overall Height: 10.65 (271) Overall OD: 4.9 (124) End 1 ID: 1.68 (43)

E. PRODUCT GUIDE

LF16252	HINO 156071221, 156072210, 1561389105; Hino trucks
	Overall Height: 5.91 (150) Largest OD: 4.02 (102) Thread Size: 1-16 UN-2B
LF16253	HINO 156072250, 156072320, 156072390, 156072391, 1561378010; Hino trucks
	Overall Height: 5.91 (150) Largest OD: 4.02 (102) Thread Size: 1-12 UNF-2B
LF16255	ISUZU 8973299110 Isuzu N Series trucks 2006-2008
	Overall Height: 4.92 (125) Largest OD: 3.54 (90) Largest ID: 2.94 (75) Thread Size: M26 X 1.5 INT
LF16256	MAHINDRA 2031600000
	Overall Height: 5.61 (143) Largest OD: 3.68 (93) Thread Size: M20X1.5P-6H
LF16260	MITSUBISHI AW347631
	Overall Height: 3.35 (85) Largest OD: 2.68 (68) Thread Size: M20 X 1.5 INT
LF16267	ISUZU 8971679720, 8973587200
	Overall Height: 6.3 (160) Largest OD: 3.15 (80) Thread Size: M26 X 1.5 INT
LF16270	MITSUBISHI A3801600
	Overall Height: 4.25 (108) Largest OD: 3.66 (93) Thread Size: M16 X 1.5-6G INT
LF16273	MITSUBISHI 3144012030, MC75888
	Overall Height: 6.3 (160) Overall OD: 3.62 (92) End 1 ID: 0.67 (17)
LF16275	ISUZU 1132401970, 1132402000, 1132402050
	Overall Height: 7.24 (184) Overall OD: 5.12 (130) End 2 ID: 0.67 (17)
LF16276	ISUZU 1132401980, 1132401981, 1132402020
	Overall Height: 10.34 (263) Overall OD: 5.12 (130) End 2 ID: 0.67 (17)
LF16277	HINO 156072150
	Overall Height: 8.15 (207) Overall OD: 5.51 (140) End 1 ID: 0.67 (17)

LF16285	WEICHAI POWER CO. LTD 612630010239
	Overall Height: 7.68 (195) Largest OD: 4.41 (112) Thread Size: M30 x 2-6H
LF16295	ISUZU 1132401661
	Overall Height: 7.36 (187) Overall OD: 4.98 (127) End 1 ID: 0.65 (17)
LF16302	ESCORTS CONSTRUCTION EQUIPMENT LTD D10025970A
	Overall Height: 5.61 (143) Largest OD: 3.66 (93)
LF16304	ASHOK LEYLAND F7A04800
	Overall Height: 9.81 (249) Largest OD: 4.69 (119)
LF16305	ASHOK LEYLAND F7A05000
	Overall Height: 5.51 (140) Largest OD: 4.65 (118)
LF16307	MITSUBISHI 30N4000200
	Overall Height: 3.41 (87) Largest OD: 2.64 (67)
LF16317	LEXUS 415238020 Lube
	Overall Height: 4.61 (117) Largest OD: 2.76 (70) Largest ID: 1.09 (28)
LF16325	MOTORCRAFT AFL181MC
LF16328	MAZDA U2Y014302
LF16330	MITSUBISHI QC000001
LF16351	RENAULT TRUCKS 7420796782 Lube, Cartridge
	Overall Height: 8.01 (204) Overall OD: 4.76 (121) End 2 ID: 0.55 (14) End 1 ID: 2.13 (54)
LF16352	CUMMINS 5262313
	Overall Height: 6.89 (175) Seam OD: 4.0 (102) Gasket OD: 2.75 (70) Thread Size: M27 X 2 - SPL REF Standpipe: NO

LF16353	FORD 2C466744AA; Lube, Spin-On
	Overall Height: 8.9 (226) Largest OD: 4.33 (110) Thread Size: M30 x 2-6H INT BPV Setting: 36.26 (250)
LF16354	THERMO-KING 116182; Replaces LF16103
	Overall Height: 4.05 (103) Largest OD: 3.02 (77) Thread Size: M20 X 1.5-6H INT
LF17056	M.A.N. 51055040108; Replaces LF16244
	Overall Height: 8.0 (203) Largest OD: 4.76 (121) Largest ID: 2.1 (53)
LF17335	CATERPILLAR 5I7950
	Overall Height: 8.78 (223) Largest OD: 4.25 (108) Thread Size: M32 X 1.5-6G EXT
LF17356	CUMMINS 5266016
	Overall Height: 6.21 (158) Seam OD: 4.0 (102) Thread Size: M67 X 4 SPECIAL BUTT Standpipe: NO
LF17472	IVECO 2995655; Lube, Spin-On
	Overall Height: 5.63 (143) Largest OD: 3.78 (96) Thread Size: M22 X 1.5-6H INT BPV Setting: 36.26 (250) ADB: Yes
LF17473	DETROIT DIESEL 5241840301
	Overall Height: 12.10 (307) Largest OD: 5.38 (137)
LF17475	CATERPILLAR 2698325; Lube, Spin-On
	Overall Height: 8.27 (210) Largest OD: 3.68 (94) Thread Size: M24 x 1.5-6H INT BPV Setting: 36.26 (250)

E. PRODUCT GUIDE

LF17476 VOLVO PENTA 3581621; Lube, Spin-On



Overall Height: 4.65 (118)
Largest OD: 3.17 (80)
Thread Size: 3/4-16 UNF-2B

LF17480 RENAULT V.I. 7701472321



Overall Height: 3.58 (91)
Overall OD: 3.56 (90)

LF17482 VOLKSWAGEN 71115562A; European version of LF17489; Lube, Cartridge



Overall Height: 5.53 (140)
Overall OD: 2.76 (70)
Largest ID: 1.28 (33)

LF17483 NEW HOLLAND 1931018



Overall Height: 4.24 (108)
End 1 OD: 4.28 (109)
End 1 ID: 2.46 (63)

LF17484 VOLKSWAGEN 65115562; Lube, Cartridge



Overall Height: 6.75 (171)
Overall OD: 2.44 (62)
End 2 ID: 1.06 (27)
End 1 ID: 0.35 (9)

LF17485 VOLKSWAGEN 57115561M; Lube, Cartridge



Overall Height: 7.87 (200)
End 1 OD: 2.99 (76)
End 2 ID: 1.12 (29)
End 1 ID: 0.91 (23)

LF17486 SCANIA 1742032; Lube, Cartridge



Overall Height: 11.06 (281)
Overall OD: 3.56 (90)
End 1 ID: 1.79 (45)

LF17487 SCANIA 1873014; Replaces LF16228



Overall Height: 10.19 (259)
Largest OD: 4.04 (103)
End 2 OD: 3.94 (100)
Largest ID: 1.77 (45)

LF17488 DEUTZ AG 1182001, KHD(KLOCKNER-HUMBOLDT-D EUTZ) 1182001; Lube, Spin-On



Overall Height: 4.82 (123)
Largest OD: 3.09 (79)
Thread Size: 1-12 UNF-2B
BPV Setting: 36.26 (250)
ADB: Yes

LF17489 VOLKSWAGEN 71115562A; For European version, use LF17482



Overall Height: 5.55 (141)
Overall OD: 2.79 (71)

LF17492 ISUZU 5873105040



Overall Height: 5.96 (152)
Largest OD: 4.19 (107)
Thread Size: 1-12 UNF-2B
BPV Setting: 17.4 (120)
ADB: Yes

LF17494 MOTORCRAFT FL2051



Overall Height: 6.61 (168)
Largest OD: 3.65 (93)
Thread Size: 1-16 UN-2B

LF17495 INGERSOLL-RAND 22436323



Overall Height: 5.26 (134)
Largest OD: 3.68 (94)
Thread Size: M27 X 2-6H INT
BPV Setting: 22.0 (152)

LF17496 CATERPILLAR 1W4136; Replaces LF3660



Overall Height: 13.42 (341)
Overall OD: 7.42 (188)
End 1 ID: 3.42 (87)

LF17497 IVECO 2995811; Lube, Spin-On



Overall Height: 2.95 (75)
Largest OD: 3.84 (98)
Thread Size: M22 x 1.5-6H

LF17498 VOLVO PENTA 3582732



Overall Height: 8.27 (210)
Largest OD: 3.68 (93)
Largest ID: 2.44 (62)

LF17499 INTERNATIONAL TRUCKS 1884508C1

Overall Height: 11.38 (289)
Largest OD: 4.6 (117)
Thread Size: 1 3/4-12 UN-2B
Valve Opening Pressure: 35.0 PSI
Anti-Drain Back Valve: No

LF17501 ISUZU 872000810



Overall Height: 6.13 (156)
Largest OD: 2.68 (68)
Largest ID: 0.67 (17)

LF17502 VOLVO 21707132; Upgrade of LF3654; Compatible with Euro 6 oils



Overall Height: 10.39 (264)
Largest OD: 4.24 (108)
Thread Size: 1 3/8-16UNC-28

LF17503 VOLVO 21707133; Upgrade of LF3675; Compatible with Euro 6 oils



Overall Height: 10.39 (264)
Largest OD: 4.24 (108)
Thread Size: 1-16UNC-28

LF17505 VOLVO 21707134; Upgrade of LF3321; Compatible with Euro 6 oils



Overall Height: 10.39 (264)
Largest OD: 4.24 (108)
Thread Size: 1 3/8-16UNC-28

LF17507 MITSUBISHI 32B4020100



Overall Height: 5.98 (152)
Largest OD: 4.3 (109)
Thread Size: 1/12 UNC-28
Valve Opening Pressure: 13.0
Anti-Drain Back Valve: No

LF17508 LOMBARDINI 1072175107



Overall Height: 2.81 (71)
Largest OD: 3.1 (79)
Thread Size: M12 x 1.5-6H
Anti-Drain Back Valve: Yes

LF17509 CASE-IH 87679496



Overall Height: 3.74 (95)
Largest OD: 3.78 (96)
Largest ID: 2.46 (62)
Anti Drain Back Valve: No
Valve Opening Pressure: 250.0 kPa

LF17511	DETROIT DIESEL A4721800509; Used on DD13, DD15, DD16 Engines; Replaces LF17474
	Overall Height: 10.4 (264) Largest OD: 4.75 (121) Largest ID: 2.24 (57)

LF17514	NAVISTAR 3006874C91
	Height: 7.97 (203) End 1 OD: 4.76 (121) End 1 ID: 2.24 (57)

LF17515	IHC 1899332C91
	Height: 8.71 (221) End 1 OD: 4.23 (108) Thread Size: 1-16 X UN-2B

LF17517	Lube
	Height: 5.65 (144) End 1 OD: 3.69 (94) Thread Size: 1-16 X UN-2B

LF17518	MITSUBISHI ME228898
	Height: 7.45 (189) OD: 4.35 (111) Thread Size: M26 X 1.5-6H

LF17520	CUMMINS 4322602; QSK19 Engines
	Overall Height: 6.24 (158) Largest OD: 3.82 (97) Thread Size: M75 x .351-7H Anti-Drain Back Valve: No

LF17556	J.C.B. 32004133
	Overall Height: 6.51 (165) Largest OD: 3.67 (93) Thread Size: M22x1.5

LF17560	CUMMINS 4323856
	Height: 8.86 (225) OD: 4.70 (119) Thread Size: M90 x 2 -7H

LF17562	CUMMINS 4349561
	Height: 12.57 (319) OD: 5.30 (135) Thread Size: M107 x 2.5 - 7H

LH100	CUMMINS 5309628; Duplex Lube Oil Head for QSB7 marine and other QSB and B engines; Head used with LF3970 Remote Mount
	

LK49001	MERCEDES-BENZ A5411800109; Kit containing CS41042 and LF17481+ 2 O-Rings; These components are not sold individually; Optional extra long-life filter kit
	

LT20270	Literature ES EG Sticker; to build MK12550
----------------	---

LT20276	Literature, ES Filter Sticker; to build MK12550
----------------	--

Maintenance Kits

MK3CE	CUMMINS LF750B, LF516, FF105, WF2071
--------------	---

MK31M	MACK LF667(2), FF172, FF171, WF2015
--------------	---

MK33M	MACK LF667(3), FF172, FF222, WF2022
--------------	---

MK198	CUMMINS LF750B, LF670, FF105, WF2071, 164159S
--------------	---

MK1410	CUMMINS LF777(2), LF670(4), FF202(2), WF2071(4)
---------------	---

MK1451	CUMMINS LF777, LF670, FS1212, WF2071
---------------	---

MK1462	CATERPILLAR LF691, FF211
---------------	-----------------------------

MK1465	CUMMINS LF777, LF670, FF105, WF2071
---------------	--

MK1466	INTERNATIONAL TRUCKS LF3316(2), FF5020, FF5019
---------------	---

MK1468	CUMMINS LF777, LF670, FF105
---------------	--------------------------------

MK1483	CUMMINS LF777, LF670, FF104, WF2071
---------------	--

MK1519	INTERNATIONAL TRUCKS LF3316(2), FF5020, FF5019, WF2051
---------------	--

MK1530	CUMMINS LF777, LF670, FS1212
---------------	---------------------------------

MK1538	CUMMINS LF777, LF670(2), FS1212(2), WF2071
---------------	--

MK1547	CATERPILLAR LF3342(2), FF185
---------------	---------------------------------

MK1549	DETROIT DIESEL LF670, FF5207, FF5206
---------------	---

MK1599	INTERNATIONAL TRUCKS LF3344, FF5035, FF194
---------------	---

MK11002	INTERNATIONAL TRUCKS LF690(2), FF196, FF5019
----------------	---

MK11012	THERMO-KING LF3361, FF204
----------------	------------------------------

MK11021	INTERNATIONAL TRUCKS LF3316(2), FF5020, FF5019, WF2071
----------------	--

MK11029	INTERNATIONAL TRUCKS LF3420(2), FF5020, FF5019
----------------	---

MK11033	CARRIER LF778, LF699, FF200, FF185
----------------	---------------------------------------

MK11053	CUMMINS LF3000, FS1212, WF2071
----------------	-----------------------------------

MK11057	MACK CS41000, LF667(2), FF172, FF222, WF2022
----------------	--

MK11059	CATERPILLAR LF691, FF211, WF2071
----------------	-------------------------------------

MK11065	FORD LF3443(2), FF42002(2)
----------------	-------------------------------

MK11066	CUMMINS LF3000, FF105, WF2071
----------------	----------------------------------

MK11115	CATERPILLAR LF691, FF211, FS1212, WF2071
----------------	---

MK11116	MACK LF667(2), FF172, FF222
----------------	--------------------------------

MK11128	CUMMINS LF3000, FF105
----------------	--------------------------

MK11146	FORD LF3443(2), FF42002(2), FS1234, WF2070
----------------	--

MK11148	CARRIER LF699, FF200, FF185
----------------	--------------------------------

MK11215	DETROIT DIESEL LF777, LF3333(2), FF5207, FF5206
----------------	---

MK11217	CUMMINS LF3000, FS1212, WF2077
----------------	-----------------------------------

MK11225	CUMMINS LF3349, FF5052, FS1280
----------------	-----------------------------------

MK11267	INTERNATIONAL TRUCKS LF3455(2), FF5020, FF5019
----------------	---

MK11273	FORD LF3443(2), FF42002(2), FS1234, WF2071
----------------	--

MK11277	INTERNATIONAL TRUCKS LF3420(2), FF5020, FF5019, WF2071
----------------	--

MK11356	CUMMINS LF3000, FS1206, WF2071
----------------	-----------------------------------

MK11361	CUMMINS LF3000, FS1212
----------------	---------------------------

MK11362	MACK CS41000, LF667(2), FF172, FF222
----------------	--

MK11368	CATERPILLAR LF691A, FF211, FS1212, WF2071
----------------	---

MK11371	CATERPILLAR LF691, FF211, FS1212
----------------	-------------------------------------

MK11372	CATERPILLAR LF691A, FF211, WF2071
----------------	--------------------------------------

MK11375	DETROIT DIESEL LF3333(2), LF777, FF5206
----------------	--

MK11387	INTERNATIONAL TRUCKS LF3420(2), FF5078
----------------	---

MK11389	INTERNATIONAL TRUCKS LF3455(2), FF5020, FF5019, WF2071
----------------	--

MK11394	FORD LF3443(2), FF42002(2), WF2071
----------------	---------------------------------------

MK11397	CATERPILLAR LF691A, FF211, FF105
----------------	-------------------------------------

MK11402	DETROIT DIESEL LF777, LF3333(2), FF5206, FS19513, WF2071
----------------	--

MK11412	MACK CS41000, LF667(2), FF172, FF222, WF2015
----------------	--

MK11424	CUMMINS LF3000, FS1242
----------------	---------------------------

MK11429	MITSUBISHI LF3447, LF3432
----------------	------------------------------

MK11437	CATERPILLAR LF691A, FF211, FS19513, WF2071
----------------	--

MK11442	CATERPILLAR LF691A, FF211, FS1206
----------------	--------------------------------------

MK11443	CATERPILLAR LF691A, FF211, FS1212
----------------	--------------------------------------

MK11446	CUMMINS LF777, LF670, FF105(2), WF2071
----------------	--

E. PRODUCT GUIDE

MK11447	GMC LF3342, FF5033, AF400, LF692	MK11736	IHC LF3883, FF5078, WF2071	MK12019	DETROIT DIESEL LF3620(2), FF5207, FF5206, DCA60L
MK11467	CUMMINS LF3000, FS1212, WF2072	MK11743	ISUZU LF3563, LF3328, FF5108	MK12020	CATERPILLAR LF691, FF213, FF211, WF2073
MK11498	CUMMINS LF3000, FS1251, WF2071	MK11772	CATERPILLAR LF691A(2), HF6098(4), HF6097	MK12021	CATERPILLAR LF691A(2), LF667, HF6097(2)
MK11499	CUMMINS LF3349, FF42000, FS1240, HF6056, HF6243	MK11776	CUMMINS LF777(2), LF670(3), LF509N(2)	MK12024	DETROIT DIESEL LF3671(2), FF5207, FF5206
MK11511	CATERPILLAR LF667, FF185, FF105	MK11778	CUMMINS LF777(2), LF670(4), FF202(2)	MK12025	CUMMINS LF3000, FS1001, WF2071
MK11513	GMC LF653, FF5033, AF380	MK11779	CUMMINS LF777(2), LF670(4)	MK12036	CUMMINS LF777(2), LF670(3), FF202
MK11517	CATERPILLAR LF691A, FF211, FF105, WF2071	MK11791	ISUZU LF3622, FF5114	MK12039	CATERPILLAR LF691A, FF5369W, WF2071
MK11519	CUMMINS LF3349, FS1251	MK11800	DETROIT DIESEL LF3620(2), WF2071, FF5369W	MK12042	CATERPILLAR LF691A(2), FF185, FF211, LF667
MK11556	CUMMINS LF3000, FS1212, WF2051	MK11802	CATERPILLAR LF691A, FF5264	MK12043	TOYOTA LF3599, AF25308
MK11557	FORD LF697, FF5033, HF6056, AF4967	MK11807	CUMMINS LF3000, FS1000	MK12048	CUMMINS LF3000, FS1001
MK11562	DETROIT DIESEL LF3620(2), FF5207, FF5206	MK11808	CUMMINS LF3000, FS1000, DCA60L	MK12049	CATERPILLAR LF691A, FF211
MK11577	VOLVO LF777, LF3321, FF42000(2)	MK11811	CUMMINS LF3000, FS1000, WF2071	MK12050	DETROIT DIESEL LF3620(2), FF5369W, WF2077
MK11582	INTERNATIONAL TRUCKS LF3420(2), FF5078, FS1205, WF2071	MK11813	CUMMINS LF3000, FS1000, WF2072	MK12054	DETROIT DIESEL LF9620(2), FF5207, FF5206
MK11584	THERMO-KING LF3536, FF204	MK11814	CUMMINS LF3000, FS1000, WF2073	MK12059	MERCEDES-BENZ LF3607(2)
MK11585	CUMMINS LF3000, FF5052	MK11837	DETROIT DIESEL LF3333SC, FF235, FF5021	MK12060	CUMMINS LF3000, FS1251
MK11593	DETROIT DIESEL LF3620(2), FF5206	MK11841	CUMMINS LF3000, FF5052, WF2072	MK12072	CARRIER LF778, LF787, FF5301
MK11600	DETROIT DIESEL LF3620(2), FF5206, FS19513, WF2071	MK11842	INTERNATIONAL TRUCKS LF3883, FF5078, WF2072	MK12073	THERMO-KING LF3746, FF5275, FF5276
MK11601	CUMMINS LF3000, FF213	MK11843	INTERNATIONAL TRUCKS LF3630, FS1298, WF2071	MK12107	CATERPILLAR LF667, FF5324, WF2053
MK11606	DETROIT DIESEL LF3620(2), FF5206, FS19513	MK11844	CUMMINS LF3349, FF5052	MK12119	CUMMINS LF3639, FS1000, WF2071
MK11608	CUMMINS LF3000, FF5052, FS1247, LF3342	MK11861	FORD LF3681, FF5244	MK12120	CATERPILLAR LF691, FF211, FS1000, WF2071
MK11612	FORD LF3443(2), FF42002(2), FS1247, WF2070	MK11868	GMC LF782, FF5026	MK12127	CATERPILLAR LF3566(2), FF5319(2), WF2053
MK11620	DETROIT DIESEL LF3620(2), FF5206, FS1212, WF2071	MK11874	CUMMINS LF3349(2), FS1253	MK12131	DETROIT DIESEL LF3620(2), FF5206, FS1206, WF2071
MK11623	DETROIT DIESEL LF3620(2), FF5206, WF2071	MK11884	TOYOTA LF3311, LF3400, AF437K	MK12133	VOLVO LF3654, LF3321(2), FF5272, WF2108
MK11632	CUMMINS LF3363(3), FF202(2)	MK11890	CATERPILLAR LF691A, FF211, FS1000, WF2071	MK12134	CATERPILLAR LF691, FF5264, WF2071
MK11651	INTERNATIONAL TRUCKS LF3883, FF5078, WF2106, CC2525	MK11916	INTERNATIONAL TRUCKS LF3883, FF5078, HF6057	MK12136	DETROIT DIESEL LF9620(2), FF5206, FS19513
MK11654	CUMMINS LF3000, FF105, WF2053	MK11959	CUMMINS FS1280, FF5052	MK12138	MACK CS41000, LF667(2), WF2015
MK11661	DETROIT DIESEL LF3620(2), FF5206, FS1212	MK11967	CATERPILLAR LF3566, FF211, FS1212	MK12145	CUMMINS LF3000, FF5369W, WF2071
MK11663	INTERNATIONAL TRUCKS LF3883, FF5078	MK11971	INTERNATIONAL TRUCKS LF3883, FF5269, WF2106	MK12146	VOLVO LF3654, LF3675(2), FF5272, WF2108
MK11665	CATERPILLAR LF3566, FF211, WF2071	MK11977	GMC LF3679, FS1295	MK12150	INTERNATIONAL TRUCKS LF3883, FF5269
MK11666	DETROIT DIESEL LF3620(2), FF5207, FF5206, WF2071	MK11978	FORD LF3630, FS1298	MK12151	INTERNATIONAL TRUCKS LF3883, FF5052
MK11669	CATERPILLAR LF667, FF185, WF2071	MK11996	CUMMINS LF3000, FS1001, WF2073	MK12154	THERMO-KING LF3641, LF3536, FF204
MK11699	CATERPILLAR LF691A, FF211, DCA60L	MK11997	CUMMINS LF3639, FS1212, WF2071	MK12159	CATERPILLAR LF3379, FF185, FF105, WF2071
MK11726	INTERNATIONAL TRUCKS LF3883, FF5078, WF2106	MK12001	VOLVO LF3654, LF3675(2), FF5272	MK12160	MACK CS41000, LF667(2), FF222, FS1219, WF2015
		MK12008	CUMMINS LF3000, FF5369W	MK12174	MACK CS41000, LF667(2), FF222, FF172, WF2083, CC2602B
		MK12014	THERMO-KING LF3746, FF5275, FF5276, AH1189		
		MK12017	CATERPILLAR LF691A(2), FF211(2)		

E. PRODUCT GUIDE

MK12175	CUMMINS WF2121, CC2602B, CC2840
MK12176	CATERPILLAR LF3342(2), FF5245
MK12180	INTERNATIONAL TRUCKS LF3883, FF5269, WF2071
MK12185	INTERNATIONAL TRUCKS LF3455(2), FF5078, AF364, HF6056, HF6110, HF6162
MK12201	INTERNATIONAL TRUCKS LF3630, FS1298, WF2071, HF6056
MK12221	CATERPILLAR LF691A, LF777, FF5264
MK12223	DETROIT DIESEL FF5369W, LF3620(2)
MK12235	DETROIT DIESEL FF5369W, LF3671(2)
MK12238	DETROIT DIESEL LF3620(2), FF5207
MK12248	INTERNATIONAL TRUCKS LF3883, WF2071, FF5019
MK12252	CATERPILLAR LF691, FF5264
MK12253	VOLVO FF5272, LF3321(2), LF3654
MK12257	CUMMINS LF9009, FS1000, WF2071
MK12258	CUMMINS LF750B, LF670, FS1001, WF2071
MK12259	CUMMINS LF670, LF777, FS1001, WF2071
MK12260	CATERPILLAR FF5319(2), LF691A(2)
MK12264	INTERNATIONAL TRUCKS FF5269, HF6057, LF3883
MK12265	CATERPILLAR FF185, FF5319, LF667, LF691A(2)
MK12267	CATERPILLAR LF691A, FF211, FF213
MK12269	CATERPILLAR LF667, FF5324, FS1001
MK12272	CUMMINS LF3363, FS1001, WF2071
MK12277	CUMMINS LF3363, FS1001(2), HF6110(2), HF6111(3), WF2073
MK12310	CUMMINS LF9009, WF2072, FS1000
MK12312	CUMMINS LF3000, FS1000, CC2602B, CC2525
MK12313	CUMMINS LF9070, FS1000, CC2602B, CC2525
MK12320	CUMMINS LF9009, FS1212
MK12331	VOLVO LF3321, LF3654, FF5074(2)
MK12339	MACK LF667(2), FF5381, FF5382
MK12343	CATERPILLAR LF691A, FS1212, FF5319, WF2071
MK12348	MACK FF5381, FF5382, LF667(2), WF2015, CS41000
MK12351	CATERPILLAR LF667, FF5324
MK12352	CATERPILLAR LF667, FF5321
MK12353	CATERPILLAR LF691A, FF5319

MK12354	GMC LF782, FF5033
MK12357	CUMMINS LF3970, FS19855
MK12358	DETROIT DIESEL LF3620(2), FS1029W
MK12364	DETROIT DIESEL LF3620(2), FF5369W, WF2071, CC2525
MK12368	CATERPILLAR LF667, FF5321, FF5207
MK12369	TRANSICOLD LF3490, FF185
MK12370	CATERPILLAR LF667, FF5321, WF2071
MK12371	THERMO-KING LF3536, FF204, LF3361
MK12376	INTERNATIONAL TRUCKS LF3883, FS1281, FF5269
MK12379	GMC LF692, LF3342, FF5033
MK12381	CATERPILLAR LF691A, FF5319, FF5207
MK12382	DETROIT DIESEL LF3380, FF235, FF5021
MK12384	CUMMINS LF3000, FS1251, WF2072
MK12389	CUMMINS LF3000, FS1022, WF2071
MK12390	CUMMINS LF9009, FS1000, WF2077
MK12391	FORD AF25590, LF3681, FF5033
MK12392	CUMMINS LF9080, FS1011
MK12393	CUMMINS LF3000, FS1022
MK12394	CUMMINS LF3000, FS1022, WF2074
MK12396	CATERPILLAR FF5035, LF667
MK12401	CUMMINS LF3000, FS1029W, CC2602B
MK12402	MACK FF5381, FF5382, LF667(2), CS41000 Replaces MK12689
MK12404	CUMMINS LF9070, FS1000, WF2071 Replaces MK12345
MK12405	CUMMINS LF3342, LF3349, FS1251, FF5079, HF6510
MK12406	CATERPILLAR LF691A, FF5207, FF5264, WF2071
MK12411	CUMMINS LF3970, LF3342, HF6057, FS19855
MK12418	CATERPILLAR LF667, FF5324, FF5052
MK12421	NISSAN LF3434, AF4973K
MK12425	ISUZU LF3379, FF5052, FF5321
MK12430	CUMMINS LF3000, FF5369W, CC2602B
MK12435	CUMMINS LF9080, FS1000, WF2072
MK12436	CATERPILLAR LF3379, FF5321
MK12437	GMC LF692, LF3342, FF5033, AF25259

MK12438	CATERPILLAR LF691A, FF5319, FS1001
MK12439	CUMMINS LF9070, FF5369W, WF2071
MK12441	CUMMINS LF9009, FS1000, WF2073
MK12442	CATERPILLAR LF9691A(2), FF5319(2), WF2053
MK12443	KOMATSU LF3363(2), FS1000(2), LF777, WF2053
MK12445	CATERPILLAR LF9691A(2), FF5319
MK12449	CATERPILLAR HF6341(2), HF6342(2)
MK12450	MACK LF3379, CS41000, FF5381, FF5382, WF2015
MK12452	CATERPILLAR LF9691A(2), FF5319, WF2053
MK12453	CATERPILLAR HF6344(4), HF6341
MK12457	CATERPILLAR LF9691A, FF5319, WF2051
MK12460	CATERPILLAR LF9691, FS1000, FF5319, WF2072
MK12466	CATERPILLAR LF9691A, FF5319
MK12471	CATERPILLAR LF691A, FF5319, FS1000, WF2071
MK12472	CATERPILLAR LF3566, FF5319, FS1000, CC2525
MK12473	MACK LF3379(2), CS41000, FF5381, FF5382
MK12476	CUMMINS LF9080, FS1000, WF2071
MK12478	DETROIT DIESEL LF3671(2), FF5206
MK12479	CUMMINS LF9070, FS1000, WF2122
MK12484	CATERPILLAR LF667, FF5207, FF5321, LF3342
MK12486	DETROIT DIESEL LF3620(2), FS1029W
MK12487	CUMMINS LF9080, FS1000, CC2602B
MK12488	CUMMINS LF3000, FS1000, CC2602B
MK12489	DETROIT DIESEL LF3620(2), FF5206, FF5207, CC2602B
MK12494	INTERNATIONAL TRUCKS LF3883, FF42002
MK12496	CATERPILLAR LF691, FF5369W
MK12498	DETROIT DIESEL LF9620(2), FF5369W
MK12499	DETROIT DIESEL LF3620(2), FS19536
MK12500	TOYOTA AF4509, FF5030, FF5385, LF3399
MK12501	TOYOTA AF4509, FF5159, LF3608
MK12502	HOLDEN AF4616, FF5030, LF3433
MK12503	HOLDEN AF4616, FF5030, LF3508
MK12504	HOLDEN AF4616, FF5030, LF3528

E. PRODUCT GUIDE

MK12505	HOLDEN FF5190, LF3462	MK12593	CUMMINS LF9009, FS1029W, WF2072	MK12763	MACK LF667(2), FF172, FF222, WF2015
MK12506	HOLDEN AF1649, FF5030, LF3433	MK12596	CUMMINS LF9080, FS1040, WF2126	MK12764	CATERPILLAR LF3566, LF777, FS1029W
MK12507	HOLDEN AF25372, FF5030, LF3528	MK12599	ISUZU LF551A, FF5108	MK12770	MACK LF9667(2), CS41005, WF2015
MK12508	HOLDEN AF1649, FF149, LF3996	MK12622	MACK LF667(2), CS41000, FF5369W	MK12775	VOLVO LF3675(2), LF3654, FF5369W
MK12509	HOLDEN FF5190, LF3462	MK12623	MACK LF667(2), CS41000, FF5381, FF5382, FF222	MK12777	CUMMINS LF9080, FS1000, WF2051
MK12511	FORD FF5244, LF3313	MK12624	ISUZU LF3854, LF551A, FF5108	MK12778	CUMMINS LF9080, HF7608, FS1000, WF2051
MK12512	NISSAN AF1649, FF5114, LF690	MK12638	CATERPILLAR LF3566(3), FF5132(2), HF7473(2), HF7779	MK12779	CATERPILLAR LF667, FF185(2)
MK12513	NISSAN AF4615, FF5190, LF3434	MK12639	DETROIT DIESEL LF3380(2), FF5036, FF5037	MK12782	CUMMINS LF3000, FS1029W, FS1000, WF2071
MK12514	NISSAN FF5307, LF3659, AF1649	MK12641	NEW HOLLAND LF3630, FF5418	MK12796	MACK LF667(2), FS19558, CS41005
MK12515	NISSAN FF5190, LF3434 Replaces MK12517	MK12672	THERMO-KING LF3746, FS19580	MK12803	CATERPILLAR LF9691, FF5319, FS1029W
MK12516	NISSAN AF1649, FF5190, LF3435	MK12673	CATERPILLAR LF691A, FF5319, FF105	MK12812	CUMMINS LF9080, WF2072, FF5369W, CC2602B
MK12518	TOYOTA FF5159, LF3313	MK12674	CUMMINS LF3959, FS1280, FF5052	MK12814	DETROIT DIESEL LF9620(2), FS19513, FF5206, WF2071
MK12519	TOYOTA AF25295, FF5159, LF3313	MK12678	CUMMINS LF3959, FS1251	MK12815	CATERPILLAR LF9691A, FF5207, FF5319, WF2071
MK12520	TOYOTA AF4509, FF5114, LF3313	MK12683	CATERPILLAR LF691A, FS1029W, FF5319	MK12816	CATERPILLAR LF691A, LF777, FF211, FS19532
MK12521	TOYOTA AF4509, FF5030, LF3313	MK12684	CUMMINS LF9080, FS1007	MK12817	INTERNATIONAL HARVESTER LF3883, FF203, FF5269
MK12522	TOYOTA FF5030, LF3399	MK12685	CATERPILLAR LF691A, FS1212, FF5264	MK12818	NAVISTAR LF3630, FS1298, HF6056
MK12523	MITSUBISHI AF25500K, FF5160, LF3830	MK12687	THERMO-KING LF3746, FS19580, AH1189	MK12820	PERKINS LF3615, AH19001, FF5260
MK12524	MITSUBISHI FF5179, LF3996	MK12688	CATERPILLAR LF691A, FF5319, FS1212	MK12821	CUMMINS FF2200, LF9080, WF2126
MK12525	MITSUBISHI FF5160, LF3830	MK12690	GMC LF3679, FF5033	MK12822	GMC LF796, FF5033
MK12526	MITSUBISHI FF5221, LF3996	MK12691	SCANIA LF3730, 3931308S	MK12824	CUMMINS LF9080, FS1212
MK12527	MITSUBISHI FF5224, LF3996	MK12693	CATERPILLAR LF691A, LF777, FF5319, FF105	MK12828	CATERPILLAR LF667, FS1251, FF5321
MK12528	TOYOTA AF4509, FF5030, LF3399	MK12694	CUMMINS LF9080, FS1029W, WF2071	MK12845	FORD LF3681, FF5033
MK12529	TOYOTA AF4956, FF5177, LF3874	MK12695	CATERPILLAR LF691A, FF5319, FF5207, WF2071	MK12850	CATERPILLAR LF691A, FF105, FF185
MK12546	CATERPILLAR LF777, LF691A, FF5264	MK12696	CATERPILLAR LF691A, FF5319, WF2071	MK12852	CATERPILLAR FF5319, FF5369W, LF691A
MK12547	CUMMINS LF9009, FS1000	MK12697	CATERPILLAR LF691A, FF5319, FS1000	MK12889	VOLVO LF3321(2), LF3654, FF5507
MK12552	TOYOTA AF4509, LF3608, FF5159, HF6173, FF5385	MK12698	MACK LF667(2), CS41005, FF5381, FF5382	MK12897	MACK LF667(2), CS41005, FF5369W
MK12557	CUMMINS LF9070, FS1000	MK12700	CATERPILLAR LF667, FF5320	MK12902	CUMMINS LF9080, FS1029W
MK12559	CUMMINS LF9080, FS1007, WF2126	MK12746	CUMMINS LF9080, FS1000	MK12906	VOLVO LF3675(2), LF3654, FF5507, FF5369W
MK12560	THERMO-KING LF694, FF204, FS1225	MK12747	CUMMINS LF9080, FS1040	MK12907	MACK CS41005, LF16101, FF5369W
MK12561	THERMO-KING LF787, FF185, FF200	MK12749	GMC LF3679, LF3342, FF5033	MK12909	CUMMINS LF16046, FF5405
MK12563	CUMMINS FF42000, FS1240, HF6243, HF6710, HF7996, LF3349	MK12750	CUMMINS LF9080, FS19557, CC2602B	MK12910	MERCEDES-BENZ LF9080, FF5369W, FF2200, WF2126
MK12566	CUMMINS LF9009, FS1022	MK12756	CUMMINS LF3342, LF3349, FF149, FS1251, HF6056	MK12918	DETROIT DIESEL WF2051, FF5369W, LF3620(2)
MK12568	DETROIT DIESEL LF3620(2), FS1029W, WF2073	MK12758	CARRIER LF787, LF778, FF5458	MK12932	VOLVO LF3675(2), FF5507, LF3654
MK12582	THERMO-KING LF694, LF695, FF185, FF204	MK12759	CUMMINS LF9009, FS1022, WF2071		
MK12588	CATERPILLAR LF691A, FF5319, WF2077	MK12760	VOLVO LF9667(2), LF3654, FF5272		
MK12589	CUMMINS LF9009, FS1000, WF2070				

E. PRODUCT GUIDE

MK12933	CUMMINS FS1003, LF9009, WF2071, FF5488
MK12941	INTERNATIONAL TRUCKS LF9620(2), FS19624 Replaces MK12787
MK12942	CUMMINS LF9009, FS19624, WF2071 Replaces MK12788
MK12945	CATERPILLAR LF691A, FS19624, FF5319 Replaces MK12851
MK12946	CATERPILLAR FF202, FF5319, LF691A
MK12950	DETROIT DIESEL LF3620(2), FS19624, CC2602B
MK12952	MACK LF16101(2), FF5382, FF5381, CS41005
MK12953	MACK LF667, FF234, HF6243, FF5320, WF2015
MK12955	CATERPILLAR LF691A, FS1001, FF5320
MK12956	MACK LF667(2), FF172, FF222, CS41000, HF6557, WF2015
MK12959	MACK LF667(2), CS41010, FF5381, FF5382
MK12961	CUMMINS FS19855, HF6056(2), LF3970
MK12963	CUMMINS FS1003, 3930618S
MK12992	CUMMINS LF9080, FF2200, FS19729
MK12993	CUMMINS LF9080, FF2200, FF2203, WF2126
MK12995	MACK LF3973(2), CS41011
MK13006	CATERPILLAR LF777, LF3566, FF211
MK13007	CUMMINS FF2200, FF2203, LF9080
MK13008	CATERPILLAR LF777, LF3566, FF202, FF5319
MK13009	CATERPILLAR LF691A, FS19683, FF5319
MK13010	CUMMINS LF9080, FF2200, FS19729, WF2127
MK13012	FORD LF3681, FF5455
MK13013	DEUTZ AG AF418, LF3311, FS20102, FF5040, HF6185, AF490M
MK13014	CUMMINS LF3970, FS19596
MK13015	DETROIT DIESEL LF3620(2), FS19624
MK13016	CUMMINS FF5369W, LF9080
MK13017	CUMMINS LF3806, FS19616
MK13019	CATERPILLAR LF3379, HF6553, FF5321, FF5322, FS19555
MK13020	CUMMINS LF9025, FS19684E, CS41013
MK13021	MACK LF3328(2), FF172, FF222, CS41000, HF6557, WF2015
MK13022	MERCEDES-BENZ LF3914, FF5380, FS19624

MK13024	MACK FF172, FF222, LF16101(2), WF2015, CS41000
MK13025	MACK FF172, FF171, LF16101(2), WF2015
MK13026	MACK FF172, FF171, LF16101(2), WF2015, CS41000
MK13027	MACK FF172, FF222, LF16101(3), WF2022
MK13028	MACK FF172, FF222, LF16101(2), WF2022, CS41000
MK13030	IHC LF3883, FF5019
MK13031	CUMMINS LF3349, FF5052, FF5059, LF3342, HF6057
MK13032	CUMMINS LF9009, FF5052, FF5079, FS1280, WF2071
MK13034	VOLVO LF3654, LF3675(2), WF2108, FF5507
MK13036	VOLVO LF3675(2), LF3654, FS19532, FF5507, WF2129
MK13037	CATERPILLAR LF3566, FF5319
MK13038	CUMMINS LF9080, FS19729, WF2126, FF2200
MK13039	CUMMINS LF9080, FS19729, WF2126
MK13040	CUMMINS LF9080, FS19729
MK13041	CUMMINS LF3959, FS1251, HF6057, LF3342
MK13042	CATERPILLAR FF202, FF5319, LF691A
MK13043	MERCEDES-BENZ FS19624, LF3671(2), WF2051
MK13045	CUMMINS LF9025, FS19684E
MK13046	CUMMINS LF3854, FF5617
MK13047	CUMMINS LF3671, FF5206, FS19513
MK13048	VOLVO LF667(2), LF777, FF42000(2)
MK13049	CATERPILLAR LF9691A, FF5319, FF202
MK13050	DETROIT DIESEL LF3671(2), FS19624
MK13051	MERCEDES-BENZ FF5405, LF16046, FS1029W
MK13052	VOLVO LF3675(2), LF3651, FS19728
MK13053	MACK LF3379(2), CS41005, FS19728
MK13054	CUMMINS LF9080, FS1003, FS19727
MK13057	CUMMINS LF3914, FF5380, FS19513
MK13058	CUMMINS LF9080, FF2200, FF5369W
MK13061	CATERPILLAR LF3566, FS19729, FF5319
MK13062	IHC LF16166, FF5418, HF35296
MK13063	IHC LF3883, FF5269, HF35296

MK13064	MACK LF667(2), CS41000, FS1219, FF222, WF2015
MK13065	MACK LF3973(2), CS41005, FS1029W, WF2015
MK13066	CATERPILLAR LF3566, FF5319, FS19807
MK13067	MERCEDES-BENZ LF3914, FF5380, CS41008, FS19624
MK13068	CUMMINS LF3654, LF3675(2), FF5507, FS19551
MK13069	CUMMINS LF691A, FF211, FF202
MK13070	CUMMINS LF9080, FF5488, FS1003
MK13071	VOLVO LF3675(2), LF3654, FS1029W, FF5507
MK13082	CUMMINS LF9009, FS1003, FF5488
MK13083	PERKINS FF5260, LF3615
MK13084	CUMMINS LF9080, FS19624
MK13085	CUMMINS LF3000, FF5488, FS1003
MK13086	CUMMINS LF3854, FF5160, LF551A
MK13087	CUMMINS LF9009(2), FS1000(2), WF2076, CC2543, 3318168S, CC2602B
MK13090	CATERPILLAR LF3566, FF5319, CC2525
MK13091	CUMMINS LF667, FS1000, FF5321
MK13092	CATERPILLAR LF691A, FF5319, FS20201, WF2077
MK13093	CUMMINS LF3914, FS19521, FF5380
MK13094	CUMMINS LF787, FF5380
MK13095	CUMMINS LF3973(2), FS19558
MK13096	CUMMINS LF3566, FF5319, FS1000
MK13097	CATERPILLAR LF691A, FF202, FF5264
MK13098	CUMMINS LF9080, FS19799, FF2200, WF2126
MK13099	CUMMINS LF9080, FS1000, WF2123
MK13100	CUMMINS LF3671(2), FS19727
MK13103	CUMMINS LF695, LF702, FF204, FF185, AH1189
MK13104	CATERPILLAR LF667, FF5320, FF234, HF6243, HF35197(3), WF2051
MK13106	CUMMINS LF9009, FS1029W
MK13107	CUMMINS LF9009, FS1029W, WF2071
MK13108	CUMMINS LF9009, FS1029W, WF2051
MK13109	CATERPILLAR LF9691A, FF5207, FF5319
MK13110	CATERPILLAR LF9691A, FF5319, FS1029W

E. PRODUCT GUIDE

MK13111	DETROIT DIESEL LF9620(2), FF5206, FF5207, WF2051
MK13112	DETROIT DIESEL LF9620(2), FS1029W
MK13113	VOLVO LF3675(2), LF3654, FF5507, FF5369W, WF2108
MK13118	CUMMINS LF3914, FF5380
MK13119	RENAULT TRUCKS 5001866519 FF254, FS19735, LF17502, LF17503(2), 3959961, 3959962, 3959963
MK13120	CUMMINS LF777, LF3566, FS19728, FF5319
MK13121	CUMMINS LF3536, LF778, FF5301
MK13122	CUMMINS LF9009, FF5369W, WF2071
MK13123	CUMMINS LF9009, FF5369W, WF2051
MK13124	CUMMINS LF9009, FF5369W
MK13125	CATERPILLAR LF691A, FF5369W, FF5319
MK13126	CUMMINS LF16046, FF5369W, FF5405
MK13127	DETROIT DIESEL LF9080(2), FF5369W
MK13128	MERCEDES-BENZ FS19932, LF16046, FF5405
MK13148	MACK LF3973(2), FS19624, CS41011
MK13149	CUMMINS LF3349, FS19616
MK13150	VOLVO LF3675(2), LF3654, FF5507, FS19624, WF2129
MK13151	DETROIT DIESEL LF9620(2), FS19624, WF2051
MK13152	CUMMINS HF6243, FF42000, FS1240, LF3959, HF6730, 3312097S
MK13153	CUMMINS HF6243, FS1240, FS19596, LF3970, HF6730, 3312097S
MK13154	CUMMINS HF6243, FS1000, FF5421, LF3970, HF6730, 3312097S
MK13155	MERCEDES-BENZ LF16046, FF5405, FS19593
MK13156	CUMMINS LF9080, FS19729, FF2200, WF2126, CC2602B
MK13157	CATERPILLAR LF691A, FS19536, FF5319, WF2071, CC2602B
MK13158	MERCEDES-BENZ LF16046, FS19558, FF5405, WF2071, CC2602B
MK13159	DETROIT DIESEL LF3620(2), FS19558, WF2071, CC2602B
MK13160	MERCEDES-BENZ LF16046, FF5405, WF2051
MK13161	CUMMINS LF3000, FS1029W
MK13162	DETROIT DIESEL LF3620(2), FF5333, FS19513
MK13163	CUMMINS LF3970, FF5632, FS19732
MK13165	CUMMINS LF9070, FF2200, FS19729, WF2126
MK13168	MACK LF3973(2), FF5381, FF5643, CS41011, WF2015
MK13169	FREIGHTLINER FS19532, FF5380, LF16046, CC2548
MK13170	FREIGHTLINER FS19532, FF5380, LF3914, CC2548
MK13171	CUMMINS LF3970, FS19732, FF5421
MK13172	VOLVO LF9667(2), LF3654, FF5369W, FF5207
MK13173	CUMMINS LF703(2), FS19728, FF5319
MK13179	CUMMINS FS1029W, LF9009
MK13180	DETROIT DIESEL FS1029W, LF9620(2)
MK13181	VOLVO LF9667(2), LF3654, FF5272, FS1029W
MK13182	CUMMINS LF9667(2), LF3654, FS1029W
MK13183	VOLVO LF9667(2), LF3654, FS1029W, FF5507
MK13184	MACK LF3973(2), CS41011, FF5381, FF5382
MK13185	VOLVO LF3675(2), LF3654, FS19728, FF5507
MK13186	RENAULT TRUCKS 5001865780 LF3477(2), FF5470(2), CS41005, 3959962S
MK13188	RENAULT TRUCKS 5001875125 FF254, FS19966, LF17503(2), LF17502, 3959961, 3959962, 3959963
MK13189	MACK LF3973(2), FS19558, WF2015, CS41011
MK13190	CUMMINS LF9070, FS1000, FF5369W
MK13191	CUMMINS LF9070, FF2200, FF5369W
MK13192	RENAULT TRUCKS 5001868492 FF5507, FS19895, LF3675(2), LF3654, 3959961, 3959962, 3959963
MK13193	MACK LF667(2), LF3654, FF5507
MK13194	CUMMINS FF2200, FS1212, LF9080
MK13195	CUMMINS LF9080, FS19728, FF2200
MK13196	CUMMINS LF9080, FF2200, FF2203, WF2127
MK13197	CUMMINS LF9009, FF5636, FS1003
MK13198	CUMMINS LF16046, FS19593, FF5405
MK13199	CUMMINS LF9070, FF2200, FF2203
MK13200	CUMMINS LF16015, FF5421, FS19732
MK13201	CUMMINS LF3914, FF5380, FS19593
MK13202	MACK LF3973(2), CS41011, FF5507, FS19704, WF2096
MK13203	KENWORTH LF691A, FF5319, FS19764
MK13204	CATERPILLAR LF691A, FF5319, FS20203
MK13205	MACK LF9667(2), FF5381, FF5382, CS41011
MK13206	MACK LF9667(2), FF5381, FF5643
MK13208	MACK LF9667(2), FF5381, FF5382, CS41011, WF2015
MK13209	MACK LF9667(2), FF5381, FF5643, CS41011
MK13210	MACK LF3973(2), FF5381, FF5382, CS41011, WF2015
MK13218	CUMMINS LF777, LF3566, FS19765, FF5319
MK13219	CUMMINS LF703(2), FS19764, FF5319
MK13220	FREIGHTLINER LF691A, FF5319, FS20201
MK13222	CATERPILLAR LF3874, FS19572
MK13223	THERMO-KING LF16354, FS19580, AF25550
MK13256	CUMMINS LF16352, FF5706
MK13263	ISUZU LF3542, LF3328, FF5085, FF5363
MK13264	ISUZU LF3854, FF5160
MK13271	CUMMINS LF9039, FF5488, FS1022
MK13289	DETROIT DIESEL LF3620(2), FS19763, FF5690
MK13293	CUMMINS LF9080, FF2203, FS19905G
MK13294	MACK FF5507, LF3654, FS19966, WF2096
MK13295	CUMMINS LF9070, FF2200, FS19905G
MK13296	CUMMINS LF3970, FF5612, FS19732
MK13297	CUMMINS LF3472(2), FS19764, FF5319
MK13300	MACK LF3973(2), FF5507, LF3654, FS19966, WF2096
MK13301	SCANIA 2003505 FF5658, FS19997 Replaces MK13164
MK13302	CUMMINS LF777, LF691A, FF5319, FS19765
MK13303	CUMMINS LF777, LF691A, FF5319, FF202
MK13381	SCANIA 2022754 FF5658, FS20003
MK13382	CUMMINS LF3805, FF235, FF215
MK13408	RENAULT TRUCKS 5001873327 RENAULT TRUCKS FF5769, FS19895, LF16351, 3320227S, 3959962S
MK13409	CUMMINS FS19624, LF9080, WF2071

MK13410	CATERPILLAR LF9691A, FF5319, FS1029W, CC2525
MK13411	CUMMINS LF9070, FS19729, CC2525
MK13412	CUMMINS LF9070, FS1029W, CC2525
MK13413	CUMMINS FF5405, LF16046, FS1029W, CC2525
MK13416	CUMMINS LF9080, FF5686, FS19727, CC2525
MK13429	CUMMINS LF9080, FF5369W, FF2200
MK13430	VOLVO LF667(2), LF3654, FF5272, FS19932
MK13431	CUMMINS LF9080, FF5686, FS19764, CC2525
MK13432	CUMMINS FF5644(3), FS19624(3), HF6111(4), HF28989, LF9050(4), WF2075(2), HF7474(2)
MK13436	CUMMINS LF3970, FF5632, FS19521
MK13437	MACK LF3379(2), FF172, FF222, WF2015, CS41000
MK13438	MACK LF3379(2), FF5381, FF5382, WF2015, CS41000
MK13444	CUMMINS LF16046, FS19593, FF5405, WF2073
MK13445	CUMMINS LF9080, FF5686, FS19729, WF2126
MK13446	VOLVO LF3654, LF3675(2), FF5507, FS19532, WF2108
MK13447	VOLVO LF3654, LF3675(2), FF5272, FS19532, WF2108
MK13448	CUMMINS LF9080, FF5686, FS19764
MK13449	CATERPILLAR LF667(2), LF3654, FF5369W, FF5207
MK13450	CATERPILLAR LF667(2), LF3654, FF5369W, FF5207, WF2129
MK13451	THERMO-KING AF25550, FS19580, LF16354
MK13452	THERMO-KING LF9030, FS19580
MK13453	MACK LF667(2), FF5381, CS41011, FS19952
MK13460	CUMMINS FF5644(3), FS19624(3), HF6111(4), HF28989, LF9050(4), WF2075(2), HF7473(2)
MK13461	CUMMINS AF25997, FF5421, LF16015
MK13462	CUMMINS AF25997, FF5488, LF9009
MK13463	CUMMINS AF25997, FF5052, LF3000
MK13464	CUMMINS AF25075, FF5052, LF3345
MK13465	CUMMINS AF25075, FF5421, LF16015


MK13466	THERMO-KING LF9030, FS19624
MK13467	CUMMINS FS1006, FF105, LF9080(4), WF2070(2), HF6710, HF6118(2)
MK13468	VOLVO LF667(2), LF3654, FS19966, FF5507
MK13571	CUMMINS LF9039, FF5488
MK13572	CUMMINS LF9039, FF5488, WF2074
MK13575	CUMMINS LF16015, FF5421
MK13576	CUMMINS LF16352, FF5706, FS19732
MK13577	CUMMINS LF17356, FS19925
MK13600	CUMMINS LF3349, FF42000, FS1240, HF6056
MK13601	CUMMINS LF3959, FF42000, FS1240, HF6730, 3312097S
MK13602	CUMMINS LF3970, FF5612, FS19732, HF6730, 3312097S
MK13603	CUMMINS LF3970, FF5612, FS1000, HF6730, 3312097S
MK13605	CUMMINS FS19727, FF5776, LF9080
MK13606	CATERPILLAR FS19728, FF5319, LF691A
MK13607	CUMMINS FS19727, FF5686, LF9080
MK13608	VOLVO LF3675(2), LF3654, FF254, WF2108, FF5369W
MK13609	VOLVO LF3675(2), LF3654, FF254, WF2108, FS19532
MK13610	CUMMINS FS19727, FF5776, LF9080, WF2127
MK13642	DETROIT DIESEL FK48001, LF17511, FS19915
MK13643	CUMMINS LF9080, FF5776, FS19764, CC2525
MK13806	MERCEDES-BENZ A0001805809 AF26165, FF5405, LF3829
MK13807	MERCEDES-BENZ A0001806009 AF26242, FF5405, LF3829
MK13825	MACK LF3973(2), LF17502, FF254, FS19966
MK13831	VOLVO LF17503(2), LF17502, FF5507
MK13832	VOLVO LF17503(2), LF17502, FF254, FS19765

Natural Gas Filters
NG5900


CUMMINS 3606712; Filter used
with 3893692S L10G, B&C;
Natural Gas Version of 10 liter
engine

Overall Height: 7.35 (187)
Largest OD: 3.77 (96)
Thread Size: 1 1/2-16 UN-2B

Winslow Service Parts

Q186755	CUMMINS POWER GENERATION LTD 1403864; Mounting Band
Q458222A	One-way check valve; Inlet & Outlet Hose Barb Diameter 10.75mm (0.423 in.); Valve to be installed in a vertical orientation; Valve opens at approximately 50.8mm (2 inch) oil column pressure; Used with: CV52028, CV52006, CV52035, CV52036
Q53085	8" Band Clamp 
Q53087	8.625" Cover Clamp 
Q58031	Gasket 2.0" OD x .75" ID x .125" Thick 
Q58403	Gasket 9.025" OD x 8.475" ID x .250" Thick 
Q59267	Gasket; 6.09" OD x 5.35" ID x .093" Thick 
Q62520	Element Retainer Assembly 
Q79058	Gasket; 16.16" OD x 15.95" ID x .210" Thick 

E. PRODUCT GUIDE

Fluid Level Management

RN24000 DAVCO 570715; Continuous Oil Change Module- 12V DC- Gallons



RN24001 DAVCO 570716; Continuous Oil Change Module- 24V DC- Gallons



RN24002 DAVCO 570717; Continuous Oil Change Module- 12 Volt DC- Liters



RN24003 DAVCO 570718; Continuous Oil Change Module- 24 Volt DC- Liters



RN24004 DAVCO 570719; Continuous Oil Change Module- 12 Volt DC- Quarts



RN24005 DAVCO 570720; Continuous Oil Change Module- 24 Volt DC- Quarts



RN24006 DAVCO 571002; Oil Level Regulator. Includes mounting bracket, hose and fittings.



RN24007 DAVCO 570102; Oil Level Regulator. Does not include mounting bracket, hose and fittings.



RN24011 REN 111; Liquid Level Switch (U.L.)



RN24012 DAVCO 571009; 5 Gallon (18.9 liter) Oil Supply Reservoir and Pedestal Stand with Calibrated Sight Gauge & Shutoff Valve



RN24014 DAVCO 570409; Tank with Sight Gauge & Shutoff Valve- REN Product



RN24015 DAVCO 571011; Uses service part(s) 3946389S 15 Gallon (56.8 liter) Tank with Calibrated Sight Gauge, Shutoff Valve & Barrel Straps with 36" Stand



RN24016 DAVCO 570101; Oil Level Regulator



RN24017 DAVCO 571012; Uses service part(s) 3946390S 30-Gallon (113.6 liter) Tank with Calibrated Sight Gauge, Shutoff Valve & Barrel Straps with 36" Stand



RN24026 DAVCO 570204; Slow Flow Meter with electronic readout (gallon) - wire terminal



RN24027 DAVCO 570411; Lube Reservoir- REN Product



RN24028 DAVCO 57010133; Kit-Oil Regulator with Glass Window, RAK



RN24029 DAVCO 57010233; Kit-Oil Level Regulator with Glass Window, Bracket, RABO



RN24030 DAVCO 57100130; Kit-Oil Level Regulator with Isoplast EZ203 Window, RA



RN24031 DAVCO 5701000004; Kit-Oil Level Regulator used on Force Feed Oil Lubricator, RALUB-K



RN24032 DAVCO 5701000006; Standard Oil Level Regulator used on Force Feed Oil Lubricator, RALUBO



RN24033 DAVCO 57010033; Kit-Oil Level Regulator with Glass Window used on Force Feed Lubricator, RALUB-K



RN24034 DAVCO 5701003302; Standard Oil Level Regulator with Glass Window and Switch, RALUBO-GL/VN/SW



RN24035 DAVCO 5701003603 Kit-Oil Regulator with Glass Window and Switch, RALUBO-GL/VN/SW



RN24036 DAVCO 5701003606; Kit-Oil Regulator with Bracket and 1/2" HXHD Plug, RABK



RN24037 DAVCO 57010200; Solar Turbine Oil Level Regulator with Bracket, RAB



RN24038 DAVCO 57010234; Solar Turbine Oil Level Regulator with Bracket, Isoplast, EZ303 and Switch, RABO-SW/CN



E. PRODUCT GUIDE

RN24039 DAVCO 57020381; Oil Level Regulator with Internal Anodizing (gallon)



RN24040 DAVCO 57010079; Oil Level Regulator



RN24041 DAVCO 5701007901; Oil Level Regulator; Consists of RN24040 and aluminum Y mounting bracket (3946909 S) attached and 2 fixing screws and washers.



RN24042 DAVCO 57020481; Anodized Slow Flow Meter-REN Product



RN24044 DAVCO 570203, 571103; Replaces RN24008, RN24018, RN24020



RN24045 DAVCO 570205, 57020526; Replaces RN24010, RN24021



RN24046 DAVCO 571004; Automatic Oil Replenishment



RN24048 Oil Level Regulator Kit with a mounting bracket with 1/2" slots, hoses, and fittings.



RN24049 55-Gallon tank with 36" Stand



S923ES Petcock assembly for use on fuel-water separator housing assemblies



SP1002 Fleetguard Direct Flow Housing Cover; Used with: AH55558, AH55559, AH55560, AH55561, AH55556, AH55557



SP1004 Fleetguard Direct Flow Ejection Valve Kit; Used with: AH55558, AH55559, AH55560, AH55561, AH55562, AH55563, AH55564, AH55556, AH55555, AH55557



SP1011 Drainline

SP1013 Air Cleaner Cover



SP1014 Air Pre-cleaner



SP1016 Cover Assembly; 1100 Series OptiAir

SP1019 Bracket



SP1022 Retaining Clip

SP1020 Bracket



SP1025 Check Valve



SP1003 Fleetguard Direct Flow Housing Cover; Used with: AH55562, AH55563, AH55564



SP1042 Air Cleaner Cover

SP1043 Coolant Heater

SP1048 Dust Ejection Valve; Replaces SP1015



SP1053 Vent Cap & Assembly for Diesel Pro and Fuel Pro; Replaces 3944440S



SP1055 Service Part

SP1056 Service Part



SP1059 Service Part



SP1060 Service Part



SP1062 Indicator Light

SP1063 Shell

SP1064 Shell



SP1066 Flexible hose



SP1067 Flexible hose



E. PRODUCT GUIDE

SP1068 Flexible hose 	SP1219 Bowl without WIF and heater; Used with: FS36241, FS36231, FS36234 SP1237 Is included in 3941466 Tube SP1244 Collar 	ST1001 Hydraulic Overall Height: 7.87 (200) Overall OD: 2.83 (72) End 1 ID: 0.28 (7) ST1008 MP FILTRI STR1001SG1M90; Hydraulic Overall Height: 6.85 (174) Overall OD: 3.54 (90)
SP1069 Flexible Hose 	SP1245 DAVCO 782050FGD07; Service Part 	ST1024HH Hydraulic Filter Head 
SP1090 Gasket SP1127 Cover Assembly SP1129 Priming Pump SP1134 Bowl SP1157 Service Part SP1158 Service Part	SP1246 DAVCO 782050FGD1207; Service Part 	ST1025HH Hydraulic Filter Head 
SP1165 Engine Heater; Replaces 3928342 	SP1247 DAVCO 772050FGDH07; Service Part 	ST1028HH Hydraulic Filter Head; Used with HF7835, ST1814 
SP1167 CUMMINS 5294833; Service Part 	SP1261 Restriction Gauge 	ST1033 HYDAC 30D020BH3HC, 322693; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.45 (11)
SP1169 Used with: FF5046; Rectangular gasket type SP1170 Service Part SP1071 Hose 	SP1327 Is included in FK48556; Pre-Screen Overall Height: 3.27 (83) 	ST1034 HYDAC 308082, 60D003BH3HC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)
SP1073 Hardware 	SP1332 CUMMINS POWER GENERATION LTD A050L591; Service Part SP1341 Air Cleaner Cover; Used with: AH19518, AH19517 	ST1035 HYDAC 308081, 60D005BH3HC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)
SP1076 Filter Removal Tool 	Hydraulic Filters ST1000 PARKER FC5000Q020BS; Hydraulic Overall Height: 6.18 (157) Overall OD: 2.87 (73) End 1 ID: 1.1 (28) 	ST1036 HYDAC 308080, 60D010BH3HC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21) 
SP1187 Service Part 	SP1217 Bowl with WIF and heater SP1218 Bowl with WIF	

ST1037  HYDAC 308079, 60D020BH3HC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1046  HYDAC 240D003BH3HC, 308094; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1057  HYDAC 308099, 660D020BH3HC; Hydraulic Overall Height: 12.95 (329) Overall OD: 3.56 (90) End 1 ID: 1.84 (47)
ST1038  HYDAC 110D003BH3HC, 308086; Hydraulic Overall Height: 6.02 (153) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1047  HYDAC 240D005BH3HC, 308093; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.35 (34)	ST1058  HYDAC 303973, 30D025W; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.48 (12)
ST1039  HYDAC 110D005BH3HC, 308085; Hydraulic Overall Height: 6.02 (153) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1048  HYDAC 240D010BH3HC, 308092; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1059  HYDAC 301409, 60D025W; Hydraulic Overall Height: 3.58 (91) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST1041  HYDAC 110D020BH3HC, 308083; Hydraulic Overall Height: 6.02 (153) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1049  HYDAC 240D020BH3HC, 308091; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1060  HYDAC 304002; Hydraulic Overall Height: 6.22 (158) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST1042  HYDAC 160D003BH3HC, 308090; Hydraulic Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1050  HYDAC 308098, 330D003BH3HC; Hydraulic Overall Height: 6.46 (164) Overall OD: 3.56 (90) End 1 ID: 1.84 (47)	ST1061  HYDAC 160D025W, 301410; Hydraulic Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST1043  HYDAC 160D005BH3HC, 308089; Hydraulic Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1051  HYDAC 308097, 330D005BH3HC; Hydraulic Overall Height: 6.46 (164) Overall OD: 3.56 (90) End 1 ID: 1.84 (47)	ST1062  HYDAC 240D025W, 303875; Hydraulic Overall Height: 7.44 (189) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST1044  HYDAC 160D010BH3HC, 308088; Hydraulic; Replaces HF30194 Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1052  HYDAC 308096, 330D010BH3HC; Hydraulic Overall Height: 6.46 (164) Overall OD: 3.56 (90) End 1 ID: 1.84 (47)	ST1064  HYDAC 301412, 660D025W; Hydraulic Overall Height: 13.82 (351) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)
ST1045  HYDAC 160D020BH3HC, 308087; Hydraulic Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)	ST1054  HYDAC 308102, 660D003BH3HC; Hydraulic Overall Height: 12.95 (329) Overall OD: 3.56 (90) End 1 ID: 1.84 (47)	ST1065  HYDAC 303969, 30D010V, 30D020V; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.45 (11)

E. PRODUCT GUIDE

ST1066  HYDAC 303970; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.45 (11)	ST1082  HYDAC 240D010V, 303873; Hydraulic Overall Height: 7.44 (189) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1097  HYDAC 240R025W; Hydraulic Overall Height: 7.99 (203) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)
ST1067 HYDAC 303971, 30D005V; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.45 (11)	ST1083 HYDAC 240D005V, 303872; Hydraulic Overall Height: 7.44 (189) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1099 HYDAC 500R025W; Hydraulic Overall Height: 10.87 (276) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)
ST1069  HYDAC 245411, 60D010V, 60D020V; Hydraulic Overall Height: 3.58 (91) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1084 HYDAC 240D003V, 303871; Hydraulic Overall Height: 7.44 (189) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1101 HYDAC 850R025W; Hydraulic Overall Height: 16.3 (414) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)
ST1070 HYDAC 245401; Hydraulic Overall Height: 3.58 (91) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1085 HYDAC 245413, 330D020V; Hydraulic Overall Height: 7.09 (180) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST1102  Hydraulic Overall Height: 16.3 (414) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)
ST1073 HYDAC 110D020V, 303997; Hydraulic Overall Height: 6.22 (158) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1086 HYDAC 245403, 330D010V; Hydraulic Overall Height: 7.09 (180) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST1106 HYDAC 30R010V; Hydraulic Overall Height: 4.13 (105) Overall OD: 1.38 (35) End 1 ID: 0.45 (11) BPV Setting: 43.51 (300)
ST1075 HYDAC 110D005V, 303999; Hydraulic Overall Height: 6.22 (158) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1087 HYDAC 245107, 330D005V; Hydraulic Overall Height: 7.09 (180) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST1109 HYDAC 60R020V; Hydraulic Overall Height: 4.05 (103) Overall OD: 1.75 (45) End 1 ID: 0.83 (21) BPV Setting: 43.51 (300)
ST1076 HYDAC 110D003V, 304001; Hydraulic Overall Height: 6.22 (158) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1088 HYDAC 245102, 330D003V; Hydraulic Overall Height: 7.09 (180) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST1112 HYDAC 60R003V; Hydraulic Overall Height: 4.05 (103) Overall OD: 1.75 (45) End 1 ID: 0.83 (21) BPV Setting: 43.51 (300)
ST1078 HYDAC 160D010V, 245402; Hydraulic Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1091 HYDAC 301359, 660D005V; Hydraulic Overall Height: 13.82 (351) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST1113 HYDAC 110R020V; Hydraulic Overall Height: 6.69 (170) Overall OD: 1.75 (45) End 1 ID: 0.83 (21) BPV Setting: 43.51 (300)
ST1079 HYDAC 160D005V, 245106; Hydraulic Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1092 HYDAC 301360, 660D003V; Hydraulic Overall Height: 13.82 (351) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST1118  HYDAC 160R010V; Hydraulic Overall Height: 5.67 (144) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)
ST1080 HYDAC 160D003V, 245101; Hydraulic Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1094  HYDAC 60R025W; Hydraulic Overall Height: 4.05 (103) Overall OD: 1.75 (45) End 1 ID: 0.83 (21) BPV Setting: 43.51 (300)	ST1119 HYDAC 160R005V; Hydraulic Overall Height: 5.67 (144) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)
ST1081 HYDAC 240D020V, 303874; Hydraulic Overall Height: 7.44 (189) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1096  HYDAC 160R025W; Hydraulic Overall Height: 5.67 (144) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	

E. PRODUCT GUIDE

ST1120 HYDAC 160R003V; Hydraulic Overall Height: 5.67 (144) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	ST1149 HYDAC 2600R020BN3HC; Hydraulic Overall Height: 36.3 (922) Overall OD: 5.63 (143) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1208 MP FILTRI HP1352A10AN; Hydraulic Overall Height: 9.06 (230) Overall OD: 2.13 (54) End 1 ID: 1.02 (26)
ST1130 HYDAC 500R010V; Hydraulic Overall Height: 10.87 (276) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST1150 HYDAC 2600R010V; Hydraulic Overall Height: 36.3 (922) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1222 Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)
ST1131 HYDAC 500R005V; Hydraulic Overall Height: 10.87 (276) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST1151 HYDAC 2600R005V; Hydraulic Overall Height: 36.3 (922) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1230 HYDAC 160D020BN3HC, 308111; Hydraulic; European version of HF30702 Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.31 (33)
ST1132 HYDAC 500R003V; Hydraulic Overall Height: 10.87 (276) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST1152 HYDAC 2600R003V; Hydraulic Overall Height: 36.3 (922) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1248 HYDAC 60R005BN3HC; Hydraulic Overall Height: 4.05 (103) Overall OD: 2.03 (52) End 1 ID: 0.87 (22) BPV Setting: 43.51 (300)
ST1133 HYDAC 660R020V; Hydraulic Overall Height: 13.15 (334) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)	ST1153 HYDAC 850R020BN3HC; Hydraulic Overall Height: 16.3 (414) Overall OD: 4.49 (114) End 1 ID: 2.68 (68) BPV Setting: 43.51 (300)	ST1251 HYDAC 110R003BN3HC; Hydraulic Overall Height: 6.69 (170) Overall OD: 2.03 (52) End 1 ID: 0.87 (22) BPV Setting: 43.51 (300)
ST1139 HYDAC 850R005V; Hydraulic Overall Height: 16.3 (414) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)	ST1154 HYDAC 850R010BN3HC; Hydraulic Overall Height: 16.3 (414) Overall OD: 4.49 (114) End 1 ID: 2.68 (68) BPV Setting: 43.51 (300)	ST1255 HYDAC 160R003BN3HC; Hydraulic Overall Height: 5.67 (144) Overall OD: 2.91 (74) End 1 ID: 1.35 (34) BPV Setting: 43.51 (300)
ST1141 HYDAC 950R020V; Hydraulic Overall Height: 14.33 (364) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1167 MAHLE PI3245SMXVST10; Hydraulic Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1256 HYDAC 160R005BN3HC; Hydraulic Overall Height: 5.67 (144) Overall OD: 2.91 (74) End 1 ID: 1.35 (34) BPV Setting: 43.51 (300)
ST1144 HYDAC 950R003V; Hydraulic Overall Height: 14.33 (364) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1206 INTERNORMEN 1E32010VG16SP; Hydraulic Overall Height: 12.21 (310) Overall OD: 2.76 (70) End 1 ID: 1.63 (42) BPV Setting: 36.26 (250)	ST1260 HYDAC 240R005BN3HC; Hydraulic Overall Height: 7.99 (203) Overall OD: 2.91 (74) End 1 ID: 1.35 (34) BPV Setting: 43.51 (300)
ST1146 HYDAC 1300R010V; Hydraulic Overall Height: 19.02 (483) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1207 INTERNORMEN 1E42516VG16SP; Hydraulic Overall Height: 12.24 (311) Overall OD: 3.27 (83) End 1 ID: 1.77 (45) BPV Setting: 36.26 (250)	ST1271 HYDAC 660R003BN3HC; Hydraulic Overall Height: 13.15 (334) Overall OD: 4.49 (114) End 1 ID: 2.68 (68) BPV Setting: 43.51 (300)
ST1147 HYDAC 1300R005V; Hydraulic Overall Height: 19.02 (483) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)		
ST1148 HYDAC 1300R003V; Hydraulic Overall Height: 19.02 (483) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)		

E. PRODUCT GUIDE

ST1282 HYDAC 330D100W; Hydraulic

Overall Height: 7.09 (180)
Overall OD: 3.01 (77)
End 1 ID: 1.84 (47)

ST1289 HYDAC 313004, 500D025W; Hydraulic

Overall Height: 10.75 (273)
Overall OD: 3.01 (77)
End 1 ID: 1.84 (47)

ST1294 HYDAC 140D003BH3HC, 311178; Hydraulic

Overall Height: 7.6 (193)
Overall OD: 1.85 (47)
End 1 ID: 0.83 (21)

ST1297HH Hydraulic Filter Head

ST1300 HYDAC 140D010V, 313186; Hydraulic

Overall Height: 7.87 (200)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST1312 HYDAC 309511, 500D005BH3HC; Hydraulic

Overall Height: 9.96 (253)
Overall OD: 3.56 (90)
End 1 ID: 1.84 (47)

ST1317 HYDAC 850R020BN3HCB6; Hydraulic

Overall Height: 16.3 (414)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 87.02 (600)

ST1333 HYDAC 165R020BN3HC; Hydraulic



Overall Height: 8.98 (228)
Overall OD: 2.36 (60)
End 1 ID: 1.27 (32)
BPV Setting: 43.51 (300)

ST1337 HYDAC 60D100W; Hydraulic



Overall Height: 3.58 (91)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST1339 MAHLE 852754MIC25; Hydraulic



Overall Height: 19.02 (483)
Overall OD: 4.02 (102)
End 1 ID: 2.42 (62)

ST1342 MAHLE 852126SMX25; Hydraulic



Overall Height: 4.43 (113)
End 2 OD: 1.77 (45)
End 1 OD: 1.79 (46)
End 1 ID: 1.01 (26)

ST1343 MAHLE 852127SMX25; Hydraulic

Overall Height: 6.95 (177)
Overall OD: 2.03 (52)
End 1 ID: 1.22 (31)

ST1352 DOMANGE FD66P10; Hydraulic



Overall Height: 13.78 (350)
Overall OD: 4.96 (126)
End 2 ID: 3.62 (92)
End 1 ID: 0.45 (12)

ST1355 MAHLE PI1030MIC25; Hydraulic



Overall Height: 10.12 (257)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1356 MAHLE 852493MIC10; Hydraulic



Overall Height: 3.62 (92)
Overall OD: 1.65 (42)
End 1 ID: 0.83 (21)

ST1357 MAHLE 852493MIC25; Hydraulic



Overall Height: 3.6 (92)
Overall OD: 1.65 (42)
End 1 ID: 0.84 (21)

ST1358 MAHLE 852443MIC10; Hydraulic



Overall Height: 4.11 (105)
Overall OD: 2.28 (58)
End 2 ID: 0.81 (21)
End 1 ID: 1.21 (31)

ST1359 MAHLE 852443MIC25; Hydraulic



Overall Height: 4.11 (105)
Overall OD: 2.28 (58)
End 2 ID: 0.81 (21)
End 1 ID: 1.21 (31)

ST1360 MAHLE 852444MIC25; Hydraulic



Overall Height: 7.01 (178)
Overall OD: 2.28 (58)
End 2 ID: 0.81 (21)
End 1 ID: 1.21 (31)

ST1368 MAHLE 852439DRG25; Hydraulic



Overall Height: 8.58 (218)
Overall OD: 3.9 (99)
End 2 ID: 2.05 (52)
End 1 ID: 1.91 (49)

ST1369 MAHLE 852444SMX25; Hydraulic

Overall Height: 7.07 (180)
Overall OD: 2.28 (58)
End 2 ID: 0.83 (21)
End 1 ID: 1.27 (32)

ST1370 MAHLE 852125DRG25; Hydraulic

Overall Height: 3.37 (85)
Overall OD: 1.63 (42)
End 1 ID: 0.84 (21)

ST1371 MAHLE 852126DRG60; Hydraulic



Overall Height: 4.43 (113)
Overall OD: 1.79 (46)
End 1 ID: 0.95 (24)

ST1372 MAHLE 852034DRG60; Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1373 EPPENSTEINER 1820P102; Hydraulic

Overall Height: 3.42 (87)
Overall OD: 1.63 (42)
End 1 ID: 0.84 (21)

ST1374 EPPENSTEINER 1840P102; Hydraulic

Overall Height: 4.45 (113)
Overall OD: 1.75 (45)
End 1 ID: 0.95 (24)

ST1375 MAHLE 852126MICVST10; Hydraulic



Overall Height: 4.45 (113)
Overall OD: 1.75 (45)
End 1 ID: 0.95 (24)

ST1376 MAHLE 852127MICVST10; Hydraulic

Overall Height: 6.97 (177)
Overall OD: 2.03 (52)
End 1 ID: 1.2 (31)

E. PRODUCT GUIDE

ST1377 MAHLE 852126DRGVST60; Hydraulic

Overall Height: 4.43 (113)
Overall OD: 1.77 (45)
End 1 ID: 1.0 (25)

ST1378 MAHLE 852362MICVST10; Hydraulic

Overall Height: 5.08 (129)
Overall OD: 3.23 (82)
End 1 ID: 1.28 (33)

ST1398MR pressure gauge

ST1400 MAHLE 852436SMX10; Hydraulic



Overall Height: 12.6 (320)
Overall OD: 5.08 (129)
End 2 ID: 2.78 (71)
End 1 ID: 2.63 (67)

ST1402 PARKER GO1930Q; Hydraulic



Overall Height: 5.33 (136)
Overall OD: 2.36 (60)
End 1 ID: 0.98 (25)

ST1404 MAHLE 852760SMX10; Hydraulic

Overall Height: 16.69 (424)
Overall OD: 5.51 (140)
End 1 ID: 2.56 (65)

ST1405 MAHLE PI3105SMX10; Hydraulic



Overall Height: 3.7 (94)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1406 MAHLE PI3108SMX10; Hydraulic



Overall Height: 6.77 (172)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1407 MAHLE PI3111SMX10; Hydraulic



Overall Height: 9.8 (249)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1408 MAHLE PI3115SMX10; Hydraulic



Overall Height: 5.59 (142)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1409 MAHLE PI3130SMX10; Hydraulic



Overall Height: 10.12 (257)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1410 MAHLE PI3145SMX10; Hydraulic



Overall Height: 14.69 (373)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1411 MAHLE PI3205SMXVST10; Hydraulic



Overall Height: 3.7 (94)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1412 MAHLE PI3208SMXVST10; Hydraulic



Overall Height: 6.77 (172)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1413 MAHLE PI3211SMXVST10; Hydraulic



Overall Height: 9.8 (249)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1414 MAHLE PI3215SMXVST10; Hydraulic



Overall Height: 5.59 (142)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1415 MAHLE PI3230SMXVST10; Hydraulic



Overall Height: 10.12 (257)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1416HH Hydraulic Filter Head



ST1422 MAHLE HC18; Hydraulic

Overall Height: 7.09 (180)
Largest OD: 5.04 (128)
Thread Size: 1 1/2-16 UNF-2B

ST1423 MP FILTRI HP3203A25AN; Hydraulic



Overall Height: 14.74 (375)
Overall OD: 3.07 (78)
End 1 ID: 1.52 (39)

ST1424 MAHLE PI2105SMX3; Hydraulic



Overall Height: 3.7 (94)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1425HH Hydraulic Filter Head

ST1426 UCC HYDRAULICS UC2439; Hydraulic



Overall Height: 5.87 (149)
Largest OD: 3.78 (96)
Thread Size: 3/4-14 BSP
BPV Setting: 14.5 (100)

ST1427 UCC HYDRAULICS UC2449; Hydraulic



Overall Height: 7.13 (181)
Largest OD: 5.04 (128)
Thread Size: 1 1/4 BSP
BPV Setting: 14.5 (100)

ST1428 INTERNORMEN 1E7010P16SP; Hydraulic



Overall Height: 6.65 (169)
Overall OD: 1.77 (45)
End 1 ID: 0.91 (23)
BPV Setting: 29.01 (200)

ST1429MA Pressure Gauge



ST1430 MAHLE PI2230SMXVST3; Hydraulic

Overall Height: 10.12 (257)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

E. PRODUCT GUIDE

ST1432



TEHO FILTER KOVL9625;
Hydraulic

Overall Height: 5.91 (150)
Overall OD: 2.87 (73)
End 1 ID: 1.1 (28)

ST1433



HYDAC 280D003BN3HC,
311967; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1434



HYDAC 280D005BN3HC,
310535; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1435



HYDAC 280D010BN3HC,
308672; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1436



HYDAC 280D020BN3HC,
309505; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1437



HYDAC 280D003BH3HC,
310536; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1438



HYDAC 280D005BH3HC,
308321; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1439



HYDAC 280D010BH3HC;
Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1440



HYDAC 280D020BH3HC,
309506, 311324; Hydraulic

Overall Height: 14.02 (356)
Overall OD: 2.72 (69)
End 1 ID: 1.31 (33)

ST1441



HYDAC 110R025WHC; Hydraulic

Overall Height: 6.69 (170)
Overall OD: 2.03 (52)
End 1 ID: 0.87 (22)
BPV Setting: 43.51 (300)

ST1442



HYDAC 330R100WHC; Hydraulic

Overall Height: 7.68 (195)
Overall OD: 3.74 (95)
End 1 ID: 1.91 (49)
BPV Setting: 43.51 (300)

ST1445



MAHLE 852087SMX25; Hydraulic

Overall Height: 7.56 (192)
Overall OD: 6.3 (160)
End 2 ID: 4.33 (110)
End 1 ID: 4.33 (110)

ST1446



MAHLE 852125SMXVST25;
Hydraulic

Overall Height: 3.41 (87)
Overall OD: 1.63 (42)
End 1 ID: 0.89 (23)

ST1447



MAHLE 852439SMX10; Hydraulic

Overall Height: 8.58 (218)
Overall OD: 3.9 (99)
End 2 ID: 2.09 (53)
End 1 ID: 1.91 (49)

ST1448



MAHLE PI1008MIC25; Hydraulic

Overall Height: 6.73 (171)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1449



MAHLE PI1015MIC25; Hydraulic

Overall Height: 5.63 (143)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1450



MAHLE PI1105MIC10; Hydraulic

Overall Height: 3.66 (93)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1451



MAHLE PI1108MIC10; Hydraulic

Overall Height: 6.73 (171)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)


ST1452



MAHLE PI2108SMX3; Hydraulic

Overall Height: 6.77 (172)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1453



MAHLE PI2111SMX3; Hydraulic

Overall Height: 9.8 (249)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)


ST1454



MAHLE PI2145SMX3; Hydraulic

Overall Height: 14.69 (373)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1455



MAHLE PI2245SMXVST3;
Hydraulic

Overall Height: 14.69 (373)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)


ST1456



MAHLE PI4108SMX25; Hydraulic

Overall Height: 6.77 (172)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1457



MAHLE PI4145SMX25; Hydraulic

Overall Height: 14.69 (373)
Overall OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1458



MAHLE PI9408DRGVST60;
Hydraulic

Overall Height: 6.77 (172)
Overall OD: 1.85 (47)
End 1 ID: 1.0 (26)

ST1459 HYDAC 60R025WHC; Hydraulic



Overall Height: 4.05 (103)
Overall OD: 2.03 (52)
End 1 ID: 0.87 (22)
BPV Setting: 43.51 (300)

ST1460 HYDAC 60R050WHC; Hydraulic



Overall Height: 4.05 (103)
Overall OD: 2.03 (52)
End 1 ID: 0.87 (22)
BPV Setting: 43.51 (300)

ST1461 HYDAC 60R100WHC; Hydraulic

Overall Height: 4.05 (103)
Overall OD: 2.03 (52)
End 1 ID: 0.87 (22)
BPV Setting: 43.51 (300)

ST1462 HYDAC 110R050WHC; Hydraulic



Overall Height: 6.69 (170)
Overall OD: 2.03 (52)
End 1 ID: 0.87 (22)
BPV Setting: 43.51 (300)

ST1463 HYDAC 110R100WHC; Hydraulic



Overall Height: 6.69 (170)
Overall OD: 2.03 (52)
End 1 ID: 0.87 (22)
BPV Setting: 43.51 (300)

ST1464 HYDAC 160R025WHC; Hydraulic



Overall Height: 5.67 (144)
Overall OD: 2.91 (74)
End 1 ID: 1.35 (34)
BPV Setting: 43.51 (300)

ST1465 HYDAC 160R050WHC; Hydraulic

Overall Height: 5.67 (144)
Overall OD: 2.91 (74)
End 1 ID: 1.35 (34)
BPV Setting: 43.51 (300)

ST1466 HYDAC 160R100WHC; Hydraulic

Overall Height: 5.67 (144)
Overall OD: 2.91 (74)
End 1 ID: 1.35 (34)
BPV Setting: 43.51 (300)

ST1467 HYDAC 240R025WHC; Hydraulic



Overall Height: 7.99 (203)
Overall OD: 2.91 (74)
End 1 ID: 1.35 (34)
BPV Setting: 43.51 (300)

ST1468 HYDAC 240R050WHC; Hydraulic



Overall Height: 7.99 (203)
Overall OD: 2.91 (74)
End 1 ID: 1.35 (34)
BPV Setting: 43.51 (300)

ST1469 HYDAC 240R100WHC; Hydraulic

Overall Height: 7.99 (203)
Overall OD: 2.91 (74)
End 1 ID: 1.35 (34)
BPV Setting: 43.51 (300)

ST1470 HYDAC 330R025WHC; Hydraulic



Overall Height: 7.68 (195)
Overall OD: 3.74 (95)
End 1 ID: 1.91 (49)
BPV Setting: 43.51 (300)

ST1471 HYDAC 330R050WHC; Hydraulic

Overall Height: 7.68 (195)
Overall OD: 3.74 (95)
End 1 ID: 1.91 (49)
BPV Setting: 43.51 (300)

ST1472 HYDAC 500R025WHC; Hydraulic

Overall Height: 10.87 (276)
Overall OD: 3.74 (95)
End 1 ID: 1.91 (49)
BPV Setting: 43.51 (300)

ST1473 HYDAC 500R050WHC; Hydraulic

Overall Height: 10.87 (276)
Overall OD: 3.74 (95)
End 1 ID: 1.91 (49)
BPV Setting: 43.51 (300)

ST1474 HYDAC 500R100WHC; Hydraulic

Overall Height: 10.87 (276)
Overall OD: 3.74 (95)
End 1 ID: 1.91 (49)
BPV Setting: 43.51 (300)

ST1475 HYDAC 660R025WHC; Hydraulic



Overall Height: 13.15 (334)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 43.51 (300)

ST1476 HYDAC 660R050WHC; Hydraulic

Overall Height: 13.15 (334)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 43.51 (300)

ST1477 HYDAC 660R100WHC; Hydraulic



Overall Height: 13.15 (334)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 43.51 (300)

ST1478 HYDAC 850R025WHC; Hydraulic



Overall Height: 16.3 (414)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 43.51 (300)

ST1479 HYDAC 850R050WHC; Hydraulic

Overall Height: 16.3 (414)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 43.51 (300)

ST1480 HYDAC 850R100WHC; Hydraulic

Overall Height: 16.3 (414)
Overall OD: 4.49 (114)
End 1 ID: 2.68 (68)
BPV Setting: 43.51 (300)

ST1481 HYDAC 950R025WHC; Hydraulic

Overall Height: 14.33 (364)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)
BPV Setting: 43.51 (300)

ST1482 HYDAC 950R050WHC; Hydraulic

Overall Height: 14.33 (364)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)
BPV Setting: 43.51 (300)

ST1483 HYDAC 950R100WHC; Hydraulic

Overall Height: 14.33 (364)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)
BPV Setting: 43.51 (300)

ST1484 HYDAC 1300R025WHC; Hydraulic

Overall Height: 19.02 (483)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)
BPV Setting: 43.51 (300)

ST1485 HYDAC 1300R050WHC; Hydraulic



Overall Height: 19.02 (483)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)
BPV Setting: 43.51 (300)

ST1486 HYDAC 1300R100WHC; Hydraulic

Overall Height: 19.02 (483)
Overall OD: 5.63 (143)
End 1 ID: 3.78 (96)
BPV Setting: 43.51 (300)

E. PRODUCT GUIDE

ST1487 HYDAC 2600R025WHC; Hydraulic Overall Height: 36.3 (922) Overall OD: 5.63 (143) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1495 EPPENSTEINER 256G25; Hydraulic Overall Height: 3.76 (96) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)	ST1507 EPPENSTEINER 2460H10LL; Hydraulic Overall Height: 14.84 (377) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1488 HYDAC 2600R050WHC; Hydraulic Overall Height: 36.3 (922) Overall OD: 5.63 (143) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1496 EPPENSTEINER 2140G25; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)	ST1508 EPPENSTEINER 2460H20LL; Hydraulic Overall Height: 14.84 (377) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1489 HYDAC 2600R100WHC; Hydraulic Overall Height: 36.3 (922) Overall OD: 5.63 (143) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST1497 MAHLE 852761SMX10; Hydraulic Overall Height: 33.39 (848) Overall OD: 5.51 (140) End 1 ID: 2.56 (65)	ST1509 EPPENSTEINER 2460H10LL2; Hydraulic Overall Height: 14.84 (377) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1490 MAHLE HC28; Hydraulic Overall Height: 6.73 (171) Largest OD: 5.45 (139) Thread Size: 1 1/2-16 UNF-2B	ST1498 MAHLE 852127SMX10; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)	ST1510 EPPENSTEINER 2460H20LL2; Hydraulic Overall Height: 14.84 (377) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1491 MAHLE PI8330DRG40; Hydraulic Overall Height: 14.06 (357) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1503 MAHLE 852438SMX10; Hydraulic Overall Height: 6.14 (156) Overall OD: 3.9 (99) End 2 ID: 2.09 (53) End 1 ID: 1.91 (49)	ST1512 MAHLE PI4115SMX25; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1492 MAHLE PI8508DRG100; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1504 MAHLE 852438SMX25; Hydraulic Overall Height: 6.14 (156) Overall OD: 3.9 (99) End 2 ID: 2.09 (53) End 1 ID: 1.91 (49)	ST1513 MAHLE 852127MICVST25; Hydraulic Overall Height: 6.97 (177) Overall OD: 2.03 (52) End 1 ID: 1.2 (31)
ST1493 EPPENSTEINER 190G25; Hydraulic Overall Height: 5.63 (143) Overall OD: 2.09 (53) End 2 ID: 1.29 (33) End 1 ID: 1.01 (26)	ST1505 MAHLE PI4130SMX25; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1514 MAHLE 852443SMX10; Hydraulic Overall Height: 4.11 (105) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.27 (32)
ST1494 EPPENSTEINER 290G25; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)	ST1506 EPPENSTEINER 2225G25; Hydraulic Overall Height: 8.9 (226) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)	ST1515 MAHLE PI4111SMX25; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)

E. PRODUCT GUIDE

ST1516  MAHLE PI2115SMX3; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1524 MAHLE PI4208SMXVST25; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1534  MAHLE PI5145SMX6; Hydraulic Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1517  MAHLE PI2130SMX3; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1525  MAHLE PI4211SMXVST25; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1537IC Restriction Indicator
ST1518  MAHLE PI2205SMXVST3; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1526 MAHLE PI4215SMXVST25; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1538IC Restriction Indicator
ST1519  MAHLE PI2208SMXVST3; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1527  MAHLE PI4230SMXVST25; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1539IC Restriction Indicator
ST1520  MAHLE PI2211SMXVST3; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1528 MAHLE PI4245SMXVST25; Hydraulic Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1541 MAHLE 852690DRG25; Hydraulic Overall Height: 18.86 (479) End 2 OD: 5.08 (129) End 1 OD: 5.1 (130) End 2 ID: 2.7 (69) End 1 ID: 2.83 (72)
ST1521  MAHLE PI2215SMXVST3; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1529 MAHLE PI5105SMX6; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1542 MAHLE 852690DRG40; Hydraulic Overall Height: 18.86 (479) End 2 OD: 5.08 (129) End 1 OD: 5.1 (130) End 2 ID: 2.7 (69) End 1 ID: 2.83 (72)
ST1522  MAHLE PI4105SMX25; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1530  MAHLE PI5108SMX6; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1543  MAHLE 852690SMX10; Hydraulic Overall Height: 18.86 (479) End 2 OD: 5.08 (129) End 1 OD: 5.1 (130) End 2 ID: 2.7 (69) End 1 ID: 2.83 (72)
ST1523  MAHLE PI4205SMXVST25; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1531 MAHLE PI5111SMX6; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1544  MAHLE 852690SMX25; Hydraulic Overall Height: 18.86 (479) End 2 OD: 5.08 (129) End 1 OD: 5.1 (130) End 2 ID: 2.7 (69) End 1 ID: 2.83 (72)
	ST1532 MAHLE PI5115SMX6; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1545  MAHLE PI5205SMXVST6; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
	ST1533  MAHLE PI5130SMX6; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1546  MAHLE PI5208SMXVST6; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
		ST1547 MAHLE PI5211SMXVST6; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)

E. PRODUCT GUIDE

ST1548 MAHLE PI5215SMXVST6; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1567 MAHLE PI8205DRG25; Hydraulic  Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1576 MAHLE PI8315DRG40; Hydraulic  Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1549 MAHLE PI5230SMXVST6; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1568 MAHLE PI8208DRG25; Hydraulic  Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1577 MAHLE PI8345DRG40; Hydraulic  Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1551IC Restriction Indicator	ST1569 MAHLE PI8211DRG25; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1578 MAHLE PI8405DRG60; Hydraulic  Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
ST1552IC Restriction Indicator	ST1570 MAHLE PI8215DRG25; Hydraulic  Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1579 MAHLE PI8408DRG60; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
ST1553IC Restriction Indicator	ST1571 MAHLE PI8230DRG25; Hydraulic  Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1580 MAHLE PI8411DRG60; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
ST1554IC Restriction Indicator	ST1572 MAHLE PI8245DRG25; Hydraulic  Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1581 MAHLE PI8415DRG60; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1555 PARKER GO1954Q; Hydraulic Overall Height: 12.54 (319) Overall OD: 3.68 (94) End 1 ID: 1.88 (48)	ST1573 MAHLE PI8305DRG40; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1582 MAHLE PI8430DRG60; Hydraulic  Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1556IC Restriction Indicator	ST1574 MAHLE PI8308DRG40; Hydraulic  Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1583 MAHLE PI8445DRG60; Hydraulic Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)
ST1557IC Restriction Indicator	ST1575 MAHLE PI8311DRG40; Hydraulic  Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1584 MAHLE PI8505DRG100; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
ST1558MR Pressure Gauge		ST1585 MAHLE PI8511DRG100; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)
ST1560 MAHLE PI5245SMXVST6; Hydraulic  Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)		
ST1561 MAHLE PI8105DRG10; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)		
ST1562 MAHLE PI8108DRG10; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)		
ST1563 MAHLE PI8111DRG10; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)		
ST1564 MAHLE PI8115DRG10; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)		
ST1565 MAHLE PI8130DRG10; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)		
ST1566 MAHLE PI8145DRG10; Hydraulic Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)		

E. PRODUCT GUIDE

ST1586  MAHLE PI8515DRG100; Hydraulic Overall Height: 5.59 (142) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1587  MAHLE PI8530DRG100; Hydraulic Overall Height: 10.12 (257) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1588 MAHLE PI8545DRG100; Hydraulic Overall Height: 14.69 (373) Overall OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1589 MAHLE PI9105DRGVST10; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1590 MAHLE PI9108DRGVST10; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1591 MAHLE PI9111DRGVST10; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1592 MAHLE PI9115DRGVST10; Hydraulic Overall Height: 5.59 (142) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1593 MAHLE PI9130DRGVST10; Hydraulic Overall Height: 10.12 (257) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1594 MAHLE PI9145DRGVST10; Hydraulic Overall Height: 14.69 (373) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1595 MAHLE PI9205DRGVST25; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1596  MAHLE PI9208DRGVST25; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1597 MAHLE PI9211DRGVST25; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1598 MAHLE PI9215DRGVST25; Hydraulic Overall Height: 5.59 (142) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1599  MAHLE PI9230DRGVST25; Hydraulic Overall Height: 10.12 (257) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1600 MAHLE PI9245DRGVST25; Hydraulic Overall Height: 14.69 (373) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1601  MAHLE PI9305DRGVST40; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1602 MAHLE PI9308DRGVST40; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1603  MAHLE PI9311DRGVST40; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1604  MAHLE PI9315DRGVST40; Hydraulic Overall Height: 5.59 (142) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1605 MAHLE PI9330DRGVST40; Hydraulic Overall Height: 10.12 (257) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1606 MAHLE PI9345DRGVST40; Hydraulic Overall Height: 14.69 (373) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1607  MAHLE PI9405DRGVST60; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1608 MAHLE PI9411DRGVST60; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1609  MAHLE PI9415DRGVST60; Hydraulic Overall Height: 5.59 (142) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1610 MAHLE PI9430DRGVST60; Hydraulic Overall Height: 10.12 (257) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1611 MAHLE PI9445DRGVST60; Hydraulic Overall Height: 14.69 (373) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)	ST1612  MAHLE PI9505DRGVST100; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1613  MAHLE PI9508DRGVST100; Hydraulic Overall Height: 6.77 (172) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1614  MAHLE PI9511DRGVST100; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.85 (47) End 1 ID: 1.0 (26)	ST1615  MAHLE PI9515DRGVST100; Hydraulic Overall Height: 5.59 (142) End 1 OD: 3.25 (83) End 1 ID: 1.87 (48)
--	---	--	--	--	---	---	--	--	--	---	---	---	--	--	--	--	---	---	--	--	--	---	---	--	--	---	---	--	--

E. PRODUCT GUIDE

ST1616



MAHLE PI9530DRGVST100;
Hydraulic

Overall Height: 10.12 (257)
End 1 OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1617

MAHLE PI9545DRGVST100;
Hydraulic

Overall Height: 14.69 (373)
End 1 OD: 3.25 (83)
End 1 ID: 1.87 (48)

ST1618

MAHLE 852034DRG10;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1619

MAHLE 852034DRG25;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1620

MAHLE 852034DRG100;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1621

MAHLE 852034DRGVST10;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1622

MAHLE 852034DRGVST25;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1623

MAHLE 852034DRGVST60;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1624

MAHLE 852034DRGVST100;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1625

MAHLE 852034SMX3; Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1626



MAHLE 852034SMX10; Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1627



MAHLE 852034SMX25; Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1628

MAHLE 852034SMXVST3;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1629



MAHLE 852034SMXVST10;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1630

MAHLE 852034SMXVST25;
Hydraulic

Overall Height: 5.67 (144)
Overall OD: 3.05 (78)
End 1 ID: 1.08 (28)

ST1631

MAHLE 852059DRG10;
Hydraulic

Overall Height: 6.02 (153)
Overall OD: 4.55 (116)
End 1 ID: 2.56 (65)

ST1632

MAHLE 852059DRG25;
Hydraulic

Overall Height: 6.02 (153)
Overall OD: 4.55 (116)
End 1 ID: 2.56 (65)

ST1633

MAHLE 852059DRG60;
Hydraulic

Overall Height: 6.02 (153)
Overall OD: 4.55 (116)
End 1 ID: 2.56 (65)

ST1634

MAHLE 852059DRG100;
Hydraulic

Overall Height: 6.02 (153)
Overall OD: 4.55 (116)
End 1 ID: 2.56 (65)

ST1635

MAHLE 852059SMX10; Hydraulic

Overall Height: 6.02 (153)
Overall OD: 4.55 (116)
End 1 ID: 2.56 (65)

ST1636

MAHLE 852059SMX25; Hydraulic

Overall Height: 6.02 (153)
Overall OD: 4.55 (116)
End 1 ID: 2.56 (65)

ST1637

MAHLE 852070DRG10;
Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1638

MAHLE 852070DRG25;
Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1639

MAHLE 852070DRG60;
Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1640

MAHLE 852070DRG100;
Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1641



MAHLE 852070SMX3; Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1642

MAHLE 852070SMX10; Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1643



MAHLE 852070SMX25; Hydraulic

Overall Height: 8.05 (205)
Overall OD: 5.91 (150)
End 1 ID: 3.5 (89)

ST1644

MAHLE 852087DRG10;
Hydraulic

Overall Height: 7.56 (192)
Overall OD: 6.3 (160)
End 1 ID: 4.33 (110)

ST1645

MAHLE 852087DRG25;
Hydraulic

Overall Height: 7.56 (192)
Overall OD: 6.3 (160)
End 1 ID: 4.33 (110)

ST1646

MAHLE 852087DRG60;
Hydraulic

Overall Height: 7.56 (192)
Overall OD: 6.3 (160)
End 1 ID: 4.33 (110)

ST1647

MAHLE 852087DRG100;
Hydraulic

Overall Height: 7.56 (192)
Overall OD: 6.3 (160)
End 1 ID: 4.33 (110)

ST1648



MAHLE 852087SMX10; Hydraulic

Overall Height: 7.56 (192)
Overall OD: 6.3 (160)
End 1 ID: 4.33 (110)

E. PRODUCT GUIDE

ST1649	MAHLE 852125DRG10; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1650	MAHLE 852125DRG40; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1651	MAHLE 852125DRG60; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1652	MAHLE 852125DRG100; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1653	MAHLE 852125DRGVST10; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1654	MAHLE 852125DRGVST25; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1655	MAHLE 852125DRGVST40; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1656	MAHLE 852125DRGVST60; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1657	MAHLE 852125DRGVST100; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1658	MAHLE 852125SMX3; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1659	MAHLE 852125SMX10; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)

ST1660	MAHLE 852125SMX25; Hydraulic
	Overall Height: 3.37 (85) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1661	MAHLE 852125SMXVST3; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1662	MAHLE 852125SMXVST10; Hydraulic
	Overall Height: 3.41 (87) Overall OD: 1.63 (42) End 1 ID: 0.89 (23)
ST1663	MAHLE 852126DRG10; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.79 (46) End 1 ID: 0.95 (24)
ST1664	MAHLE 852126DRG25; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.79 (46) End 1 ID: 0.95 (24)
ST1665	MAHLE 852126DRG40; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.79 (46) End 1 ID: 0.95 (24)
ST1666	MAHLE 852126DRG100; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.79 (46) End 1 ID: 0.95 (24)
ST1667	MAHLE 852126DRGVST10; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.0 (25)
ST1668	MAHLE 852126DRGVST25; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.0 (25)
ST1669	MAHLE 852126DRGVST40; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.0 (25)
ST1670	MAHLE 852126DRGVST100; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.0 (25)

ST1671	MAHLE 852126SMX3; Hydraulic
	Overall Height: 4.43 (113) End 2 OD: 1.77 (45) End 1 OD: 1.79 (46) End 1 ID: 1.01 (26)
ST1672	MAHLE 852126SMX10; Hydraulic
	Overall Height: 4.43 (113) End 1 OD: 1.79 (46) End 1 ID: 1.01 (26)
ST1673	MAHLE 852126SMXVST3; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.01 (26)
ST1674	MAHLE 852126SMXVST6; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.01 (26)
ST1675	MAHLE 852126SMXVST10; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.01 (26)
ST1676	MAHLE 852126SMXVST25; Hydraulic
	Overall Height: 4.43 (113) Overall OD: 1.77 (45) End 1 ID: 1.01 (26)
ST1677	MAHLE 852127DRG10; Hydraulic
	Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)
ST1678	MAHLE 852127DRG25; Hydraulic
	Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)
ST1679	MAHLE 852127DRG40; Hydraulic
	Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)
ST1680	MAHLE 852127DRG60; Hydraulic
	Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)

E. PRODUCT GUIDE

ST1681 MAHLE 852127DRG100; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)	ST1694 MAHLE 852146DRG60; Hydraulic Overall Height: 7.56 (192) Overall OD: 7.93 (202) End 1 ID: 5.51 (140)	ST1706 MAHLE 852362DRG60; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.3 (33)
ST1682 MAHLE 852127DRGVST10; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1695 MAHLE 852146DRG100; Hydraulic  Overall Height: 7.56 (192) Overall OD: 7.93 (202) End 1 ID: 5.51 (140)	ST1707 MAHLE 852362DRG100; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.3 (33)
ST1683 MAHLE 852127DRGVST25; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1696 MAHLE 852146SMX10; Hydraulic  Overall Height: 7.56 (192) Overall OD: 7.93 (202) End 1 ID: 5.51 (140)	ST1708 MAHLE 852362DRGVST10; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1684 MAHLE 852127DRGVST40; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1697 MAHLE 852146SMX25; Hydraulic Overall Height: 7.56 (192) Overall OD: 7.93 (202) End 1 ID: 5.51 (140)	ST1709 MAHLE 852362DRGVST25; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1685 MAHLE 852127DRGVST60; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1698 MAHLE 852264DRG10; Hydraulic Overall Height: 7.64 (194) Overall OD: 5.04 (128) End 1 ID: 3.6 (91)	ST1710 MAHLE 852362DRGVST60; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1686 MAHLE 852127DRGVST100; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1699 MAHLE 852264DRG25; Hydraulic Overall Height: 7.64 (194) Overall OD: 5.04 (128) End 1 ID: 3.6 (91)	ST1711 MAHLE 852362DRGVST100; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1687 MAHLE 852127SMX3; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.22 (31)	ST1700 MAHLE 852264DRG60; Hydraulic Overall Height: 7.64 (194) Overall OD: 5.04 (128) End 1 ID: 3.6 (91)	ST1712 MAHLE 852362SMX3; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1689 MAHLE 852127SMXVST3; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1701 MAHLE 852264DRG100; Hydraulic Overall Height: 7.64 (194) Overall OD: 5.04 (128) End 1 ID: 3.6 (91)	ST1713 MAHLE 852362SMX10; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1690 MAHLE 852127SMXVST10; Hydraulic  Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1702 MAHLE 852264SMX10; Hydraulic Overall Height: 7.64 (194) Overall OD: 5.04 (128) End 1 ID: 3.6 (91)	ST1714 MAHLE 852362SMX25; Hydraulic  Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1691 MAHLE 852127SMXVST25; Hydraulic Overall Height: 6.95 (177) Overall OD: 2.03 (52) End 1 ID: 1.29 (33)	ST1703 MAHLE 852264SMX25; Hydraulic Overall Height: 7.64 (194) Overall OD: 5.04 (128) End 1 ID: 3.6 (91)	ST1715 MAHLE 852362SMXVST3; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1692 MAHLE 852146DRG10; Hydraulic Overall Height: 7.56 (192) Overall OD: 7.93 (202) End 1 ID: 5.51 (140)	ST1704 MAHLE 852362DRG10; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.3 (33)	ST1716 MAHLE 852362SMXVST10; Hydraulic  Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1693 MAHLE 852146DRG25; Hydraulic Overall Height: 7.56 (192) Overall OD: 7.93 (202) End 1 ID: 5.51 (140)	ST1705 MAHLE 852362DRG25; Hydraulic Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.3 (33)	

E. PRODUCT GUIDE

ST1717	MAHLE 852362SMXVST25; Hydraulic
	Overall Height: 5.08 (129) Overall OD: 3.23 (82) End 1 ID: 1.33 (34)
ST1718	MAHLE 852435DRG25; Hydraulic
	Overall Height: 8.72 (222) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1719	MAHLE 852435DRG40; Hydraulic
	Overall Height: 8.72 (222) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1720	MAHLE 852435SMX10; Hydraulic
	Overall Height: 8.72 (222) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1721	MAHLE 852435SMX25; Hydraulic
	Overall Height: 8.72 (222) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1722	MAHLE 852436DRG25; Hydraulic
	Overall Height: 12.6 (320) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1723	MAHLE 852436DRG40; Hydraulic
	Overall Height: 12.6 (320) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1724	MAHLE 852436SMX25; Hydraulic
	Overall Height: 12.6 (320) Overall OD: 5.08 (129) End 2 ID: 2.78 (71) End 1 ID: 2.63 (67)
ST1725	MAHLE 852438DRG25; Hydraulic
	Overall Height: 6.14 (156) Overall OD: 3.9 (99) End 2 ID: 2.05 (52) End 1 ID: 1.91 (49)
ST1726	MAHLE 852438DRG40; Hydraulic
	Overall Height: 6.14 (156) Overall OD: 3.9 (99) End 2 ID: 2.05 (52) End 1 ID: 1.91 (49)

ST1727	MAHLE 852439DRG40; Hydraulic
	Overall Height: 8.58 (218) Overall OD: 3.9 (99) End 2 ID: 2.05 (52) End 1 ID: 1.91 (49)
ST1728	MAHLE 852439SMX25; Hydraulic
	Overall Height: 8.58 (218) Overall OD: 3.9 (99) End 2 ID: 2.09 (53) End 1 ID: 1.91 (49)
ST1729	MAHLE 852443DRG25; Hydraulic
	Overall Height: 4.11 (105) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.2 (31)
ST1730	MAHLE 852443DRG40; Hydraulic
	Overall Height: 4.11 (105) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.2 (31)
ST1731	MAHLE 852443SMX25; Hydraulic
	Overall Height: 4.11 (105) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.2 (31)
ST1732	MAHLE 852444DRG25; Hydraulic
	Overall Height: 7.07 (180) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.2 (31)
ST1733	MAHLE 852444DRG40; Hydraulic
	Overall Height: 7.07 (180) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.2 (31)
ST1734	MAHLE 852444SMX10; Hydraulic
	Overall Height: 7.07 (180) Overall OD: 2.28 (58) End 2 ID: 0.83 (21) End 1 ID: 1.2 (31)
ST1735	MAHLE 852493DRG25; Hydraulic
	Overall Height: 3.6 (92) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1736	MAHLE 852493DRG40; Hydraulic
	Overall Height: 3.6 (92) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)

ST1737	MAHLE 852493SMX10; Hydraulic
	Overall Height: 3.6 (92) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1738	MAHLE 852493SMX25; Hydraulic
	Overall Height: 3.6 (92) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1739	MAHLE 852760SMX3; Hydraulic
	Overall Height: 16.69 (424) Overall OD: 5.51 (140) End 1 ID: 2.56 (65)
ST1740	MAHLE 852760SMX25; Hydraulic
	Overall Height: 16.69 (424) Overall OD: 5.51 (140) End 1 ID: 2.56 (65)
ST1741	MAHLE 852761SMX3; Hydraulic
	Overall Height: 33.39 (848) Overall OD: 5.51 (140) End 1 ID: 2.56 (65)
ST1742	MAHLE 852761SMX25; Hydraulic
	Overall Height: 33.39 (848) Overall OD: 5.51 (140) End 1 ID: 2.56 (65)
ST1749	LOGLIFT 38320034; Hydraulic
	Overall Height: 10.24 (260) Overall OD: 4.17 (106) End 2 ID: 2.83 (72) End 1 ID: 1.16 (30)
ST1750IC	Restriction Indicator
ST1755	MP FILTRI HP3202M60AN; Hydraulic
	Overall Height: 9.29 (236) Overall OD: 3.07 (78) End 1 ID: 1.52 (39)
ST1756	MAHLE 852125MIC10; Hydraulic
	Overall Height: 3.42 (87) Overall OD: 1.63 (42) End 1 ID: 0.84 (21)
ST1757	HIAB 9824499; Hydraulic
	Overall Height: 5.91 (150) Overall OD: 2.83 (72) End 2 ID: 1.75 (45) End 1 ID: 0.32 (8)

E. PRODUCT GUIDE

ST1758  EPPENSTEINER 232H10LL; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.75 (45) End 1 ID: 0.61 (16)	ST1767 EPPENSTEINER 1225H20LL; Hydraulic Overall Height: 8.86 (225) Overall OD: 2.91 (74) End 2 ID: 1.51 (38) End 1 ID: 1.81 (46)	ST1780  EPPENSTEINER 256H20LL; Hydraulic Overall Height: 3.76 (96) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)
ST1759  EPPENSTEINER 2140H10LL; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)	ST1769 EPPENSTEINER 2360H10LL; Hydraulic Overall Height: 10.91 (277) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)	ST1781  EPPENSTEINER 290H10LL; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)
ST1760  EPPENSTEINER 1225P10; Hydraulic Overall Height: 8.74 (222) Overall OD: 2.89 (74) End 2 ID: 1.81 (46) End 1 ID: 1.5 (38)	ST1770  EPPENSTEINER 2360H20LL; Hydraulic Overall Height: 10.91 (277) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)	ST1782 EPPENSTEINER 290H20LL; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)
ST1761  FINN FC1260F025XS; Hydraulic Overall Height: 10.24 (260) Overall OD: 2.83 (72) End 2 ID: 1.75 (45) End 1 ID: 0.32 (8)	ST1771 EPPENSTEINER 2360H10LL2; Hydraulic Overall Height: 10.89 (277) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)	ST1783  EPPENSTEINER 290P10; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)
ST1762 EPPENSTEINER 2225G402V; Hydraulic Overall Height: 8.9 (226) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)	ST1772 EPPENSTEINER 2360H20LL2; Hydraulic Overall Height: 10.89 (277) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)	ST1784  EPPENSTEINER 2140G100; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1763  MAHLE 852126MIC10; Hydraulic Overall Height: 4.45 (113) Overall OD: 1.77 (45) End 1 ID: 0.95 (24)	ST1775  EPPENSTEINER 218G25; Hydraulic Overall Height: 2.09 (53) Overall OD: 1.75 (45) End 1 ID: 0.61 (16)	ST1785 EPPENSTEINER 2140H6LL; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1765  PARKER GO3774; Hydraulic Overall Height: 9.66 (246) Overall OD: 2.64 (67) End 1 ID: 1.0 (26)	ST1776  EPPENSTEINER 1140G25; Hydraulic Overall Height: 5.83 (148) Overall OD: 2.91 (74) End 2 ID: 1.51 (38) End 1 ID: 1.81 (46)	ST1786 EPPENSTEINER 2140H20LL; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
ST1766 EPPENSTEINER 1225H10LL; Hydraulic Overall Height: 8.86 (225) Overall OD: 2.91 (74) End 2 ID: 1.51 (38) End 1 ID: 1.81 (46)	ST1777  EPPENSTEINER 1225G25; Hydraulic Overall Height: 8.86 (225) Overall OD: 2.91 (74) End 2 ID: 1.51 (38) End 1 ID: 1.81 (46)	ST1787  EPPENSTEINER 2225G100; Hydraulic Overall Height: 8.9 (226) Overall OD: 2.91 (74) End 1 ID: 1.55 (40)
	ST1778 EPPENSTEINER 256H6LL; Hydraulic Overall Height: 3.76 (96) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)	ST1788  EPPENSTEINER 2225H10LL; Hydraulic Overall Height: 8.9 (226) Overall OD: 2.91 (74) End 1 ID: 1.59 (41)
	ST1779 EPPENSTEINER 256H10LL; Hydraulic Overall Height: 3.76 (96) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)	

E. PRODUCT GUIDE

ST1789	EPPENSTEINER 2225H20LL; Hydraulic
Overall Height:	8.9 (226)
Overall OD:	2.91 (74)
End 1 ID:	1.59 (41)



ST1791	MP FILTRI CH050P10A; Hydraulic
Overall Height:	5.79 (147)
Largest OD:	3.8 (97)
Thread Size:	M32 X 1.5-6H INT



ST1796	EPPENSTEINER 2225H10LL2; Hydraulic
Overall Height:	8.9 (226)
Overall OD:	2.91 (74)
End 1 ID:	1.55 (40)



ST1797	EPPENSTEINER 2225H20LL2; Hydraulic
Overall Height:	8.9 (226)
Overall OD:	2.91 (74)
End 1 ID:	1.55 (40)



ST1798	INTERNORMEN 1E36025VG30EP; Hydraulic
Overall Height:	12.13 (308)
Overall OD:	2.36 (60)
End 1 ID:	1.35 (34)



ST1799	INTERNORMEN 1E45025VG30EP; Hydraulic
Overall Height:	16.26 (413)
Overall OD:	2.36 (60)
End 1 ID:	1.35 (34)



ST1801	MAHLE PI21004RNSMX3; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	2.28 (58)
End 1 ID:	1.27 (32)



ST1802	MAHLE PI22004RNSMX6; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	2.28 (58)
End 1 ID:	1.27 (32)



ST1803	MAHLE PI23004RNSMX10; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	2.28 (58)
End 1 ID:	1.27 (32)

ST1804	MAHLE PI25004RNSMX25; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	2.28 (58)
End 1 ID:	1.27 (32)

ST1811	PARKER GO1098Q; Hydraulic
Overall Height:	12.54 (319)
Overall OD:	3.68 (94)
End 1 ID:	1.88 (48)

ST1813	MP FILTRI CS050M90A; Hydraulic
Overall Height:	5.91 (150)
Largest OD:	3.78 (96)
Thread Size:	3/4-14 BSP

ST1814	MP FILTRI CS100M90A; Filter used with ST1028HH Hydraulic
Overall Height:	7.11 (181)
Largest OD:	5.04 (128)
Thread Size:	1 1/4 BSP

ST1815	MAHLE PI13010RNMIC10; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	2.28 (58)
End 1 ID:	1.24 (32)

ST1816	PARKER 10119620C; Hydraulic
Overall Height:	6.58 (167)
Overall OD:	2.76 (70)
End 1 ID:	1.69 (43)

ST1817	Hydraulic
Overall Height:	9.57 (243)
Overall OD:	2.36 (60)
End 2 ID:	0.95 (24)
End 1 ID:	1.11 (28)

ST1819	MP FILTRI HP3201A10AN; Hydraulic
Overall Height:	4.51 (115)
End 2 OD:	3.11 (79)
End 1 OD:	3.07 (78)
End 1 ID:	1.53 (39)

ST1820	MP FILTRI HP3201A25AN; Hydraulic
Overall Height:	4.51 (115)
End 2 OD:	3.11 (79)
End 1 OD:	3.07 (78)
End 1 ID:	1.53 (39)

ST1821	MP FILTRI HP3201M60AN; Hydraulic
Overall Height:	4.51 (115)
End 2 OD:	3.11 (79)
End 1 OD:	3.07 (78)
End 1 ID:	1.53 (39)

ST1822	MP FILTRI HP3202A10AN; Hydraulic
Overall Height:	9.23 (235)
End 2 OD:	3.11 (79)
End 1 OD:	3.07 (78)
End 1 ID:	1.53 (39)

ST1823	MP FILTRI HP3202A25AN; Hydraulic
Overall Height:	9.23 (235)
End 2 OD:	3.11 (79)
End 1 OD:	3.07 (78)
End 1 ID:	1.53 (39)

ST1824	MP FILTRI HP3203A10AN; Hydraulic
Overall Height:	14.74 (375)
End 2 OD:	3.11 (79)
End 1 OD:	3.07 (78)
End 1 ID:	1.53 (39)

ST1825	MP FILTRI CU250A25A; Hydraulic
Overall Height:	8.37 (213)
Overall OD:	3.9 (99)
End 1 ID:	1.95 (49)

ST1826	MP FILTRI CU630A25A; Hydraulic
Overall Height:	9.92 (252)
Overall OD:	5.12 (130)
End 1 ID:	2.9 (74)

ST1831	PARKER GO1286Q; Hydraulic
Overall Height:	5.37 (137)
Overall OD:	2.36 (60)
End 1 ID:	1.0 (26)

ST1832	PARKER GO3773; Hydraulic
Overall Height:	9.66 (246)
Overall OD:	2.64 (67)
End 1 ID:	1.0 (26)



ST1837	PARKER GO1938Q; Hydraulic
Overall Height:	9.66 (246)
Overall OD:	2.36 (60)
End 1 ID:	1.0 (26)

ST1848	INTERNORMEN 1E906VGHREP; Hydraulic
Overall Height:	6.89 (175)
Overall OD:	1.75 (45)
End 1 ID:	0.83 (21)

E. PRODUCT GUIDE

ST1849 INTERNORMEN 1E3606VGHREP; Hydraulic Overall Height: 12.13 (308) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1858 EPPENSTEINER 2560H10SLA000P; Hydraulic Overall Height: 9.02 (229) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1871 EPPENSTEINER 1361H6SLA000P; Hydraulic Overall Height: 9.09 (231) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)
ST1850 INTERNORMEN 1E6025VGHREP; Hydraulic Overall Height: 4.33 (110) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1859 EPPENSTEINER 2560H20SLA000P; Hydraulic Overall Height: 9.02 (229) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1872  INTERNORMEN 1E6010VG30EP; Hydraulic Overall Height: 4.33 (110) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST1851  INTERNORMEN 1E9025VGHREP; Hydraulic Overall Height: 6.89 (175) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1860 EPPENSTEINER 2560H10SLC000P; Hydraulic Overall Height: 9.02 (229) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1873 INTERNORMEN 1E4506VGHREP; Hydraulic Overall Height: 16.26 (413) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST1852  INTERNORMEN 1E15025VGHREP; Hydraulic Overall Height: 11.22 (285) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST1861 EPPENSTEINER 2560H20SLC000P; Hydraulic Overall Height: 9.02 (229) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1874  EPPENSTEINER 156P25A000P; Hydraulic Overall Height: 3.64 (93) Overall OD: 2.11 (54) End 2 ID: 1.3 (33) End 1 ID: 1.0 (26)
ST1853  INTERNORMEN 1E24025VGHREP; Hydraulic Overall Height: 9.02 (229) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1862  EPPENSTEINER 2900H10SLA000P; Hydraulic Overall Height: 12.84 (326) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1875  INTERNORMEN 1E42525VG16SP; Hydraulic Overall Height: 12.13 (308) Overall OD: 3.27 (83) End 1 ID: 1.77 (45) BPV Setting: 29.01 (200)
ST1854 INTERNORMEN 1E36025VGHREP; Hydraulic Overall Height: 12.13 (308) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1863 EPPENSTEINER 2900H20SLA000P; Hydraulic Overall Height: 12.84 (326) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1876  MP FILTRI HP0651A10AN; Hydraulic Overall Height: 3.35 (85) Overall OD: 1.85 (47) End 1 ID: 0.98 (25)
ST1855 INTERNORMEN 1E45025VGHREP; Hydraulic Overall Height: 16.26 (413) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST1866  EPPENSTEINER 232G40A000P Hydraulic Overall Height: 3.31 (84) Overall OD: 1.75 (45) End 1 ID: 0.61 (16)	ST1877 EPPENSTEINER 290G60; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)
ST1856  EPPENSTEINER 2900H20SLC000P; Hydraulic Overall Height: 12.84 (326) Overall OD: 4.02 (102) End 1 ID: 2.34 (60)	ST1867 EPPENSTEINER 11401G60A000P; Hydraulic Overall Height: 20.2 (513) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	ST1878  EPPENSTEINER 290G60; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)
ST1857  EPPENSTEINER 256G100A000P; Hydraulic Overall Height: 3.76 (96) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)	ST1868 EPPENSTEINER 110G10A000P; Hydraulic Overall Height: 1.14 (29) Overall OD: 1.73 (44) End 2 ID: 0.77 (20) End 1 ID: 1.02 (26)	ST1879 EPPENSTEINER 1560G25; Hydraulic Overall Height: 10.32 (262) Overall OD: 5.59 (142) End 1 ID: 3.7 (94)
	ST1869 EPPENSTEINER 1901P25A000P; Hydraulic Overall Height: 15.22 (387) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	ST1880  MAHLE 852885MIC25; Hydraulic Overall Height: 6.32 (161) Overall OD: 2.76 (70) End 1 ID: 1.29 (33)
	ST1870 EPPENSTEINER 11401G40A000P; Hydraulic Overall Height: 20.22 (514) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	

E. PRODUCT GUIDE

ST1882  HYVA 14896991A; Hydraulic Overall Height: 8.56 (218) Overall OD: 2.76 (70) End 1 ID: 1.54 (39) BPV Setting: 29.01 (200)	ST1895 HYDAC 140D025WHC; Hydraulic Overall Height: 7.6 (193) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1905 HYDAC 280D050WHC; Hydraulic Overall Height: 14.02 (356) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)
ST1883HH Hydraulic Filter Head	ST1896 HYDAC 140D050WHC; Hydraulic Overall Height: 7.6 (193) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1906 HYDAC 280D100WHC; Hydraulic Overall Height: 14.02 (356) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)
ST1888  INTERNORMEN 1E95010VG10SP; Hydraulic Overall Height: 13.78 (350) Overall OD: 5.59 (142) End 1 ID: 3.35 (85) BPV Setting: 29.01 (200)	ST1897 HYDAC 140D100WHC; Hydraulic Overall Height: 7.6 (193) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1907 HYDAC 330D025WHC; Hydraulic Overall Height: 6.46 (164) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
ST1889  HYDAC 313442, 60D025WHC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1898  HYDAC 160D025WHC; Hydraulic Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1908  HYDAC 330D050WHC; Hydraulic Overall Height: 6.46 (164) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
ST1890  HYDAC 60D050WHC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1899  HYDAC 160D050WHC; Hydraulic Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1909 HYDAC 330D100WHC; Hydraulic Overall Height: 6.46 (164) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
ST1891  HYDAC 60D100WHC; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1900  HYDAC 160D100WHC Hydraulic Overall Height: 4.57 (116) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1910 HYDAC 500D025WHC; Hydraulic Overall Height: 9.96 (253) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
ST1892  HYDAC 110D025WHC; Hydraulic Overall Height: 6.02 (153) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1901 HYDAC 240D025WHC; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1911 HYDAC 500D050WHC; Hydraulic Overall Height: 9.96 (253) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
ST1893  HYDAC 110D050WHC; Hydraulic Overall Height: 6.02 (153) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1902  HYDAC 240D050WHC; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1912 HYDAC 500D100WHC; Hydraulic Overall Height: 9.96 (253) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
ST1894 HYDAC 110D100WHC; Hydraulic Overall Height: 6.02 (153) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)	ST1903 HYDAC 240D100WHC; Hydraulic Overall Height: 6.89 (175) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1913 HYDAC 660D025WHC; Hydraulic Overall Height: 12.95 (329) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
	ST1904  HYDAC 280D025WHC; Hydraulic Overall Height: 14.02 (356) Overall OD: 2.72 (69) End 1 ID: 1.3 (33)	ST1914 HYDAC 660D050WHC; Hydraulic Overall Height: 12.95 (329) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
		ST1915 HYDAC 660D100WHC; Hydraulic Overall Height: 12.95 (329) Overall OD: 3.56 (90) End 1 ID: 1.83 (47)
		ST1916 EPPENSTEINER 1561G100A000P; Hydraulic Overall Height: 10.37 (264) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
		ST1917  MP FILTRI CS150A10A; Hydraulic Overall Height: 8.92 (227) Largest OD: 5.04 (128) Thread Size: 1 1/4 BSP

E. PRODUCT GUIDE

ST1918	MP FILTRI HP1352M60AN; Hydraulic
	
Overall Height:	9.06 (230)
Overall OD:	2.13 (54)
End 1 ID:	1.02 (26)

ST1919	MAHLE PI22006RNSMX6; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	2.28 (58)
End 1 ID:	1.27 (32)

ST1921	PARKER GO4252Q; Hydraulic
	
Overall Height:	8.7 (221)
Overall OD:	2.09 (53)
End 1 ID:	0.79 (20)

ST1922	PARKER GO4268Q; Hydraulic
	
Overall Height:	9.76 (248)
Overall OD:	2.64 (67)
End 1 ID:	1.0 (26)

ST1923	PARKER GO4284Q; Delivered with 2 O-rings and 1 anti-extrusion ring
	
Overall Height:	12.6 (320)
Overall OD:	3.68 (94)
End 1 ID:	1.77 (45)

ST1924	PARKER GO4352Q; Hydraulic
Overall Height:	8.19 (208)
Overall OD:	1.79 (46)
End 1 ID:	0.95 (24)

ST1927HH	Hydraulic Filter Head
	

ST1928	INTERNORMEN 1E95010VG10EP; Hydraulic
Overall Height:	13.78 (350)
Overall OD:	5.59 (142)
End 1 ID:	3.35 (85)

ST1930	EPPENSTEINER 1561P25A000P; Hydraulic
	
Overall Height:	10.37 (264)
Overall OD:	5.61 (143)
End 1 ID:	3.62 (92)

ST1931	INTERNORMEN 1NR6306VG10BP; Hydraulic
Overall Height:	15.71 (399)
Overall OD:	5.49 (140)
End 1 ID:	2.7 (69)

ST1932	MAHLE PI72025DNSMXVST6; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	3.14 (80)
End 1 ID:	1.54 (39)

ST1933HH	Hydraulic Filter Head
-----------------	-----------------------

ST1934	EPPENSTEINER 2225G40A000P; Hydraulic
	
Overall Height:	8.9 (226)
Overall OD:	2.91 (74)
End 1 ID:	1.55 (40)

ST1935	MP FILTRI HP0651A25AN; Hydraulic
	
Overall Height:	3.35 (85)
Overall OD:	1.85 (47)
End 1 ID:	0.98 (25)

ST1936	SOFRANCE CH0609101481Y00; Hydraulic
Overall Height:	4.09 (104)
Overall OD:	2.6 (66)
End 1 ID:	0.87 (22)

ST1937	MAHLE PI13040RNMIC10; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	5.49 (140)
End 1 ID:	2.7 (69)

ST1938	HYDAC 1320D005BN3HC; Hydraulic
	
Overall Height:	25.59 (650)
Overall OD:	3.56 (90)
End 1 ID:	1.84 (47)

ST1939	MAHLE PI23040RNSMX10; Hydraulic
	
Overall Height:	9.8 (249)
Overall OD:	5.49 (140)
End 1 ID:	2.7 (69)

ST1940	MAHLE PI23063RNSMX10; Hydraulic
	
Overall Height:	15.71 (399)
Overall OD:	5.49 (140)
End 1 ID:	2.7 (69)

ST1941	EPPENSTEINER 1361H10SLA000P; Hydraulic
Overall Height:	9.09 (231)
Overall OD:	4.02 (102)
End 1 ID:	2.34 (60)

ST1942	EPPENSTEINER 1361G25A000P; Hydraulic
Overall Height:	9.09 (231)
Overall OD:	4.02 (102)
End 1 ID:	2.34 (60)

ST1943	MP FILTRI HP1351A10AN; Hydraulic
	
Overall Height:	4.53 (115)
Overall OD:	2.13 (54)
End 1 ID:	1.02 (26)

ST1944	MAHLE PI13004RNMIC10; Hydraulic
	
Overall Height:	3.9 (99)
Overall OD:	2.28 (58)
End 1 ID:	1.2 (31)

ST1945	MAHLE PI13006RNMIC10; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	2.28 (58)
End 1 ID:	1.2 (31)

ST1946	MAHLE PI13016RNMIC10; Hydraulic
	
Overall Height:	6.26 (159)
Overall OD:	4.31 (110)
End 1 ID:	1.99 (51)

ST1947	MAHLE PI13025RNMIC10; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	4.31 (110)
End 1 ID:	1.99 (51)

ST1948	HYDAC 1300R005BN3HCKB; Hydraulic
	
Overall Height:	19.02 (483)
Overall OD:	5.63 (143)
End 1 ID:	3.78 (96)

ST1949	MAHLE PI13063RNMIC10; Hydraulic
	
Overall Height:	15.71 (399)
Overall OD:	5.49 (140)
End 1 ID:	2.7 (69)

ST1950	MAHLE PI15004RNMIC25; Hydraulic
	Overall Height: 3.9 (99) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1951	MAHLE PI15006RNMIC25; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1952	MAHLE PI15010RNMIC25; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.24 (32)
ST1953	MAHLE PI15016RNMIC25; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1954	MAHLE PI15025RNMIC25; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1955	MAHLE PI15040RNMIC25; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1956	MAHLE PI15063RNMIC25; Hydraulic
	Overall Height: 15.71 (399) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1957	MAHLE PI21006RNSMX3; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1958	MAHLE PI21010RNSMX3; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)

ST1959	MAHLE PI21016RNSMX3; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1960	MAHLE PI21025RNSMX3; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1961	MAHLE PI21040RNSMX3; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1962	MAHLE PI21063RNSMX3; Hydraulic
	Overall Height: 15.71 (399) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1963	HYDAC 1300R005BN3HCB6; Hydraulic
	Overall Height: 19.02 (483) Overall OD: 5.63 (143) End 1 ID: 3.78 (96) BPV Setting: 87.02 (600)
ST1964	MAHLE PI22010RNSMX6; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1965	MAHLE PI22016RNSMX6; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1966	MAHLE PI22025RNSMX6; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)

ST1967	MAHLE PI22040RNSMX6; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1968	HYDAC 660R005BN3HCKB; Hydraulic
	Overall Height: 13.15 (334) End 2 OD: 5.49 (140) End 1 OD: 4.49 (114) End 1 ID: 2.68 (68)
ST1969	MAHLE PI23006RNSMX10; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1970	MAHLE PI23010RNSMX10; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1971	MAHLE PI23016RNSMX10; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1972	MAHLE PI23025RNSMX10; Hydraulic
	Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1973	MAHLE PI24004RNSMX16; Hydraulic
	Overall Height: 3.9 (99) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1974	MAHLE PI24006RNSMX16; Hydraulic
	Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)

E. PRODUCT GUIDE

ST1975  MAHLE PI24010RNSMX16; Hydraulic Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST1983  MAHLE PI25025RNSMX25; Hydraulic Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)	ST1994 MAHLE PI36006RNDRG40; Hydraulic Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1976  MAHLE PI24016RNSMX16; Hydraulic Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)	ST1984  MAHLE PI25040RNSMX25; Hydraulic Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)	ST1995  MAHLE PI36010RNDRG40; Hydraulic Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)
ST1977  MAHLE PI24025RNSMX16; Hydraulic Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)	ST1985 MAHLE PI25063RNSMX25; Hydraulic Overall Height: 15.71 (399) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)	ST1996 MAHLE PI36016RNDRG40; Hydraulic Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1978  MAHLE PI24040RNSMX16; Hydraulic Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)	ST1986 MAHLE PI35004RNDRG25; Hydraulic Overall Height: 3.9 (99) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST1997 MAHLE PI36025RNDRG40; Hydraulic Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)
ST1979 MAHLE PI24063RNSMX16; Hydraulic Overall Height: 15.71 (399) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)	ST1987 MAHLE PI35006RNDRG25; Hydraulic Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST1998 MAHLE PI36040RNDRG40; Hydraulic Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1980  MAHLE PI25006RNSMX25; Hydraulic Overall Height: 6.26 (159) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST1988 MAHLE PI35010RNDRG25; Hydraulic Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST1999 MAHLE PI36063RNDRG40; Hydraulic Overall Height: 15.71 (399) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)
ST1981  MAHLE PI25010RNSMX25; Hydraulic Overall Height: 9.8 (249) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST1989 MAHLE PI35016RNDRG25; Hydraulic Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)	ST2000HH  Hydraulic Filter housing; Uses service part(s) 3963181S, 3964002S, 3965431S
ST1982  MAHLE PI25016RNSMX25; Hydraulic Overall Height: 6.26 (159) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)	ST1990 MAHLE PI35025RNDRG25; Hydraulic Overall Height: 9.8 (249) Overall OD: 4.31 (110) End 1 ID: 1.99 (51)	ST2001HH Hydraulic Filter housing
	ST1991 MAHLE PI35040RNDRG25; Hydraulic Overall Height: 9.8 (249) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)	ST2002HH Hydraulic Filter housing
	ST1992 MAHLE PI35063RNDRG25; Hydraulic Overall Height: 15.71 (399) Overall OD: 5.49 (140) End 1 ID: 2.7 (69)	ST2003HH Hydraulic Filter housing; Uses service part(s) 3963181S, 3964002S
	ST1993  MAHLE PI36004RNDRG40; Hydraulic Overall Height: 3.9 (99) Overall OD: 2.28 (58) End 1 ID: 1.2 (31)	ST2004HH Hydraulic Filter housing
		ST2005HH Hydraulic Filter housing
		ST2006HH Hydraulic Filter housing
		ST2007HH Hydraulic Filter housing
		ST2008HH Hydraulic Filter housing; Uses service part(s) 3963181S, 3964002S
		ST2009HH Hydraulic Filter housing; Uses service part(s) 3963181S, 3964002S
		ST2010HH Hydraulic Filter housing
		ST2011HH Hydraulic Filter housing
		ST2012HH Hydraulic Filter housing
		ST2013HH Hydraulic Filter housing

E. PRODUCT GUIDE

ST2014HH	Hydraulic Filter housing
ST2015HH	Hydraulic Filter housing
ST2016HH	Hydraulic Filter housing; Uses service part(s) 3963177S, 3963621S, 3965432S
ST2017HH	Hydraulic Filter housing; Uses service part(s) 3963177S, 3963621S
ST2018HH	Hydraulic Filter housing
ST2019HH	Hydraulic Filter housing
ST2020HH	Hydraulic Filter housing
ST2021HH	Hydraulic Filter housing
ST2022HH	Hydraulic Filter housing
ST2023HH	Hydraulic Filter housing
ST2024HH	Hydraulic Filter housing; Uses service part(s) 3963177S, 3963621S
ST2025HH	Hydraulic Filter housing; Uses service part(s) 3963177S, 3963621S
ST2026HH	Hydraulic Filter housing
ST2027HH	Hydraulic Filter housing
ST2028HH	Hydraulic Filter housing
ST2029HH	Hydraulic Filter housing
ST2030HH	Hydraulic Filter housing
ST2031HH	Hydraulic Filter housing
ST2032HH	Hydraulic Filter housing; Uses service part(s) 3963173S, 3965433S
ST2033HH	Hydraulic Filter housing; Uses service part(s) 3963173S
ST2034HH	Hydraulic Filter housing
ST2035HH	Hydraulic Filter housing
ST2036HH	Hydraulic Filter housing
ST2037HH	Hydraulic Filter housing
ST2038HH	Hydraulic Filter housing
ST2039HH	Hydraulic Filter housing
ST2040HH	Hydraulic Filter housing; Uses service part(s) 3963173S
ST2041HH	Hydraulic Filter housing; Uses service part(s) 3963173S
ST2042HH	Hydraulic Filter housing
ST2043HH	Hydraulic Filter housing
ST2044HH	Hydraulic Filter housing
ST2045HH	Hydraulic Filter housing
ST2046HH	Hydraulic Filter housing

ST2047HH	Hydraulic Filter housing
ST2048HH	Hydraulic Filter housing; Uses service part(s) 3962859S
ST2049HH	Hydraulic Filter housing
ST2050HH	Hydraulic Filter housing
ST2051HH	Hydraulic Filter housing; Uses service part(s) 3962859S
ST2052HH	Hydraulic Filter housing
ST2053HH	Hydraulic Filter housing
ST2054HH	Hydraulic Filter housing ; Uses service part(s) 3962855S
ST2055HH	Hydraulic Filter housing
ST2056HH	Hydraulic Filter housing
ST2057HH	Hydraulic Filter housing
ST2058HH	Hydraulic Filter housing
ST2059HH	Hydraulic Filter housing
ST2060HH	Hydraulic Filter housing; Uses service part(s) 3962839S
ST2061HH	Hydraulic Filter housing
ST2062HH	Hydraulic Filter housing
ST2063HH	Hydraulic Filter housing
ST2064HH	Hydraulic Filter housing
ST2065HH	Hydraulic Filter housing
ST2066HH	Hydraulic Filter housing
ST2067HH	Hydraulic Filter housing
ST2068	HYDAC 30D100W; Hydraulic Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.45 (11)
ST2069	HYDAC 307511, 30D040W, 30D050W; Hydraulic  Overall Height: 3.7 (94) Overall OD: 1.38 (35) End 1 ID: 0.45 (11)
ST2070	HYDAC 60D040W, 60D050W; Hydraulic  Overall Height: 3.58 (91) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)

ST2071	Hydraulic  Overall Height: 3.58 (91) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST2072	HYDAC 110D100W; Hydraulic  Overall Height: 6.22 (158) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST2073	HYDAC 110D050W; Hydraulic Overall Height: 6.22 (158) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST2074	HYDAC 140D100W; Hydraulic Overall Height: 7.87 (200) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST2075	HYDAC 140D040W; Hydraulic Overall Height: 7.87 (200) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST2076	HYDAC 160D100W, 304532; Hydraulic  Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST2077	Hydraulic Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST2078	Hydraulic Overall Height: 14.61 (371) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST2079	HYDAC 280D040W; Hydraulic Overall Height: 14.61 (371) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)
ST2080	HYDAC 500D100W; Hydraulic Overall Height: 10.75 (273) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)
ST2081	HYDAC 500D40W; Hydraulic Overall Height: 10.75 (273) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)
ST2082	HYDAC 110R100W; Hydraulic Overall Height: 6.69 (170) Overall OD: 1.75 (45) End 1 ID: 0.83 (21) BPV Setting: 43.51 (300)

E. PRODUCT GUIDE

ST2083 HYDAC 110R040W; Hydraulic Overall Height: 6.69 (170) Overall OD: 1.75 (45) End 1 ID: 0.83 (21) BPV Setting: 43.51 (300)	ST2095 Hydraulic Overall Height: 7.68 (195) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST2107 HYDAC 165R003BN3HC; Hydraulic  Overall Height: 8.98 (228) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)
ST2084 HYDAC 1300R100W; Hydraulic Overall Height: 19.02 (483) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST2096 HYDAC 330R040W; Hydraulic Overall Height: 7.68 (195) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST2108 HYDAC 165R005BN3HC; Hydraulic  Overall Height: 8.98 (228) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)
ST2085 HYDAC 1300R040W; Hydraulic Overall Height: 19.02 (483) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST2097 HYDAC 330R050W; Hydraulic Overall Height: 7.68 (195) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST2109 HYDAC 2600R005BN3HCB6, 2600R005BN3HCSO106; Hydraulic  Overall Height: 36.3 (922) Overall OD: 5.63 (143) End 1 ID: 3.78 (96) BPV Setting: 87.02 (600)
ST2086 Hydraulic Overall Height: 19.02 (483) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST2098 HYDAC 500R100W; Hydraulic Overall Height: 10.87 (276) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST2110 HYDAC 660R005BN3HCB6; Hydraulic Overall Height: 13.15 (334) Overall OD: 4.49 (114) End 1 ID: 2.68 (68) BPV Setting: 87.02 (600)
ST2087 HYDAC 160R100W; Hydraulic  Overall Height: 5.67 (144) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	ST2099 HYDAC 500R040W; Hydraulic Overall Height: 10.87 (276) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST2111 HYDAC 950R010BN3HCB0; Hydraulic Overall Height: 14.33 (364) Overall OD: 5.63 (143) End 1 ID: 3.78 (96)
ST2088 Hydraulic Overall Height: 5.67 (144) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	ST2101 HYDAC 660R040W; Hydraulic Overall Height: 13.15 (334) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)	ST2112 HYDAC 140D005BN3HC, 309503; Hydraulic  Overall Height: 7.6 (193) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)
ST2089 HYDAC 240R100W; Hydraulic  Overall Height: 7.99 (203) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	ST2102 HYDAC 850R100W; Hydraulic Overall Height: 16.3 (414) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)	ST2113 HYDAC 140D020BN3HC, 308716, 309502; Hydraulic  Overall Height: 7.6 (193) Overall OD: 1.85 (47) End 1 ID: 0.83 (21)
ST2090 HYDAC 240R040W; Hydraulic Overall Height: 7.99 (203) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	ST2103 HYDAC 850R050W; Hydraulic Overall Height: 16.3 (414) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)	ST2114 HYDAC 330R010BN3HCB6; Hydraulic  Overall Height: 7.68 (195) Overall OD: 3.74 (95) End 1 ID: 1.91 (49) BPV Setting: 87.02 (600)
ST2091 HYDAC 240R050W; Hydraulic Overall Height: 7.99 (203) Overall OD: 2.36 (60) End 1 ID: 1.27 (32) BPV Setting: 43.51 (300)	ST2104 Hydraulic Overall Height: 16.3 (414) Overall OD: 3.76 (96) End 1 ID: 2.63 (67) BPV Setting: 43.51 (300)	ST2115 HYDAC 330R020BN3HCB6; Hydraulic Overall Height: 7.68 (195) Overall OD: 3.74 (95) End 1 ID: 1.91 (49) BPV Setting: 87.02 (600)
ST2092 HYDAC 2600R100W; Hydraulic Overall Height: 36.3 (922) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST2105 Hydraulic Overall Height: 14.33 (364) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	
ST2093 HYDAC 2600R040W; Hydraulic Overall Height: 36.3 (922) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	ST2106 HYDAC 950R040W; Hydraulic Overall Height: 14.33 (364) Overall OD: 4.9 (125) End 1 ID: 3.78 (96) BPV Setting: 43.51 (300)	

E. PRODUCT GUIDE

ST2116	Hydraulic
Overall Height:	7.68 (195)
Overall OD:	3.01 (77)
End 1 ID:	1.84 (47)
BPV Setting:	43.51 (300)

ST2117	Hydraulic
Overall Height:	7.68 (195)
Overall OD:	3.01 (77)
End 1 ID:	1.84 (47)
BPV Setting:	43.51 (300)

ST2118	Hydraulic
Overall Height:	19.02 (483)
Overall OD:	4.9 (125)
End 1 ID:	3.78 (96)
BPV Setting:	43.51 (300)

ST2119	Hydraulic
Overall Height:	19.02 (483)
Overall OD:	4.9 (125)
End 1 ID:	3.78 (96)
BPV Setting:	43.51 (300)

ST2120	HYDAC 1300R003BN3HCB0; Hydraulic
Overall Height:	19.02 (483)
Overall OD:	5.63 (143)
End 1 ID:	3.78 (96)



ST2121	HYDAC 1300R020BN3HCB0; Hydraulic
Overall Height:	19.02 (483)
Overall OD:	5.63 (143)
End 1 ID:	3.78 (96)

ST2122	HYDAC 1300R010BN3HCB6; Hydraulic
Overall Height:	19.02 (483)
Overall OD:	5.63 (143)
End 1 ID:	3.78 (96)
BPV Setting:	87.02 (600)

ST2123	INTERNORMEN 1NL25010VG30EP; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	3.14 (80)
End 1 ID:	1.54 (39)



ST2124	MAHLE PI24025DNSMX16; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	3.14 (80)
End 1 ID:	1.54 (39)



ST2125	INTERNORMEN 1NL25025VG30EP; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	3.14 (80)
End 1 ID:	1.54 (39)



ST2126	EPPENSTEINER 1901G25A000P; Hydraulic
Overall Height:	15.22 (387)
Overall OD:	5.61 (143)
End 1 ID:	3.62 (92)

ST2127	PARKER GO1442Q; Hydraulic
Overall Height:	5.35 (136)
Overall OD:	2.36 (60)
End 1 ID:	0.98 (25)

ST2128	MAHLE PI13004DNMIC10; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)



ST2129	MAHLE PI13006DNMIC10; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2130	MAHLE PI13010DNMIC10; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2131	MAHLE PI13016DNMIC10; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

ST2132	MAHLE PI13025DNMIC10; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

ST2133	MAHLE PI13040DNMIC10; Hydraulic
Overall Height:	15.71 (399)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)



ST2134	MAHLE PI13063DNMIC10; Hydraulic
Overall Height:	15.71 (399)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

ST2135	MAHLE PI13100DNMIC10; Hydraulic
Overall Height:	24.76 (629)
Overall OD:	3.92 (100)
End 1 ID:	2.33 (59)



ST2136	MAHLE PI15004DNMIC25; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)



ST2137	MAHLE PI15006DNMIC25; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2138	MAHLE PI15010DNMIC25; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2139	MAHLE PI15016DNMIC25; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

ST2140	MAHLE PI15025DNMIC25; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

ST2141	MAHLE PI15040DNMIC25; Hydraulic
Overall Height:	15.71 (399)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

ST2142	MAHLE PI15063DNMIC25; Hydraulic
Overall Height:	15.71 (399)
Overall OD:	3.92 (100)
End 1 ID:	2.33 (59)

ST2143	MAHLE PI15100DNMIC25; Hydraulic
Overall Height:	24.76 (629)
Overall OD:	3.92 (100)
End 1 ID:	2.33 (59)

ST2144	MAHLE PI21004DNSMX3; Hydraulic
Overall Height:	3.9 (99)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2145	MAHLE PI21006DNSMX3; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2146	MAHLE PI21010DNSMX3; Hydraulic
Overall Height:	9.8 (249)
Overall OD:	1.76 (45)
End 1 ID:	0.83 (21)

ST2147	MAHLE PI21016DNSMX3; Hydraulic
Overall Height:	6.26 (159)
Overall OD:	3.14 (80)
End 1 ID:	1.5 (38)

E. PRODUCT GUIDE

ST2148 MAHLE PI21025DNSMX3; Hydraulic Overall Height: 9.8 (249) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2158 MAHLE PI22063DNSMX6; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2167 MAHLE PI24004DNSMX16; Hydraulic Overall Height: 3.9 (99) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)
ST2149 MAHLE PI21040DNSMX3; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2159 MAHLE PI22100DNSMX6; Hydraulic Overall Height: 24.76 (629) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2168 MAHLE PI24006DNSMX16; Hydraulic Overall Height: 6.26 (159) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)
ST2150 MAHLE PI21063DNSMX3; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2160  MAHLE PI23004DNSMX10; Hydraulic Overall Height: 3.9 (99) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)	ST2169  MAHLE PI24010DNSMX16; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)
ST2151 MAHLE PI21100DNSMX3; Hydraulic Overall Height: 24.76 (629) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2161  MAHLE PI23006DNSMX10; Hydraulic Overall Height: 6.26 (159) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)	ST2170 MAHLE PI24016DNSMX16; Hydraulic Overall Height: 6.26 (159) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)
ST2152  MAHLE PI22004DNSMX6; Hydraulic Overall Height: 3.9 (99) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)	ST2162  MAHLE PI23010DNSMX10; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)	ST2171  MAHLE PI24040DNSMX16; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)
ST2153  MAHLE PI22006DNSMX6; Hydraulic Overall Height: 6.26 (159) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)	ST2163  MAHLE PI23016DNSMX10; Hydraulic Overall Height: 6.26 (159) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2172 MAHLE PI24063DNSMX16; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)
ST2154  MAHLE PI22010DNSMX6; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)	ST2164  MAHLE PI23040DNSMX10; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2173 MAHLE PI24100DNSMX16; Hydraulic Overall Height: 24.76 (629) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)
ST2155 MAHLE PI22016DNSMX6; Hydraulic Overall Height: 6.26 (159) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2165 MAHLE PI23063DNSMX10; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2174  MAHLE PI25004DNSMX25; Hydraulic Overall Height: 3.9 (99) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)
ST2156 MAHLE PI22025DNSMX6; Hydraulic Overall Height: 9.8 (249) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2166 MAHLE PI23100DNSMX10; Hydraulic Overall Height: 24.76 (629) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2175  MAHLE PI25006DNSMX25; Hydraulic Overall Height: 6.26 (159) Overall OD: 1.76 (45) End 1 ID: 0.83 (21)
ST2157  MAHLE PI22040DNSMX6; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)		

E. PRODUCT GUIDE

ST2176



MAHLE PI25010DNSMX25;
Hydraulic

Overall Height: 9.8 (249)
Overall OD: 1.76 (45)
End 1 ID: 0.83 (21)

ST2177



MAHLE PI25016DNSMX25;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2178



MAHLE PI25040DNSMX25;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2179



MAHLE PI25063DNSMX25;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2180

MAHLE PI25100DNSMX25;
Hydraulic

Overall Height: 24.76 (629)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2181

MAHLE PI71004DNSMXVST3;
Hydraulic

Overall Height: 3.9 (99)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2182

MAHLE PI71006DNSMXVST3;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2183



MAHLE PI71010DNSMXVST3;
Hydraulic

Overall Height: 9.8 (249)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2184



MAHLE PI71016DNSMXVST3;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2185

MAHLE PI71025DNSMXVST3;
Hydraulic

Overall Height: 9.8 (249)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2186

MAHLE PI71040DNSMXVST3;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2187

MAHLE PI71063DNSMXVST3;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2188

MAHLE PI71100DNSMXVST3;
Hydraulic

Overall Height: 24.76 (629)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2189

MAHLE PI72004DNSMXVST6;
Hydraulic

Overall Height: 3.9 (99)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2190



MAHLE PI72006DNSMXVST6;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2191

MAHLE PI72010DNSMXVST6;
Hydraulic

Overall Height: 9.8 (249)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2192

MAHLE PI72016DNSMXVST6;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2193



MAHLE PI72040DNSMXVST6;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2194

MAHLE PI72063DNSMXVST6;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2195

MAHLE PI72100DNSMXVST6;
Hydraulic

Overall Height: 24.76 (629)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2196



MAHLE PI73004DNSMXVST10;
Hydraulic

Overall Height: 3.9 (99)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2197



MAHLE PI73006DNSMXVST10;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2198



MAHLE PI73010DNSMXVST10;
Hydraulic

Overall Height: 9.8 (249)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2199

MAHLE PI73016DNSMXVST10;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2200

MAHLE PI73025DNSMXVST10;
Hydraulic

Overall Height: 9.8 (249)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2201



MAHLE PI73040DNSMXVST10;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.14 (80)
End 1 ID: 1.5 (38)

ST2202

MAHLE PI73063DNSMXVST10;
Hydraulic

Overall Height: 15.71 (399)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2203

MAHLE PI73100DNSMXVST10;
Hydraulic

Overall Height: 24.76 (629)
Overall OD: 3.92 (100)
End 1 ID: 2.33 (59)

ST2204

MAHLE PI74004DNSMXVST16;
Hydraulic

Overall Height: 3.9 (99)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

ST2205

MAHLE PI74006DNSMXVST16;
Hydraulic

Overall Height: 6.26 (159)
Overall OD: 1.75 (45)
End 1 ID: 0.83 (21)

E. PRODUCT GUIDE

ST2206 MAHLE PI74010DNSMXVST16; Hydraulic Overall Height: 9.8 (249) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST2218 MAHLE PI75063DNSMXVST25; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2228 Hydraulic  Overall Height: 6.73 (171) Overall OD: 2.24 (57) End 1 ID: 0.96 (25)
ST2207 MAHLE PI74016DNSMXVST16; Hydraulic Overall Height: 6.26 (159) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2219 MAHLE PI75100DNSMXVST25; Hydraulic Overall Height: 24.76 (629) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2229 HYDAC 75D010BNHC; Hydraulic  Overall Height: 6.73 (171) Overall OD: 2.24 (57) End 1 ID: 0.96 (25)
ST2208 MAHLE PI74025DNSMXVST16; Hydraulic Overall Height: 9.8 (249) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2220 INTERNORMEN 1E24010VG30EP; Hydraulic  Overall Height: 9.02 (229) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST2230 HYDAC 1262051, 75D020BNHC; Hydraulic  Overall Height: 6.73 (171) Overall OD: 2.24 (57) End 1 ID: 0.96 (25)
ST2209 MAHLE PI74040DNSMXVST16; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2221 INTERNORMEN 1E36010VG30EP; Hydraulic  Overall Height: 12.13 (308) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST2231 EPPENSTEINER 1561H20SLA000P; Hydraulic  Overall Height: 10.37 (264) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
ST2210 MAHLE PI74063DNSMXVST16; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2222 INTERNORMEN 1E42510VG16EP; Hydraulic  Overall Height: 12.01 (305) Overall OD: 3.27 (83) End 1 ID: 1.77 (45)	ST2232 EPPENSTEINER 1561H10SLA000P; Hydraulic  Overall Height: 10.37 (264) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
ST2211 MAHLE PI74100DNSMXVST16; Hydraulic Overall Height: 24.76 (629) Overall OD: 3.92 (100) End 1 ID: 2.33 (59)	ST2223 HYDAC 160D200W; Hydraulic  Overall Height: 5.12 (130) Overall OD: 2.36 (60) End 1 ID: 1.3 (33)	ST2233 INTERNORMEN 1E9010VGHREP; Hydraulic  Overall Height: 6.89 (175) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)
ST2212 MAHLE PI75004DNSMXVST25; Hydraulic Overall Height: 3.9 (99) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST2224 HYDAC 330D200W; Hydraulic  Overall Height: 7.09 (180) Overall OD: 3.01 (77) End 1 ID: 1.84 (47)	ST2234 EPPENSTEINER 11801P10A000P; Hydraulic  Overall Height: 29.98 (762) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
ST2213 MAHLE PI75006DNSMXVST25; Hydraulic Overall Height: 6.26 (159) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST2225 HYDAC 330R200W; Hydraulic  Overall Height: 7.68 (195) Overall OD: 3.01 (77) End 1 ID: 1.84 (47) BPV Setting: 43.51 (300)	ST2235 EPPENSTEINER 11801P20A000P Hydraulic  Overall Height: 29.98 (762) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
ST2214 MAHLE PI75010DNSMXVST25; Hydraulic  Overall Height: 9.8 (249) Overall OD: 1.75 (45) End 1 ID: 0.83 (21)	ST2226 EPPENSTEINER 1360P1000P; Hydraulic  Overall Height: 8.94 (227) Overall OD: 4.02 (102) End 1 ID: 2.48 (63)	ST2236 EPPENSTEINER 11801H10SLA000P; Hydraulic  Overall Height: 29.98 (762) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
ST2215 MAHLE PI75016DNSMXVST25; Hydraulic Overall Height: 6.26 (159) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)	ST2227 HYDAC 75D003BNHC; Hydraulic  Overall Height: 6.73 (171) Overall OD: 2.24 (57) End 1 ID: 0.96 (25)	
ST2216 MAHLE PI75025DNSMXVST25; Hydraulic Overall Height: 9.8 (249) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)		
ST2217 MAHLE PI75040DNSMXVST25; Hydraulic Overall Height: 15.71 (399) Overall OD: 3.14 (80) End 1 ID: 1.5 (38)		

E. PRODUCT GUIDE

ST2237 	EPPENSTEINER 11801H20SLA000P; Hydraulic Overall Height: 29.98 (762) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	ST2246 Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2255 Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)
ST2238	EPPENSTEINER 1901P10A000P; Hydraulic Overall Height: 15.22 (387) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	ST2247 INTERNORMEN 1E12080G16SP; Hydraulic Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2256 INTERNORMEN 1E1206VG16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)
ST2239	EPPENSTEINER 1561G25A000P; Hydraulic Overall Height: 10.37 (264) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	ST2248  INTERNORMEN 1E12010VG16SP; Hydraulic Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2257  INTERNORMEN 1E12010VG16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)
ST2240	EPPENSTEINER 1561G40A000P; Hydraulic Overall Height: 10.37 (264) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)	ST2249  INTERNORMEN 1E12025VG16SP; Hydraulic Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2258 INTERNORMEN 1E12025VG16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)
ST2241	INTERNORMEN 1NR10003VG10BP; Hydraulic Overall Height: 15.71 (399) Overall OD: 6.28 (160) End 1 ID: 3.48 (88)	ST2250  INTERNORMEN 1E12010P16SP; Hydraulic Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2259 INTERNORMEN 1E12010P16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)
ST2242 	INTERNORMEN 1NR10006VG10BP; Hydraulic Overall Height: 15.71 (399) Overall OD: 6.28 (160) End 1 ID: 3.48 (88)	ST2251 INTERNORMEN 1E12025P; 16SP Hydraulic Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2260 INTERNORMEN 1E12025P16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)
ST2243 	INTERNORMEN 1NR10001VG10BP; Hydraulic Overall Height: 15.71 (399) Overall OD: 6.28 (160) End 1 ID: 3.48 (88)	ST2252 INTERNORMEN 1E12025G16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)	ST2261 EPPENSTEINER 11401G25A000P; Hydraulic Overall Height: 20.2 (513) Overall OD: 5.61 (143) End 1 ID: 3.62 (92)
ST2244 	INTERNORMEN 1NR100025VG10BP; Hydraulic Overall Height: 15.71 (399) Overall OD: 6.28 (160) End 1 ID: 3.48 (88)	ST2253  INTERNORMEN 1E12040G16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)	ST2262  EPPENSTEINER 232H20SLA000P, 232P25A000P; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.75 (45) End 1 ID: 0.61 (16)
ST2245	INTERNORMEN 1E12025G16SP; Hydraulic Overall Height: 6.73 (171) Overall OD: 2.16 (55) End 1 ID: 1.02 (26) BPV Setting: 29.01 (200)	ST2254 INTERNORMEN 1E12080G16EP; Hydraulic Overall Height: 6.61 (168) Overall OD: 2.16 (55) End 1 ID: 1.02 (26)	ST2263 INTERNORMEN 1E3206VG16SP; Hydraulic Overall Height: 12.17 (309) Overall OD: 2.76 (70) End 1 ID: 1.61 (41) BPV Setting: 29.01 (200)
			ST2264 EPPENSTEINER 232P25A000A; Hydraulic Overall Height: 3.31 (84) Overall OD: 1.75 (45) End 1 ID: 0.61 (16)
			ST2265 EPPENSTEINER 290P25A000P; Hydraulic Overall Height: 5.95 (151) Overall OD: 2.11 (54) End 1 ID: 0.92 (23)

E. PRODUCT GUIDE

ST2266



EPPENSTEINER
2140P25A000P; Hydraulic

Overall Height: 5.95 (151)
Overall OD: 2.91 (74)
End 1 ID: 1.55 (40)

ST2267



MP FILTRI CU630A10N;
Hydraulic

Overall Height: 9.92 (252)
Overall OD: 5.12 (130)
End 1 ID: 2.9 (74)

ST2270

EPPENSTEINER
11400H6SLA000P; Hydraulic

Overall Height: 20.24 (514)
Overall OD: 5.59 (142)
End 1 ID: 3.7 (94)

ST2271

EPPENSTEINER
11400H10SLA000P; Hydraulic

Overall Height: 20.24 (514)
Overall OD: 5.59 (142)
End 1 ID: 3.7 (94)

ST2272



EPPENSTEINER
11400H20SLA000P; Hydraulic

Overall Height: 20.24 (514)
Overall OD: 5.59 (142)
End 1 ID: 3.7 (94)

Transmission Filters

TF15000



FORD E9T7Z7A098A; Replaces
HF7539

Overall Height: 4.67 (119)
Length: 11.61 (295)
Width: 6.91 (176)

TF15001



FORD E9T7Z7A098B; Replaces
HF7559

Overall Height: 5.85 (149)
Length: 11.61 (295)
Width: 6.92 (176)

TF15002



GMC 6839266; 2 different size
Grommets--Larger Grommet for
Allison MT640 and MT650 Series;
Applications-- Smaller Grommet
for Late AT545 Transmissions;
Replaces HF6035

Overall Height: 1.32 (34)
Length: 12.75 (324)
Width: 8.81 (224)

TF15009



FORD D0DZ7A098B; Replaces
HF6040

Overall Height: 0.72 (18)
Length: 7.09 (180)
Width: 4.41 (112)

TF15010



GMC 8675545; Replaces HF7827

Overall Height: 3.39 (86)
Length: 8.53 (217)
Width: 7.0 (178)

TF15011



FORD C6AZ7A098A; Replaces
HF6038

Overall Height: 0.46 (12)
Length: 9.23 (234)
Width: 6.72 (171)

TF15012



FORD D0AZ7A098A; Replaces
HF6052

Overall Height: 0.72 (18)
Length: 6.55 (166)
Width: 4.19 (106)

TF15013



ALLISON 6437741, GMC
6437741; Replaces HF6030

Overall Height: 0.79 (20)
Length: 11.73 (298)
Width: 6.47 (164)

TF15016



FORD D3BZ7A098A; Replaces
HF6070

Overall Height: 0.74 (19)
Length: 7.09 (180)
Width: 4.49 (114)

TF15018



CHRYSLER 4504048; Replaces
HF7817

Overall Height: 1.24 (32)
Length: 7.2 (183)
Width: 6.89 (175)

TF15019



PUROLATOR P232; Replaces
HF6042

Overall Height: 0.41 (10)
Length: 7.12 (181)
Width: 6.67 (169)

TF15020



GMC 6439567; Replaces HF6033

Overall Height: 0.41 (10)
Length: 7.12 (181)
Width: 6.67 (169)

TF15021



GMC 8640848; Replaces HF6031

Overall Height: 0.55 (14)
Length: 5.63 (143)
Width: 5.47 (139)

TF15023



FORD D5AZ7A098A; Replaces
HF6043

Overall Height: 0.8 (20)
Length: 7.32 (186)
Width: 7.06 (179)

TF15024



GMC 8657926; Replaces HF7820

Overall Height: 4.29 (109)
Length: 7.95 (202)
Width: 7.81 (198)

TF15025



ALLISON 6437741HD; Replaces
HF6048

Overall Height: 0.79 (20)
Length: 11.75 (298)
Width: 6.47 (164)

TF15026



ALLISON 6437741HD; Replaces
HF6048F

Overall Height: 0.79 (20)
Length: 11.75 (298)
Width: 6.47 (164)

TF15027



FORD F4T7Z7A098A

Overall Height: 2.64 (67)
Length: 9.55 (243)
Width: 7.14 (181)

TF15028



GMC 8660100

Overall Height: 2.15 (55)
Length: 10.83 (275)
Width: 6.15 (156)

TF15029



GMC 8851909

Overall Height: 2.16 (55)
Length: 10.6 (269)
Width: 6.82 (173)

TF15030



GMC 8662943

Overall Height: 2.16 (55)
Length: 10.6 (269)
Width: 6.82 (173)

TF15031



GMC 8681082

Overall Height: 3.94 (100)
Length: 9.45 (240)
Width: 7.52 (191)

TF15032



FORD F4DZ7A098A

Overall Height: 2.33 (59)
Length: 7.08 (180)
Width: 7.7 (196)

TF15033



FORD F2VY7A098A

Overall Height: 1.6 (41)
Length: 9.55 (243)
Width: 7.13 (181)

TF15034 CHRYSLER 4567070



Overall Height: 1.36 (35)
Length: 7.2 (183)
Width: 6.89 (175)

TF15038 FORD E6TZ7A098B



Overall Height: 0.81 (21)
Length: 10.98 (279)
Width: 4.29 (109)

TF15039 CHRYSLER 52118789



Overall Height: 0.94 (24)
Length: 7.19 (183)
Width: 7.13 (181)

TF15040 GMC 24208813



Overall Height: 4.4 (112)
Length: 9.65 (245)
Width: 7.52 (191)

TF15041 FORD F1CZ7A098A



Overall Height: 1.92 (49)
Length: 5.21 (132)
Width: 5.1 (130)

TF15042 MITSUBISHI MD6731100



Overall Height: 0.92 (23)
Length: 7.23 (184)
Width: 5.1 (130)

TF15046 NISSAN 3172880X03



Overall Height: 1.16 (29)
Length: 6.18 (157)
Width: 5.69 (145)

TF15047 FORD E6TZ7A098A



Overall Height: 2.26 (57)
Length: 10.98 (279)
Width: 4.29 (109)

TF15048 FORD 87GT7A098AA



Overall Height: 1.18 (30)
Length: 10.98 (279)
Width: 4.29 (109)

TF15049 GMC 94844024



Overall Height: 0.83 (21)
Length: 7.89 (200)
Width: 4.53 (115)

TF15050 TOYOTA 3533032030



Overall Height: 0.82 (21)
Length: 8.02 (204)
Width: 5.03 (128)

TF15051 NISSAN 3172841X01



Overall Height: 2.56 (65)
Length: 8.87 (225)
Width: 6.51 (165)

TF15052 WIX 58937



Overall Height: 0.89 (23)
Length: 9.23 (234)
Width: 7.06 (179)

TF15053 GMC 24208847



Overall Height: 3.65 (93)
Length: 8.53 (217)
Width: 7.0 (178)

TF15054 GMC 8634223



Overall Height: 4.8 (122)
Length: 9.58 (243)
Width: 5.95 (151)

TF15056 TOYOTA 3530314010



Overall Height: 0.56 (14)
Length: 4.9 (124)
Width: 3.79 (96)

TF15057 TOYOTA 3530330050



Overall Height: 0.37 (9)
Length: 5.16 (131)
Width: 3.84 (98)

TF15058 AMERICAN MOTORS 8983504032



Overall Height: 0.77 (20)
Length: 5.17 (131)
Width: 9.69 (246)

TF15059 NISSAN 31728X8600



Overall Height: 0.59 (15)
Length: 8.54 (217)
Width: 6.1 (155)

TF15062 GMC 747451



Overall Height: 0.45 (11)
Length: 6.88 (175)
Width: 4.66 (118)

TF15063 GMC 24208835



Overall Height: 3.94 (100)
Length: 9.65 (245)
Width: 7.52 (191)

TF15065 GMC 86985185



Overall Height: 1.78 (45)
Length: 8.2 (208)
Width: 13.27 (337)

TF15067 TOYOTA 3533050010



Overall Height: 1.23 (31)
Length: 8.13 (207)
Width: 6.3 (160)

TF15068 TOYOTA 3533030010



Overall Height: 0.89 (23)
Length: 8.35 (212)
Width: 5.12 (130)

TF15070 TOYOTA 3530335010



Overall Height: 0.65 (17)
Length: 12.22 (310)
Width: 3.94 (100)

TF15071 CHRYSLER 4799662



Overall Height: 3.86 (98)
Overall OD: 2.69 (68)
End 1 ID: .50 (13)

TF15072 CHRYSLER 5013470AB



Overall Height: 4.79 (122)
Length: 12.07 (307)
Width: 5.58 (142)

TF15073 CHRYSLER 4800029AA



Overall Height: 4.38 (111)
Length: 12.07 (307)
Width: 6.13 (156)

TF15074 MERCEDES-BENZ 1402770095; Panel Type with full flow capabilities and outside/in flow; Freightliner Sprinter Vans



Overall Height: 1.98 (50)
Length: 7.36 (187)
Width: 5.02 (128)

TF15075 MERCEDES-BENZ 2570467



Overall Height: 5.09 (129)
Length: 7.74 (197)
Width: 5.54 (141)

E. PRODUCT GUIDE

TF15076  GMC 3515996; This product is not available in all regions of the world Overall Height: 0.6 (15) Length: 8.54 (217) Width: 6.54 (166)	WF2022  MACK 25MF422 Mack 25MF422; DCA4 - 11 Units Overall Height: 5.7 (145) Largest OD: 4.24 (108) Thread Size: 1-16 UN-2B Chemical Additive: DCA4+	WF2070  CUMMINS 3100303; Cummins 11/16 w/16 DCA4-2 units Overall Height: 4.16 (106) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15077  FORD E9TZ7A098C; This product is not available in all regions of the world Overall Height: 0.6 (15) Length: 8.54 (217) Width: 6.54 (166)	WF2051  Cummins 11/16 w/16 DCA2-4 units; Replaces WF1010, WF1011, WF2010, WF2023, WF2024, WF2050, WF2059 Overall Height: 4.16 (106) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA2 (MODIFIED)	WF2071  CUMMINS 3100304; Cummins 11/16 w/16 DCA4-4 units Overall Height: 4.16 (106) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15078  GMC 8651909; This product is not available in all regions of the world Overall Height: 0.6 (15) Length: 8.54 (217) Width: 6.54 (166)	WF2053  INGERSOLL-RAND 35357276; Cummins 11/16 w/16 DCA2-8 units; Uses service part(s) 258859S Replaces WF1012, WF2012, WF2016, WF2052, WF2060, WF2061 Overall Height: 5.4 (137) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA2 (MODIFIED)	WF2072  CUMMINS 3100305; Cummins 11/16 w/16 DCA4-6 units Overall Height: 4.16 (106) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15082A  SPX FILTRATION 806722; Includes Pan Gasket; Replaces TF15082 Overall Height: 5.12 (130) Length: 9.48 (241) Width: 6.42 (163)	WF2054  Cummins 11/16 w/16 DCA2-15 units; Replaces WF2013, WF2066 Overall Height: 5.4 (137) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA2 (MODIFIED)	WF2073  CUMMINS 4058964; Cummins 11/16 w/16 DCA4-8 units Overall Height: 4.16 (106) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15084  FORD 1L2Z7A098AC Overall Height: 3.11 (79) Length: 13.42 (341) Width: 6.66 (169)	WF2054A  Nylon spring at end plate area, shell and flange are thicker and label imprint is different than the WF2054 Overall Height: 5.4 (137) Largest OD: 3.74 (95) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA2 (MODIFIED)	WF2074  CUMMINS 3100307; Cummins 11/16 w/16 DCA4-12 units; Replaces WF2065 Overall Height: 5.4 (137) Largest OD: 3.72 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15085  ALLISON 29537965 Overall Height: 4.67 (119) Length: 9.45 (240) Width: 6.42 (163)	WF2055  INGERSOLL-RAND 56985971; Cummins 11/16 w/16 DCA2-23 units; Replaces WF2014 Overall Height: 7.53 (191) Largest OD: 3.69 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA2 (MODIFIED)	WF2075  Cummins 11/16 w/16 DCA4-15 units Overall Height: 5.4 (137) Largest OD: 3.72 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15086  FORD 3C3Z7A098AA Overall Height: 6.08 (154) Length: 11.43 (290) Width: 4.07 (103)	WF2056  CATERPILLAR 1W5518; Cummins 11/16 w/16 DCA2-34 units Overall Height: 10.47 (266) Largest OD: 4.24 (108) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA2 (MODIFIED)	WF2076  CUMMINS 4058965; Cummins 11/16 w/16 DCA4-23 units; Replaces WF2098 Overall Height: 5.4 (137) Largest OD: 3.72 (94) Thread Size: 11/16-16 UN-2B Chemical Additive: DCA4+
TF15087  GMC 24226101 Overall Height: 4.6 (117) Length: 9.63 (245) Width: 6.4 (163)	WF2077  CUMMINS 3827423; Cummins 11/16 w/16 DCA-0 units; Replaces WF2064 Overall Height: 5.41 (137) Largest OD: 3.75 (95) Thread Size: 11/16-16 UN-2B Chemical Additive: NONE	WF2077  CUMMINS 3827423; Cummins 11/16 w/16 DCA-0 units; Replaces WF2064 Overall Height: 5.41 (137) Largest OD: 3.75 (95) Thread Size: 11/16-16 UN-2B Chemical Additive: NONE
Water Filters WF2015  MACK 25MF314A; Mack Mid-liner 3/4 W/20 DCA4 8 units Overall Height: 5.4 (137) Largest OD: 3.69 (94) Thread Size: 3/4-20 UNEF-2B Chemical Additive: DCA4+	WF2078  Mack Mid-liner 3/4 w/20 DCA-0 units Overall Height: 5.41 (137) Largest OD: 3.74 (95) Thread Size: 3/4-20 UNEF-2B Chemical Additive: NONE	WF2078  Mack Mid-liner 3/4 w/20 DCA-0 units Overall Height: 5.41 (137) Largest OD: 3.74 (95) Thread Size: 3/4-20 UNEF-2B Chemical Additive: NONE

E. PRODUCT GUIDE

WF2079 Non-chemical filter = 0 unit DCA



Overall Height: 5.7 (145)
Largest OD: 4.24 (108)
Thread Size: 1-16 UN-2B

WF2083 Mack Mid-liner 3/4 w/20 DCA4-4 units



Overall Height: 5.4 (137)
Largest OD: 3.74 (95)
Thread Size: 3/4-20 UNEF-2B
Chemical Additive: DCA4+

WF2084 FORD E8NN8A424BA, NEW HOLLAND E8NN8A424BA; Replaces WF2085



Overall Height: 4.15 (105)
Largest OD: 3.74 (95)
Thread Size: 11/16-16 UN-2B
Chemical Additive: NONE

WF2087 FORD E8NN8A424CA, E8NN8A424DA; New Holland 11/16 w/16 DCA2-9 units; Replaces WF2086



Overall Height: 4.15 (105)
Largest OD: 3.75 (95)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA4+

WF2088 CUMMINS 3864148, KOMATSU 6004111191; Komatsu 11/16 w/16 DCA2-6 units



Overall Height: 4.15 (105)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA2 (MODIFIED)

WF2091 KOMATSU 6004111171; 14 units DCA2



Overall Height: 8.14 (207)
Largest OD: 4.24 (108)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA2 (MODIFIED)

WF2096 VOLVO 1661964; Volvo M16 w/1.5 DCA2-4 units



Overall Height: 5.45 (138)
Largest OD: 3.68 (93)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: DCA2 (MODIFIED)

WF2101 CASE 1820358C1, IHC 1820358C1; Int'l 11/16 w/16 DCA-0 units



Overall Height: 5.42 (138)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: NONE

WF2104 CASE 1820361C1, IHC 1820361C1; Int'l 11/16 w/16 DCA4-15 units



Overall Height: 5.42 (138)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA4+

WF2106 INTERNATIONAL TRUCKS 1822313C1; Int'l 11/16 w/16 DCA4-4 units



Overall Height: 5.42 (138)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA4+

WF2107 INTERNATIONAL TRUCKS 1825314C1; Int'l 11/16 w/16 DCA-0 units



Overall Height: 4.15 (105)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: NONE

WF2108 VOLVO 3945411; Volvo M16 w/1.5 DCA4+ - 8 units



Overall Height: 5.46 (139)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: DCA4+

WF2109 VOLVO 3969696; Volvo M16 w/1.5 DCA-0 units w/o element



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: NONE

WF2121 CUMMINS 3098688 Not recommended for use on Cummins spark-ignited gas engines.



Overall Height: 5.44 (138)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA4+

WF2122 CUMMINS 3098689



Overall Height: 4.17 (106)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: NONE

WF2123 CUMMINS 3098690



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: NONE

WF2124 Water, Spin-On



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: 3/4-20 UNEF-2B
Chemical Additive: DCA4+

WF2126 CASE 324618A1, CUMMINS 4907485, INGERSOLL-RAND 54662051; Cum Sig M36x2.0 DCA4-8 units; Uses service part(s) 3958392S; Replaces WF2125



Overall Height: 5.76 (146)
Largest OD: 3.69 (94)
Thread Size: M36 X 2-6G INT
Chemical Additive: DCA4+

WF2127 CUMMINS 3680434; Uses service part(s) 3958392S; Cummins Signature M36x2.0 ES DCA-0 units



Overall Height: 5.76 (146)
Largest OD: 3.77 (96)
Thread Size: M36 X 2-6G INT
Chemical Additive: NONE

WF2128 Volvo ES M16x1.5 DCA4+ coated tablets



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: DCA4+

WF2129 VOLVO 21937327; Volvo ES M16x1.5 DCA-0 units



Overall Height: 4.17 (106)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: NONE

WF2130 Volvo ES M16x1.5 DCA-0 units Severe



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: NONE

WF2131 Not recommended for use on Cummins spark-ignited gas engines; Cum ES 11/16 w/16 DCA2+ coated tablets



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA2+

WF2133 Mack ES 3/4 w/20 DCA2+ coated tablets



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: 3/4-20 UNEF-2B
Chemical Additive: DCA2+

WF2134 Mack ES 3/4 w/20 DCA-0 units



Overall Height: 4.17 (106)
Largest OD: 3.69 (94)
Thread Size: 3/4-20 UNEF-2B

WF2135 Mack ES 1-16 UN2B DCA- 0 units; Not available in all parts of the world



Overall Height: 5.7 (145)
Largest OD: 4.24 (108)
Thread Size: 1-16 UN-2B

E. PRODUCT GUIDE

WF2138

Volvo ES M16x1.5 DCA2+ coated tablets



Overall Height: 5.43 (138)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT
Chemical Additive: DCA2+

WF2142

SCANIA 342988 SCANIA
342988; Replaces WF2081



Overall Height: 4.02 (102)
Largest OD: 3.68 (94)
Thread Size: 11/16-16 UN-2B

WF2144

CUMMINS 5263175, KOMATSU
6004111151; Komatsu 11/16
w/16 DCA2-12 units; Replaces
WF2067, WF2089



Overall Height: 5.4 (137)
Largest OD: 3.69 (94)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA2
(MODIFIED)

WF2145

KOMATSU 6004111161;
Komatsu 11/16 w/16 DCA2-18
units; Replaces WF2090



Overall Height: 7.48 (190)
Largest OD: 3.72 (95)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA2
(MODIFIED)

WF2151

ALLIANCE ABPN10GWF2071;
Replaces WF2071C



Overall Height: 4.15 (105)
Largest OD: 3.74 (95)
Thread Size: 11/16-16 UN-2B
Chemical Additive: DCA4+

WF2152

CUMMINS 4104821

WF2153

ASHOK LEYLAND X4000700

Overall Height: 4.14 (105)
Largest OD: 3.71 (94)

WF2167

MACK 20575545



Overall Height: 5.42 (138)
Largest OD: 3.69 (94)
Thread Size: M16 X 1.5-6H INT

WF2187

DETROIT DIESEL A4722030255,
MERCEDES-BENZ
A4722030255



Overall Height: 5.28 (134)
Largest OD: 3.65 (93)